



ISTITUTO GIORDANO

CE NOTIFIED BODY No. 0407

CERTIFICATE OF CONFORMITY OF THE FACTORY PRODUCTION CONTROL

0407-CPR-818 (IG-111-2014)

In compliance with Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction product

METAL CHIMNEYS

identified as shown overleaf (Annex)

placed on the market by

TUBIGAMO SA

CL TORNILLO, 25 - RIVAS - VACIAM - 28529 (Madrid) - Spain

and produced in the manufacturing plant

CL TORNILLO, 25 - RIVAS - VACIAM - 28529 (Madrid) - Spain

This certificate attests that all provisions concerning the assessment and verification of constancy of performance at system 2+ and the performances described in Annex ZA of the standard

EN 1856-1:2009

are applied and that

the product fulfils all the prescribed requirements.

This certificate was first issued on 12/05/2014 and will remain valid as long as the harmonised standard remains valid or the manufacturing conditions in the plant or the factory production control itself are not modified significantly.

Bellaria-Igea Marina - Italia, 21/05/2014

Revision No. 1

Technical Director

(Dott. Ing. Giuseppe Persano Adorno)

Chief Executive Officer

(Dott. Nazario Giordano)

Sheet 1 of 2

**ANNEX TO CERTIFICATE
0407-CPR-818 (IG-111-2014)**

Revision No. 1 dated 21/05/2014

PRODUCT IDENTIFICATION	DESIGNATION
<p>TB1</p> <p>Double wall metal system chimney:</p> <ul style="list-style-type: none">- internal wall steel 1.4301 (AISI 304), thickness 0,5 mm;- insulation: loose fill mineral fibre, density 130 kg/m³, thickness 25 mm;- external wall steel 1.4301 (AISI 304), thickness 0,5 mm. <p>Diameter range: 80 - 550 mm</p>	<p>System Chimney product EN 1856-1 - T450-N1-D-Vm L20050-G(105)</p>

