

MOUNTAIN BOSCH



BLACK ADDER TEAM E SL





BOSCH | MOUNTAIN

BLACK ADDER TEAM E SL



BOSCH
PERFORMANCE LINE



black matt/ white
784-64541

Drivetrain BOSCH Performance Line CX **Powerpack** 400 Wh: 36 V / 11 Ah, 500 Wh: 36 V / 13,4 Ah **Range of performance** 400 Wh: to 175 km, 500 Wh: to 215 km **Charging time** 400 Wh: approx. 3,5 hrs. to 100%, 500 Wh: approx. 4,5 hrs. to 100%

Frame carbon fibre, hydroforming, monocoque, tapered steerer, internal cable routing, 12x148mm boost thru axle **Framesize** 41 cm / 46 cm / 51 cm / 56 cm **Fork** Rock Shox RS 1 Solo Air, 120 mm **Gearshift** Shimano XTR RD-M9000 **Gear** 11-speed **Shifter** Shimano XTR SL-M9000 **Crankset** Miranda **Freewheel** Shimano XTR CS-M9001 11-40T **Brakes** Magura MT7/MT6 hydraulic disc **Handlebar** BULLS **Stem** BULLS **Seatpost** BULLS **Saddle** Fizik Antares **Hubs** SRAM XO **Rims** Light Bicycle Carbon **Tires** Schwalbe Rocket Ron Performance, 70-584, 27,5 x 2.8 **Pedal** Wellgo aluminium skidplate **Weight** approx. 19,9 Kg

Highlight-Text BULLS Black Adder Team E SL

Ausgestattet mit Carbon-Rahmen und dem stärksten BOSCH Antrieb auf dem Markt ist das Erfolgs-Mountainbike des Team BULLS auch in der E-Variante ein echtes Highlight.

Dank des leichten Rahmenmaterials und einer außergewöhnlichen Komponentenauswahl wird das Gewicht des E-MTBs unter 20 kg gedrückt. Verbunden mit der Power des Performance Line CX Antriebs von BOSCH entsteht eine echte Offroad-Rakete, die Fahrer auf Feld- und Waldwegen richtig auf Touren und spielerisch über den nächsten Berg bringt.

Die breiten 27,5+ Schwalbe Reifen sorgen dabei in Kombination mit der RockShox RS1 Federgabel für beste Traktion. Weitere herausragende Merkmale sind die leichten Carbon-Laufräder und die High-End-Komponenten der Shimano XTR Serie.

Highlight text BULLS Black Adder Team E SL

Equipped with a carbon frame and the strongest BOSCH drive on the market, the successful team BULLS mountain bike is a true highlight in the E-version as well. Its light-weight frame material and an extraordinary component selection reduce the weight of the E-MTBs to less than 20 kg. In combination with the power of the Performance Line CX drive by BOSCH, this produces a true off-road-missile that will easily bring the rider up to speed on off-road tracks and forest paths and make crossing the next mountain child's play. The broad 27.5+ Schwalbe tyres ensure best traction in combination with the RockShox RS1 deflection fork. Other outstanding features include the light-weight carbon wheels and the high-end components from the Shimano XTR series.




BLACK ADDER TEAM 29 E

black matt
780-77146

500 WH

29



Drivetrain BOSCH Performance Line CX **Powerpack** 500 Wh: 36 V / 13,4 Ah **Range of performance** 500 Wh: to 215 km **Charging time** 500 Wh: approx. 4,5 hrs. to 100%

Frame carbon fibre, hydroforming, monocoque, tapered steerer, internal cable routing, 12x148mm boost thru axle **Framesize** 46 cm/ 51 cm/ 56 cm **Fork** Rock Shox Reba RL Solo Air, 120 mm **Gearshift** Shimano Deore XT RD-M8000-GS **Gear** 11-speed **Shifter** Shimano Deore XT SL-M8000 **Crankset** Miranda **Freewheel** Shimano SLX CS-M7000 11-42T **Brakes** Magura MT5 / MT4 hydraulic disc, 180/180 mm **Handlebar** BULLS **Stem** STYX aluminium **Seatpost** BULLS **Saddle** Fizik Nisene **Hubs** STYX aluminium **Rims** BULLS Eccentric 30 **Tires** Schwalbe Nobby Nic Performance, 60-622, 29 x 2.35 **Pedal** Wellgo **Miscellaneous** aluminium skidplate **Weight** approx. 19,9 Kg



BLACK ADDER TEAM E

black matt/ white
780-64241

500 WH

27.5+



Drivetrain BOSCH Performance Line CX **Powerpack** 500 Wh: 36 V / 13,4 Ah **Range of performance** 500 Wh: to 215 km **Charging time** 500 Wh: approx. 4,5 hrs. to 100%

Frame carbon fibre, hydroforming, monocoque, tapered steerer, internal cable routing, 12x148mm boost thru axle **Framesize** 41 cm / 46 cm / 51 cm / 56 cm **Fork** Rock Shox Reba RL Solo Air, 120 mm **Gearshift** Shimano Deore XT RD-M8000-GS **Gear** 11-speed **Shifter** Shimano Deore XT SL-M8000 **Crankset** Miranda **Freewheel** Shimano SLX CS-M7000 11-42T **Brakes** Magura MT5/MT4 hydraulic disc **Handlebar** BULLS **Stem** BULLS **Seatpost** BULLS **Saddle** Fizik Nisene **Hubs** STYX aluminium **Rims** BULLS Eccentric 35 **Tires** Schwalbe Rocket Ron Performance, 70-584, 27,5 x 2.8 **Pedal** Wellgo **Miscellaneous** aluminium skidplate **Weight** approx. 19,9 Kg

BLACK ADDER 29 E

black matt
780-76846

500 WH



Drivetrain BOSCH Performance Line CX **Powerpack** 500 Wh: 36 V / 13,4 Ah **Range of performance** 500 Wh: to 215 km **Charging time** 500 Wh: approx. 4,5 hrs. to 100%

Frame carbon fibre, hydroforming, monocoque, tapered steerer, internal cable routing, 12x148mm boost thru axle **Framesize** 46 cm/ 51 cm/ 56 cm **Fork** BULLS Lytro 35, 120 mm **Gearshift** Shimano Deore XT RD-M781-GS **Gear** 10-speed **Shifter** Shimano Deore SL-M610 **Crankset** Miranda **Freewheel** Shimano Deore CS-HG50-10 11-36T **Brakes** Magura MT5/MT4 hydraulic disc, 180/180 mm **Handlebar** BULLS **Stem** STYX aluminium **Seatpost** BULLS **Sattel / Saddle** BULLS **Hubs** STYX aluminium **Rims** BULLS Eccentric 30 **Tires** Schwalbe Rocket Ron Performance, 57-622, 29 x 2.25 **Pedal** Wellgo **Miscellaneous** aluminium skidplate **Weight** approx. 19,9 Kg

BLACK ADDER E

black matt/ neon red
780-63941

500 WH



Drivetrain BOSCH Performance Line CX **Powerpack** 500 Wh: 36 V / 13,4 Ah **Range of performance** 500 Wh: to 215 km **Charging time** 500 Wh: approx. 4,5 hrs. to 100%

Frame carbon fibre, hydroforming, monocoque, tapered steerer, internal cable routing, 12x148mm boost thru axle **Framesize** 41 cm / 46 cm / 51 cm / 56 cm **Fork** BULLS Lytro 35, 120 mm **Gearshift** Shimano Deore XT RD-M781-D-GS **Gear** 10-speed **Shifter** Shimano Deore XT SL-M610 **Crankset** Miranda **Freewheel** Shimano SLX CS-HG50 11-36T **Brakes** Magura MT5/ MT4 hydraulic disc **Handlebar** BULLS **Stem** BULLS **Seatpost** BULLS **Saddle** Fizik Nisene **Hubs** STYX aluminium **Rims** BULLS Eccentric 35 **Tires** Schwalbe Rocket Ron Performance, 70-584, 27,5 x 2.8 **Pedal** Wellgo **Miscellaneous** aluminium skidplate **Weight** approx. 19,9 Kg


SIX50 EVO 4

metallic matt/ black matt
780-70541

MONKEY LINK ready
Easily connects accessories with your bike.

500 WH

27.5+



Drivetrain BOSCH Performance Line CX **Powerpack** 500 Wh: 36 V / 13,4 Ah **Range of performance** 500 Wh: to 215 km **Charging time** 500 Wh: approx. 4,5 hrs. to 100%

Frame aluminium, tapered steerer, internal cable routing, boost thru axle **Framesize** 41 cm / 46 cm / 51 cm / 56 cm **Fork** Rock Shox Revelation RC A1 Boost Solo Air, 120 mm **Gearshift** Shimano Deore XT RD-M8000D-GS **Gear** 11-speed **Shifter** Shimano Deore XT SL-M8000 **Crankset** Miranda **Freewheel** Shimano SLX CS-M7000 11-46T **Brakes** Magura MT5/MT4 hydraulic disc, 180/180 mm **Handlebar** BULLS **Stem** MonkeyLink **Seatpost** BULLS **Saddle** Selle Royal Justek Rampage **Hubs** STYX aluminium **Rims** BULLS Eccentric 35, tubeless ready **Tires** Schwalbe Rocket Ron SnakeSkin, 70-584, 27,5 x 2.8 **Pedal** Wellgo **Miscellaneous** aluminium skidplate **Weight** approx. 23,7 Kg


TWENTY9 EVO 4

metallic matt/ black matt
780-79546

MONKEY LINK ready
Easily connects accessories with your bike.

500 WH

29



Drivetrain BOSCH Performance Line CX **Powerpack** 500 Wh: 36 V / 13,4 Ah **Range of performance** 500 Wh: to 215 km **Charging time** 500 Wh: approx. 4,5 hrs. to 100%

Frame aluminium, tapered steerer, internal cable routing, boost thru axle **Framesize** 46 cm/ 51 cm/ 56 cm/ 60 cm **Fork** Rock Shox Revelation RC, 120 mm **Gearshift** Shimano Deore XT RD-M8000D-GS Shadow Plus **Gear** 11-speed **Shifter** Shimano Deore XT SL-M8000 **Crankset** Miranda **Freewheel** Shimano SLX CS-M7000 11-46T **Brakes** Magura MT5/MT4 hydraulic disc **Handlebar** BULLS **Stem** MonkeyLink **Seatpost** BULLS **Saddle** Selle Royal Rampage **Hubs** STYX aluminium **Rims** BULLS Eccentric 30, tubeless ready **Tires** Schwalbe Rocket Ron, 57-622, SnakeSkin, Addix Spgrnp, 29 x 2.25 **Pedal** Wellgo **Miscellaneous** aluminium skidplate **Weight** approx. 23,7 Kg

SIX50 EVO 3


black matt
785-69641

BOSCH | MOUNTAIN 

MONKEY LINK ready
Easily connects accessories with your bike.

500 WH

27,5+



Drivetrain BOSCH Performance Line CX **Powerpack** 500 Wh: 36 V / 13,4 Ah **Range of performance** 500 Wh: to 215 km **Charging time** 500 Wh: approx. 4,5 hrs. to 100%

Frame aluminium, tapered steerer, internal cable routing **Framesize** 41 cm / 46 cm / 51 cm / 56 cm **Fork** BULLS Lytro 35 RL-R, 120 mm **Gearshift** Shimano Deore RD-M6000GS **Gear** 10-speed **Shifter** Shimano Deore SL-M6000 **Crankset** Miranda **Freewheel** Shimano CS-HG500-10 11-42T **Brakes** Magura MT5/MT4 hydraulic disc, 180/180 mm **Handlebar** BULLS **Stem** MonkeyLink **Seatpost** BULLS **Saddle** Selle Royal Justek Rampage **Hubs** STYX aluminium **Rims** BULLS Eccentric 35 Tubeless ready **Tires** Schwalbe Rocket Ron SnakeSkin TLE, 70-584, 27,5 x 2.8 **Pedal** Wellgo **Miscellaneous** aluminium skidplate **Weight** approx. 22,2 Kg

SIX50 EVO 3 XXL

black matt/ grey/ red
785-70246

27,5+



Drivetrain BOSCH Performance Line CX **Powerpack** 500 Wh: 36 V / 13,4 Ah **Range of performance** 500 Wh: to 215 km **Charging time** 500 Wh: approx. 4,5 hrs. to 100%

Frame aluminium, tapered steerer, internal cable routing, boost, thru axle **Framesize** 46 cm / 51 cm / 56 cm / 60 cm **Fork** Rock Shox Revelation RC A1 Boost Solo Air, 120 mm **Gearshift** Shimano Deore RD-M6000GS **Gear** 10-speed **Shifter** Shimano Deore SL-M6000 **Crankset** Miranda **Freewheel** Shimano CS-HG500-10 11-42T **Brakes** Magura MT5/MT4 hydraulic disc **Handlebar** Humpert Ergotec **Stem** BULLS **Seatpost** Humpert Ergotec **Saddle** WTB, Rocket Sport **Hubs** STYX aluminium **Rims** BULLS Eccentric 35 tubeless ready **Tires** Schwalbe Nobby Nic Snake Skin, 70-584, 27,5 x 2.8 **Pedal** Wellgo **Miscellaneous** aluminium skidplate **Weight** approx. 23,7 Kg


TWENTY9 EVO 2

black matt/ grey/ neon red
785-78946

MONKEY LINK ready
Easily connects accessories with your bike.

500 WH

29



Drivetrain BOSCH Performance Line CX **Powerpack** 500 Wh: 36 V / 13,4 Ah **Range of performance** 500 Wh: to 215 km **Charging time** 500 Wh: approx. 4,5 hrs. to 100%

Frame aluminium, tapered steerer; internal cable routing, boost thru axle, telescope seatpost ready **Framesize** 46 cm / 51 cm / 56 cm / 60 cm **Fork** SR Suntour XCR 34 Air Boost RLR DS, 120 mm **Gearshift** Shimano Deore RD-M6000GS **Gear** 10-speed **Shifter** Shimano Deore SL-M6000 **Crankset** Miranda **Freewheel** Shimano CS-HG500-10 11-42T **Brakes** Magura MT4 hydraulic disc, 180/180 mm **Handlebar** BULLS **Stem** MonkeyLink **Seatpost** BULLS **Saddle** BULLS **Hubs** STYX aluminium **Rims** BULLS Eccentric 30, tubeless ready **Tires** Schwalbe Smart Sam, 57-622, 29 x 2.25 **Pedal** Wellgo **Miscellaneous** aluminium Skidplate **Weight** approx. 22,2 Kg

SIX50 EVO 2

black matt/ grey/ neon red
785-68541

MONKEY LINK ready
Easily connects accessories with your bike.

500 WH

27,5+



Drivetrain BOSCH Performance Line CX **Powerpack** 500 Wh: 36 V / 13,4 Ah **Range of performance** 500 Wh: to 215 km **Charging time** 500 Wh: approx. 4,5 hrs. to 100%

Frame aluminium, tapered steerer; internal cable routing, boost, thru axle, telescope seatpost ready **Framesize** 41 cm / 46 cm / 51 cm / 56 cm **Fork** SR Suntour XCR 34 Air boost RLR DS, 120 mm **earshift** Shimano Deore RD-M6000GS **Gear** 10-speed **Shifter** Shimano Deore SL-M6000 **Crankset** Miranda **Freewheel** Shimano CS-HG500-10 11-42T **Brakes** Magura MT4 hydraulic disc, 180/180 mm **Handlebar** BULLS **Stem** MonkeyLink **Seatpost** BULLS aluminium **Saddle** BULLS **Hubs** STYX aluminium **Rims** BULLS AS-35P ECCTRIC **Tires** Schwalbe Smart Sam K-Guard, 65-584, 27.7 x 2.6 **Pedal** Wellgo **Miscellaneous** aluminium Skidplate **Weight** approx. 22,5

TWENTY9 EVO STREET

grey matt/ black/ blue
785-78646

500 WH



29



BOSCH
PERFORMANCE LINE



Drivetrain BOSCH Performance Line CX **Powerpack** 500 Wh: 36 V / 13,4 Ah **Range of performance** 500 Wh: to 215 km **Charging time** 500 Wh: approx. 4,5 hrs. to 100%

Frame aluminium, tapered steerer, internal cable routing, telescope seatpost ready **Framesize** 46 cm/ 51 cm/ 56 cm/ 60 cm **Fork** SR Suntour XCR 32 LOR Air, 120 mm **Gearshift** Shimano Deore RD-M592-SGS Shadow **Gear** 9-speed **Shifter** Shimano Alivio SL-M4000 **Crankset** Miranda **Freewheel** Shimano CS-HG200-9 11-36T **Brakes** Shimano BR-M315 hydraulic disc, 180/180 mm **Handlebar** BULLS **Stem** STYX aluminium **Seatpost** BULLS **Saddle** BULLS **Hubs** STYX aluminium **Rims** STYX DDM-2 **Tires** Vee Rubber, 60-622, 29 x 2.30 **Pedal** Wellgo **Weight** ca. 23,7 Kg **Headlight** Fuxon DHL F170 EB **Taillight** Supernova E3 LED **Rack** Standwell **Miscellaneous** Standwell rear stand, aluminium skidplate

SIX50 EVO STREET

grey matt/ black/ blue
785-69041

500 WH



27.5+



BOSCH
PERFORMANCE LINE



Drivetrain BOSCH Performance Line CX **Powerpack** 500 Wh: 36 V / 13,4 Ah **Range of performance** 500 Wh: to 215 km **Charging time** 500 Wh: approx. 4,5 hrs. to 100%

Frame aluminium, tapered steerer, internal cable routing, telescope seatpost ready **Framesize** 41 cm / 46 cm / 51 cm / 56 cm **Fork** SR Suntour XCR-32 LOR Air, 120 mm **Gearshift** Shimano Deore RD-M592-SGS Shadow **Gear** 9-speed **Shifter** Shimano Alivio SL-M4000 **Crankset** Miranda **Freewheel** Shimano CS-HG200-9 11-36T **Brakes** Shimano BR-M315 hydraulic disc, 180/180 mm **Handlebar** BULLS **Stem** BULLS **Seatpost** BULLS **Saddle** BULLS **Hubs** STYX aluminium **Rims** STYX DDM-2 **Tires** Schwalbe Super Moto-X, 62-584, 27,5 x 2.4 **Pedal** Wellgo **Headlight** Fuxon DHL F170 EB **Taillight** Supernova E3 Tail Light **Rack** Standwell **Miscellaneous** aluminium skidplate **Weight** approx. 23,7 Kg

TWENTY9 EVO 1,5

grey matt/ black/ neon green
785-78446

500 WH



29

black matt/ white/ orange
785-78346



Drivetrain BOSCH Performance Line CX **Powerpack** 500 Wh: 36 V / 13,4 Ah **Range of performance** 500 Wh: to 215 km **Charging time** 500 Wh: approx. 4,5 hrs. to 100%

Frame aluminium, tapered steerer, internal cable routing, telescope seatpost ready **Framesize** 46 cm / 51 cm / 56 cm **Fork** SR Suntour XCR 32 LO, 100 mm **Gearshift** Shimano Deore XT RD-M771-GS **Gear** 9-speed **Shifter** Shimano Alivio SL-M4000 **Crankset** Miranda **Freewheel** Shimano CS-HG200-9 11-36T **Brakes** Shimano BR-M315 hydraulic disc, 180/180 mm **Handlebar** STYX aluminium **Stem** MonkeyLink **Seatpost** STYX aluminium **Saddle** BULLS **Hubs** STYX aluminium **Rims** BULLS Eccentric 30, tubeless ready **Tires** Schwalbe Smart Sam, 57-622, 29 x 2.25 **Pedal** Wellgo **Miscellaneous** aluminium skidplate **Weight** approx. 23,7 Kg

SIX50 EVO 1,5

blue matt/ white/ orange
785-67841

500 WH



27,5+

grey matt/ black/ neon green
785-67941

MONKEY LINK ready
Easily connects accessories with your bike.



Drivetrain BOSCH Performance Line CX **Powerpack** 500 Wh: 36 V / 13,4 Ah **Range of performance** 500 Wh: to 215 km **Charging time** 500 Wh: approx. 4,5 hrs. to 100%

Frame aluminium, tapered steerer, internal cable routing, telescope seatpost ready **Framesize** 41 cm / 46 cm / 51 cm / 56 cm **Fork** SR Suntour XCR-32 LO coil, 100 mm **Gearshift** Shimano Deore XT RD-M771-SGS **Gear** 9-speed **Shifter** Shimano Alivio SL-M4000 **Crankset** Miranda **Freewheel** Shimano CS-HG200-9 11-36T **Brakes** Shimano BR-M315 hydraulic disc, 180/180 mm **Handlebar** STYX aluminium **Stem** MonkeyLink **Seatpost** STYX aluminium **Saddle** BULLS **Hubs** STYX aluminium **Rims** STYX DDM-2 **Tires** Schwalbe Smart Sam, 65-584, 27,5 x 2.25 **Pedal** Wellgo **Miscellaneous** aluminium skidplate **Weight** approx. 23,7 Kg

TWENTY9 EVO 1 CX

blue/ black/ neon red
785-78146

500 WH



29

BOSCH | MOUNTAIN



grey matt/ black/ blue
785-78046

MONKEY LINK ready
Easily connects accessories with your bike.



Drivetrain BOSCH Performance Line CX **Powerpack** 500 Wh: 36 V / 13,4 Ah **Range of performance** 500 Wh: to 215 km **Charging time** 500 Wh: approx. 4,5 hrs. to 100%

Frame aluminium, tapered steerer, internal cable routing, telescope seatpost ready **Framesize** 46 cm/ 51 cm/ 56 cm **Fork** SR Suntour XCM DS HLO, 100 mm **Gearshift** Shimano Deore RD-M592-SGS Shadow **Gear** 9-speed **Shifter** Shimano Alivio SL-M4000 **Crankset** Miranda **Freewheel** Shimano CS-HG200-9 11-36T **Brakes** Tektro HD-M285 hydraulic disc, 180/180 mm **Handlebar** STYX aluminium **Stem** MonkeyLink **Seatpost** STYX aluminium **Saddle** BULLS **Hubs** STYX aluminium **Rims** STYX DDM-2 **Tires** STYX Ace of Pace, 57-622, 29 x 2,25 **Pedal** Wellgo **Miscellaneous** aluminium skidplate **Weight** approx. 23,7 Kg

SIX50 EVO 1 CX

grey matt/ black/ blue
785-67341

500 WH



27.5+




blue/ black/ neon red
785-67241



red/ black matt
785-67441

MONKEY LINK ready
Easily connects accessories with your bike.



Drivetrain BOSCH Performance Line CX **Powerpack** 500 Wh: 36 V / 13,4 Ah **Range of performance** 500 Wh: to 215 km **Charging time** 500 Wh: approx. 4,5 hrs. to 100%

Frame aluminium, tapered steerer, internal cable routing, telescope seatpost ready **Framesize** 41 cm / 46 cm / 51 cm / 56 cm **Fork** SR Suntour XCM DS HLO, 100 mm **Gearshift** Shimano Deore RD-M592-SGS Shadow **Gear** 9-speed **Shifter** Shimano Alivio SL-M4000 **Crankset** Miranda **Freewheel** Shimano CS-HG200-9 11-36T **Brakes** Tektro HD-M285 hydraulic disc, 180/180 mm **Handlebar** STYX aluminium **Stem** MonkeyLink **Seatpost** STYX aluminium **Saddle** BULLS **Hubs** STYX aluminium **Rims** STYX DDM-2 **Tires** STYX Ace of Pace, 57-584, 27,5 x 2,25 **Pedal** Wellgo **Miscellaneous** aluminium skidplate **Weight** approx. 22,9 Kg



SIX50 E2

black matt/ white
784-62741

400 WH

500 WH

BOSCH | MOUNTAIN 



black matt/ grey
784-62841

Model 2017 checked

MONKEY
LINK ready
Easily connects accessories
with your bike.



27.5+



Drivetrain BOSCH Performance Line CX **Powerpack** 400 Wh: 36 V / 11 Ah, 500 Wh: 36 V / 13,4 Ah **Range of performance** 400 Wh: bis 175 km, 500 Wh: bis 215 km **Charging time** 400 Wh: approx. 3,5 hrs. to 100%, 500 Wh: approx. 4,5 hrs to 100%

Frame aluminium, tapered steerer, internal cable routing, boost, thru axle **Framesize** 41 cm / 46 cm / 51 cm / 56 cm **Fork** SR Suntour XCR 34 Air Boost RLR, 120 mm **Gearshift** Shimano Deore RD-M6000GS **Gear** 10-speed **Shifter** Shimano Deore SL-M6000 **Crankset** Miranda **Freewheel** Shimano CS-HG500-10 11-42T **Brakes** Magura MT5/MT4 hydraulic disc **Handlebar** BULLS **Stem** MonkeyLink **Seatpost** BULLS **Saddle** BULLS **Hubs** STYX aluminium **Rims** BULLS AS-35P ECCTRIC **Tires** Schwalbe Smart Sam, 65-584, 27,5 x 2.25 **Pedal** Wellgo **Miscellaneous** aluminium skidplate **Weight** approx. 22,7 Kg

TWENTY9 E STREET

grey
784-76246

400 WH

500 WH

29



Drivetrain BOSCH Performance Line CX **Powerpack** 400 Wh: 36 V / 11 Ah, 500 Wh: 36 V / 13,4 Ah **Range of performance** 400 Wh: to 175 km, 500 Wh: to 215 km **Charging time** 400 Wh: approx. 3,5 hrs. to 100%, 500 Wh: approx. 4,5 hrs. to 100%

Frame aluminium, tapered steerer, internal cable routing **Framesize** ♂ 46 cm / 51 cm / 56 cm / 60 cm, ♀ 46 cm / 51 cm / 56 cm **Fork** SR Suntour XCR 32 LOR Air, 120 mm **Gearshift** Shimano Deore RD-M592-SGS Shadow **Gear** 9-speed **Shifter** Shimano Alivio SL-M4000 **Crankset** Miranda **Freewheel** Shimano CS-HG200-9 11-36T **Brakes** Shimano BR-M315 hydraulic disc, 180/180 mm **Handlebar** BULLS **Stem** BULLS **Seatpost** BULLS **Saddle** BULLS **Hubs** STYX aluminium **Rims** STYX DDM-2 **Tires** Vee Rubber, 60-622, 29 x 2.30 **Pedal** Wellgo **Headlight** Fuxon DHL F170 EB **Taillight** Supernova E3 LED **Rack** Standwell **Miscellaneous** Standwell rear stand, aluminium skidplate **Weight** approx. 23,7 Kg

SIX50 E STREET

grey
784-63637

400 WH

500 WH

27.5+



grey
784-63341



Model 2017 checked



Drivetrain BOSCH Performance Line CX **Powerpack** 400 Wh: 36 V / 11 Ah, 500 Wh: 36 V / 13,4 Ah **Range of performance** 400 Wh: to 175 km, 500 Wh: to 215 km **Charging time** 400 Wh: approx. 3,5 hrs. to 100%, 500 Wh: approx. 4,5 hrs. to 100%

Frame aluminium, tapered steerer, internal cable routing **Framesize** ♂ 41 cm / 46 cm / 51 cm / 56 cm, ♀ 37 cm / 41 cm / 46 cm / 51 cm **Fork** SR Suntour XCR 32 LOR Air, 120 mm **Gearshift** Shimano Deore RD-M592-SGS Shadow **Gear** 9-speed **Shifter** Shimano Alivio SL-M4000 **Crankset** Miranda **Freewheel** Shimano CS-HG200-9 11-36T **Brakes** Shimano BR-M315 hydraulic disc, 180/180 mm **Handlebar** BULLS **Stem** BULLS **Seatpost** BULLS **Sattel / Saddle** BULLS **Hubs** STYX aluminium **Rims** STYX DDM-2 **Tires** Schwalbe Super Moto-X, 62-584, 27,5 x 2.40 **Pedal** Wellgo **Headlight** Fuxon DHL F170 EB **Taillight** Supernova E3 LED **Rack** Standwell **Miscellaneous** Standwell kickstand, aluminium skidplate **Weight** approx. 23,8 Kg

TWENTY9 E1 CX

blue/ black matt
784-75346

400 WH

500 WH



29



grey matt/ black
784-75446

MONKEY LINK ready

Easily connects accessories with your bike.



Drivetrain BOSCH Performance Line CX **Powerpack** 400 Wh: 36 V / 11 Ah, 500 Wh: 36 V / 13,4 Ah **Range of performance** 400 Wh: to 175 km, 500 Wh: to 215 km **Charging time** 400 Wh: approx. 3,5 hrs. to 100%, 500 Wh: approx. 4,5 hrs. to 100%

Frame Aluminium, tapered steerer, internal cable routing **Framesize** 46 cm / 51 cm / 56 cm **Fork** SR Suntour XCM DS HLO, 100 mm **Gearshift** Shimano Deore RD-M592-SGS Shadow **Gear** 9-speed **Shifter** Shimano Alivio SL-M4000 **Crankset** Miranda **Freewheel** Shimano CS-HG200-9 11-36T **Brakes** Tektro HD-M285 hydraulic disc, 180/180 mm **Handlebar** STYX aluminium **Stem** MonkeyLink **Seatpost** STYX aluminium **Saddle** BULLS **Hubs** STYX aluminium **Rims** STYX DDM-2 **Tires** STYX Ace of Pace, 57-622, 29 x 2.25 **Pedal** Wellgo **Miscellaneous** aluminium skidplate **Weight** approx. 21,9 Kg

SIX50 E1 CX

grey matt
784-61241

400 WH

500 WH



27,5+



blue/ black matt
784-61341

MONKEY LINK ready

Easily connects accessories with your bike.



Drivetrain BOSCH Performance Line CX **Powerpack** 400 Wh: 36 V / 11 Ah, 500 Wh: 36 V / 13,4 Ah **Range of performance** 400 Wh: to 175 km, 500 Wh: to 215 km **Charging time** 400 Wh: approx. 3,5 hrs. to 100%, 500 Wh: approx. 4,5 hrs. to 100%

Frame aluminium, tapered steerer, internal cable routing **Framesize** 41 cm / 46 cm / 51 cm / 56 cm **Fork** SR Suntour XCM DS HLO, 100 mm **Gearshift** Shimano Deore RD-M592-SGS Shadow **Gear** 9-speed **Shifter** Shimano Alivio SL-M4000 **Freewheel** Shimano CS-HG200-9 11-36T **Brakes** Tektro HD-M285 hydraulic disc, 180/180 mm **Handlebar** STYX aluminium **Stem** MonkeyLink **Seatpost** STYX aluminium **Saddle** BULLS **Hubs** STYX aluminium **Rims** STYX DDM-2 **Tires** STYX Ace of Pace, 57-584, 27,5 x 2.25 **Pedal** Wellgo **Miscellaneous** aluminium skidplate **Weight** approx. 22,5 Kg

TWENTY9 E 1

black matt/ white
784-75046

400 WH

500 WH



29

grey matt/ neon orange
784-75146

MONKEY LINK ready

Easily connects accessories with your bike.



Drivetrain BOSCH Performance Line **Powerpack** 400 Wh: 36 V / 11 Ah, 500 Wh: 36 V / 13,4 Ah **Range of performance** 400 Wh: to 175 km, 500 Wh: to 215 km **Charging time** 400 Wh: to 3,5 hrs. to 100%, 500 Wh: approx. 4,5 hrs. to 100%

Frame aluminium, tapered steerer, internal cable routing **Framesize** 46 cm / 51 cm / 56 cm **Fork** SR Suntour XCM DS HLO, 100 mm **Gearshift** Shimano Deore RD-M592-SGS Shadow **Gear** 9-speed **Shifter** Shimano Alivio SL-M4000 **Crankset** Miranda **Freewheel** Shimano CS-HG200-9 11-36T **Brakes** Tektro HD-M285 hydraulic disc, 180/180 mm **Handlebar** STYX aluminium **Stem** MonkeyLink **Seatpost** STYX aluminium **Saddle** BULLS **Hubs** STYX aluminium **Rims** STYX DDM-2 **Tires** STYX Ace of Pace, 57-622, 29 x 2.25 **Pedal** Wellgo **Miscellaneous** aluminium skidplate **Weight** approx. 21,9 Kg

SIX50 E 1

grey matt/ neon orange
784-60741

400 WH

500 WH



27,5+

black matt/ white
784-60641

MONKEY LINK ready

Easily connects accessories with your bike.



Drivetrain BOSCH Performance Line **Powerpack** 400 Wh: 36 V / 11 Ah, 500 Wh: 36 V / 13,4 Ah **Range of performance** 400 Wh: to 175 km, 500 Wh: to 215 km **Charging time** 400 Wh: to 3,5 hrs. to 100%, 500 Wh: approx. 4,5 hrs. to 100%

Frame aluminium, tapered steerer, internal cable routing **Framesize** 41 cm / 46 cm / 51 cm / 56 cm **Fork** SR Suntour XCM DS HLO, 100 mm **Gearshift** Shimano Deore RD-M592-SGS Shadow **Gear** 9-speed **Shifter** Shimano Alivio SL-M4000 **Crankset** Miranda **Freewheel** Shimano CS-HG200-9 11-36T **Brakes** Tektro HD-M285 hydraulic disc, 180/180 mm **Handlebar** STYX aluminium **Stem** MonkeyLink **Seatpost** STYX aluminium **Saddle** BULLS **Hubs** STYX aluminium **Rims** STYX DDM-2 **Tires** STYX Ace of Pace, 57-584, 27,5 x 2.25 **Pedal** Wellgo **Miscellaneous** aluminium skidplate **Weight** approx. 21,9 Kg

SIX50 EVO AM4





SIX50 EVO AM 4

metallic matt/ black matt
785-74739



BOSCH
PERFORMANCE LINE



MONKEY LINK ready

Easily connects accessories with your bike.

Drivetrain BOSCH Performance Line CX **Powerpack** 500 Wh: 36 V / 13,4 Ah **Range of performance** 500 Wh: to 215 km **Charging time** 500 Wh: approx. 4,5 hrs. to 100%

Frame aluminium, tapered steerer, internal cable routing, boost, thru axle, telescope seatpost ready **Framesize** 41 cm / 44 cm / 49 cm / 54 cm **Fork** Fox Factory 36 Float, 150 mm **Shock** FOX Float 3-Pos DPS LSC Factory Kashima, 150 mm **Gearshift** Shimano XTR RD-M9000-GS Shadow Plus **Gear** 11-speed **Shifter** Shimano Deore XT SL-M8000 **Crankset** Miranda **Freewheel** Shimano Deore XT CS-M8000 11-46T **Brakes** Magura MT-Trail hydraulic disc, 203/180 mm **Handlebar** BULLS **Stem** MonkeyLink **Seatpost** Kind Shock LEV Integra, (41/44 100 mm / 49/54 125 mm) **Saddle** Fizik Gobi **Rims** DT-Swiss H1700 spline **Tires** Schwalbe Magic Mary, 65-584, 27,5 x 2.60 **Pedal** Wellgo **Miscellaneous** aluminium Skidplate **Weight** approx. 23,9 Kg



PowerTube Akku perfekt integriert

Eingebettet ins Unterrohr ist der neue BOSCH PowerTube Akku an Bord des Six50 EVO AM4 auf den ersten Blick kaum zu erkennen. Doch neben der herausragenden Optik, die der eines konventionellen Fulllys extrem nahe kommt, glänzt die Integration mit maximaler Funktionalität und sorgt gleichzeitig dank des tiefen Schwerpunktes für beste Fahreigenschaften im Gelände.

Einheitlicher Antriebsstrang für optimale Gewichtsverteilung

Steil verbaut und optimal ins Rahmendesign integriert, bildet der BOSCH Antrieb gemeinsam mit dem PowerTube Akku einen einheitlichen Antriebsstrang. Die Vorteile zeigen sich nicht nur in einem schlanken Gesamtbild, sondern auch in einer verbesserten Gewichtsverteilung, die für maximale Kontrolle und noch mehr Fahrspaß sorgt. Durch die robuste Skidplate ist der Motor zusätzlich vor Beschädigungen geschützt.

Verbesserte Geometrie für noch mehr Kontrolle und Wendigkeit

Eine überarbeitete Geometrie verleiht den BULLS E-Fullys noch mehr Wendigkeit und Kontrolle – besonders in der Abfahrt. Kürzere Kettenstreben sorgen für ein Plus an Agilität in kurvigem Gelände und technischen Trails. Zusätzlich verbessert die Kombination aus verlängertem Oberrohr und kürzerem Vorbau die Sitzposition. In Zusammenspiel mit dem abgeflachten Lenkwinkel, satten 150 mm Federweg und Teleskop-Sattelstütze wird dabei nicht nur jede Abfahrt zum fahrerischen Hochgenuss.

PowerTube battery perfectly integrated

edded in the down tube, the new BOSCH PowerTube battery on board of the Six50 EVO AM4 is barely recognisable at first glance. In addition to its outstanding looks, which come extremely close to those of a conventional fully, however, the integration stands out with best function and ensures best cycling properties in off-road at the same time thanks to the low centre of gravity.

Consistent drive train for optimal weight distribution

Steeplly installed and optimally integrated into the frame design, the BOSCH drive and the PowerTube battery form a consistent drive train together. The advantages stand out not only in a slim overall appearance, but also in improved weight distribution that ensures best control and even more cycling fun. The robust skid plate additionally protects the motor from damage.

Improved geometry for even better control and agility

A revised geometry makes the BULLS E-Fullys even more agile and better controlled – in particular downhill. Shorter chainstays add agility in curvy terrain and on technical trails. Additionally, the combination of extended top tube and shorter stem improves the sitting position. In interaction with the flattened steering angle, a deflection of a full 150 mm and telescopic seat post, not only every downhill ride will be bliss for the cyclist.

SIX50 EVO AM 3

grey/ neon yellow matt
785-74439

MONKEY LINK ready
Easily connects accessories with your bike.

500 WH

27.5+



Drivetrain BOSCH Performance Line CX **Powerpack** 500 Wh: 36 V / 13,4 Ah **Range of performance** 500 Wh: to 215 km **Charging time** 500 Wh: approx. 4,5 hrs. to 100%

Frame aluminium, tapered steerer, internal cable routing, boost, thru axle, telescope seatpost ready **Framesize** 39 cm / 44 cm / 49 cm / 54 cm **Fork** Rock Shox Yari RC Solo Air, 150 mm **Shock** Rock Shox Deluxe RT, 150 mm **Gearshift** Shimano Deore XT RD-M8000-GS Shadow Plus **Gear** 11-speed **Shifter** Shimano Deore XT SL-M8000 **Crankset** Miranda **Freewheel** Shimano SLX CS-M7000 11-46T **Brakes** Magura MT5 hydraulic disc **Handlebar** BULLS **Stem** MonkeyLink **Seatpost** Kind Shock LEV Integra, (41/44 100 mm / 49/54 125mm) **Saddle** Selle Royal Rampage **Hubs** STYX aluminium **Rims** BULLS Eccentric 35, tubeless ready **Tires** Schwalbe Nobby Nic SnakeSkin, TLE, Apex, Addix SPGirp, 70-584, 27,5 x 2.8 **Pedal** Wellgo **Miscellaneous** aluminium skidplate **Weight** approx. 24,1 Kg


SIX50 EVO TR 3

grey/ neon yellow matt
785-73541

MONKEY LINK ready
Easily connects accessories with your bike.

500 WH

27.5+



Drivetrain BOSCH Performance Line CX **Powerpack** 500 Wh: 36 V / 13,4 Ah **Range of performance** 500 Wh: to 215 km **Charging time** 500 Wh: approx. 4,5 hrs. to 100%

Frame aluminium, tapered steerer, internal cable routing, boost, thru axle, telescope seatpost ready **Framesize** 41 cm / 46 cm / 51 cm / 56 cm **Fork** Rock Shox Revelation RC Boost Solo Air, 120 mm **Shock** Rock Shox Deluxe RT, 120 mm **Gearshift** Shimano Deore XT RD-M8000-GS Shadow Plus **Gear** 11-speed **Shifter** Shimano Deore XT SL-M8000 **Crankset** Miranda **Freewheel** Shimano SLX CS-M7000 11-46T **Brakes** Magura MT5 hydraulic disc **Handlebar** BULLS **Stem** MonkeyLink **Seatpost** Kind Shock E30i 125 mm **Saddle** Selle Royal Justek Rampage **Hubs** STYX aluminium **Rims** BULLS Eccentric 35, tubeless ready **Tires** Schwalbe Nobby Nic Snake Skin, 70-584, 27,5 x 2.8 **Pedal** Wellgo **Miscellaneous** aluminium skidplate **Weight** approx. 23,7 Kg

SIX50 EVO AM 2

black matt/ neon red
785-73239

BOSCH | MOUNTAIN 

MONKEY LINK ready
Easily connects accessories with your bike.

500 WH

27.5+



Drivetrain BOSCH Performance Line CX **Powerpack** 500 Wh: 36 V / 13,4 Ah **Range of performance** 500 Wh: to 215 km **Charging time** 500 Wh: approx. 4,5 hrs. to 100%

Frame aluminium, tapered steerer, internal cable routing, boost, thru axle, telescope seatpost ready **Framesize** 41 cm / 44 cm / 49 cm / 54 cm **Fork** BULLS Lytro 35, 150 mm **Shock** Rock Shox Deluxe RT, 150 mm **Gearshift** Shimano Deore RD-M6000GS **Gear** 10-speed **Shifter** Shimano Deore SL-M6000 **Crankset** Miranda **Freewheel** Shimano CS-HG500-10 11-42T **Brakes** Magura MT5/MT4 hydraulic disc, 180/180 mm **Handlebar** BULLS **Stem** MonkeyLink **Seatpost** Dropper Post: Kind Shock LEv Integra (41/ 44 100 mm, 49/ 54 125 mm) **Saddle** BULLS **Hubs** STYX aluminium **Rims** BULLS Eccentric 35, tubeless ready **Tires** Schwalbe Nobby Nic SnakeSkin, TLE, Apex, Addix SPGirp, 70-584, 27,5 x 2.8 **Pedal** Wellgo **Miscellaneous** aluminium Skidplate **Weight** approx. 23,4 Kg

SIX50 EVO TR 2

grey matt/ black/ chrom
785-72641



black matt/ white
785-72741

500 WH

27.5+



MONKEY LINK ready
Easily connects accessories with your bike.

Drivetrain BOSCH Performance Line CX **Powerpack** 500 Wh: 36 V / 13,4 Ah **Range of performance** 500 Wh: to 215 km **Charging time** 500 Wh: approx. 4,5 hrs. to 100%

Frame aluminium, tapered steerer, internal cable routing, boost, thru axle, telescope seatpost ready **Framesize** 41 cm / 46 cm / 51 cm / 56 cm **Fork** BULLS Lytro 35, 120 mm **Shock** Rock Shox Deluxe RT, 120 mm **Gearshift** Shimano Deore RD-M6000GS-D Shadow Plus **Gear** 10-speed **Shifter** Shimano Deore SL-M6000 **Crankset** Miranda **Freewheel** Shimano CS-HG500-10 11-42T **Brakes** Magura MT5/MT4 hydraulic disc, 180/180 mm **Handlebar** BULLS **Stem** MonkeyLink **Seatpost** BULLS **Saddle** BULLS **Hubs** STYX aluminium **Rims** BULLS Eccentric 35, tubeless ready **Tires** Schwalbe Nobby Nic SnakeSkin, TLE, Apex, Addix SPGirp, 70-584, 27,5 x 2.8 **Pedal** Wellgo **Miscellaneous** aluminium skidplate **Weight** approx. 24,6 Kg

SIX50 EVO AM 1

grey matt/ orange
785-72039

MONKEY LINK ready
Easily connects accessories with your bike.

500 WH



27.5+



Drivetrain BOSCH Performance Line CX **Powerpack** 500 Wh: 36 V / 13,4 Ah **Range of performance** 500 Wh: to 215 km **Charging time** 500 Wh: approx. 4,5 hrs. to 100%

Frame aluminium, tapered steerer, internal cable routing, boost, thru axle, telescope seatpost ready **Framesize** 39 cm / 44 cm / 49 cm / 54 cm **Fork** BULLS Lytro 35, 150 mm **Shock** Rock Shox Deluxe RT, 150 mm **Gearshift** Shimano Deore RD-M6000GS Shadow Plus **Gear** 10-speed **Shifter** Shimano Deore SL-M6000 **Crankset** Miranda **Freewheel** Shimano CS-HG500-10 11-42T **Brakes** Shimano BR-M315 hydraulic disc, 180/180 mm **Handlebar** STYX aluminium **Stem** MonkeyLink **Seatpost** Dropper Post Kind Shock E30i 125mm **Saddle** BULLS **Hubs** STYX Aluminium **Rims** BULLS Eccentric 35, tubeless ready **Tires** Schwalbe Smart Sam Performance, 65-584, 27,5 x 2.60 **Pedal** Wellgo **Miscellaneous** aluminium Skidplate **Weight** approx. 23,2 Kg

SIX50 EVO TR 1

grey matt/ black
785-71441

MONKEY LINK ready
Easily connects accessories with your bike.

500 WH



27.5+



Drivetrain BOSCH Performance Line CX **Powerpack** 500 Wh: 36 V / 13,4 Ah **Range of performance** 500 Wh: to 215 km **Charging time** 500 Wh: approx. 4,5 hrs. to 100%

Frame aluminium, tapered steerer, internal cable routing, boost, thru axle, telescope seatpost ready **Framesize** 41 cm / 46 cm / 51 cm / 56 cm **Fork** SR Suntour XCR 34 Air Boost RLR DS, 120 mm **Shock** SR Suntour Unair LOR Air 120 mm **Gearshift** Shimano Deore RD-M6000GS-D Shadow Plus **Gear** 10-speed **Shifter** Shimano Deore SL-M6000 **Crankset** Miranda **Freewheel** Shimano CS-HG500-10 11-42T **Brakes** Shimano BR-M315 hydraulic disc, 180/180 mm **Handlebar** STYX aluminium **Stem** MonkeyLink **Seatpost** STYX aluminium **Saddle** BULLS **Hubs** STYX aluminium **Rims** BULLS Eccentric 35, tubeless ready **Tires** Schwalbe Smart Sam Performance, 65-584, 27,5 x 2.60 **Pedal** Wellgo **Miscellaneous** aluminium Skidplate **Weight** approx. 23,9 Kg



SIX50 EVO TR STREET

grey matt/ black/ chrom
785-72341

500 WH



27.5+



Drivetrain BOSCH Performance Line CX **owerpack** 500 Wh: 36 V / 13,4 Ah **Range of performance** 500 Wh: to 215 km **Charging time** 500 Wh: approx. 4,5 hrs. to 100%

Frame aluminium, tapered steerer, internal cable routing, boost, thru axle, telescope seatpost ready **Framesize** 41 cm / 46 cm / 51 cm / 56 cm **Fork** SR Suntour XCR-34 Air Boost RLR DS, 120 mm **Shock** SR Suntour Unair Lor, 120 mm **Gearshift** Shimano Deore RD-M6000GS **Gear** 10-speed **Shifter** Shimano Deore SL-M6000 **Crankset** Miranda **Freewheel** Shimano CS-HG500-10 11-42T **Brakes** Shimano BR-M315 hydraulic disc, 180/180 mm **Handlebar** BULLS **Stem** BULLS **Seatpost** BULLS **Saddle** BULLS **Hubs** STYX aluminium **Rims** BULLS Eccentric 35,tubeless ready **Tires** Schwalbe Super MotoX 62-584, 27,5 x 2.4 **Pedal** Wellgo **Miscellaneous** aluminium Skidplate **Weight** approx. 25,9 Kg

TWENTY9 TR 1

schwarz matt
784-77441

MONKEY LINK ready
Easily connects accessories with your bike.

400 WH

500 WH

29



Drivetrain BOSCH Performance Line CX **Powerpack** 400 Wh: 36 V / 11 Ah, 500 Wh: 36 V / 13,4 Ah **Range of performance** 400 Wh: to 175 km, 500 Wh: to 215 km **Charging time** 400 Wh: approx. 3,5 hrs. to 100%, 500 Wh: approx. 4,5 hrs. to 100%

Frame aluminium, tapered steerer, internal cable routing, telescope seatpost ready, boost thru axle **Framesize** 41 cm / 46 cm / 51 cm / 56 cm **Fork** SR Suntour XCR 34 Air Boost RLR DS, 120 mm **Shock** SR Suntour UNAIR TR LOR Air, 120 mm **Gearshift** Shimano Deore RD-M6000GS **Gear** 10-speed **Shifter** Shimano Deore SL-M6000 **Crankset** Miranda **Freewheel** Shimano CS-HG500-10 11-42T **Brakes** Shimano BR-M315 hydraulic disc, 180/180 mm **Handlebar** STYX aluminium **Stem** MonkeyLink **Seatpost** STYX aluminium **Saddle** BULLS **Hubs** STYX aluminium **Rims** BULLS Eccentric 30, tubeless ready **Tires** Schwalbe Smart Sam Performance, 57-622, 29 x 2.25 **Pedal** Wellgo **Weight** approx. 19,9 Kg **Miscellaneous** aluminium skidplate

SIX50 TR 1

grey matt/ black
784-65141

MONKEY LINK ready
Easily connects accessories with your bike.

400 WH

500 WH

27.5+



Drivetrain BOSCH Performance Line CX **Powerpack** 400 Wh: 36 V / 11 Ah, 500 Wh: 36 V / 13,4 Ah **Range of performance** 400 Wh: to 175 km, 500 Wh: to 215 km **Charging time** 400 Wh: approx. 3,5 hrs. to 100%, 500 Wh: approx. 4,5 hrs. to 100%

Frame aluminium, tapered steerer, internal cable routing, boost, thru axle, telescope seatpost ready **Framesize** 41 cm / 46 cm / 51 cm / 56 cm **Fork** SR Suntour XCR 34 Air Boost RLR DS, 120 mm **Shock** SR Suntour UNAIR TR LOR Air, 120 mm **Gearshift** Shimano Deore RD-M6000GS **Gear** 10-speed **Shifter** Shimano Deore SL-M6000 **Crankset** Miranda **Freewheel** Shimano CS-HG500-10 11-42T **Brakes** Shimano BR-M315 hydraulic disc, 180/180 mm **Handlebar** STYX aluminium **Stem** MonkeyLink **Seatpost** STYX aluminium **Saddle** BULLS **Hubs** STYX aluminium **Rims** BULLS AS-35P ECCTRIC **Tires** Schwalbe Smart Sam, 65-584, 27,5 x 2.60 **Pedal** Wellgo **Miscellaneous** aluminium skidplate **Weight** approx. 19,9 Kg



SIX50 TR STREET

black matt/ grey
784-66041

400 WH

500 WH

27.5+



Drivetrain BOSCH Performance Line CX **Powerpack** 400 Wh: 36 V / 11 Ah, 500 Wh: 36 V / 13,4 Ah **Range of performance** 400 Wh: to 175 km, 500 Wh: to 215 km **Charging time** 400 Wh: approx. 3,5 hrs. to 100%, 500 Wh: approx. 4,5 hrs. to 100%

Frame aluminium, tapered steerer, internal cable routing, boost, thru axle, telescope seatpost ready **Framesize** 41 cm / 46 cm / 51 cm / 56 cm **Fork** SR Suntour XCR 34 Air Boost RLR DS, 120 mm **Shock** SR Suntour UNAIR TR LOR Air, 120 mm **Gearshift** Shimano Deore RD-M6000GS **Gear** 10-speed **Shifter** Shimano Deore SL-M6000 **Crankset** Miranda **Freewheel** Shimano CS-HG500-10 11-42T **Brakes** Shimano BR-M315 hydraulic disc, 180/180 mm **Handlebar** BULLS **Stem** BULLS **Seatpost** BULLS **Saddle** BULLS **Hubs** STYX aluminium **Rims** BULLS AS-35P ECCTRIC **Tires** Schwalbe Super MotoX, 62-584, 27,5 x 2.40 **Pedal** Wellgo **Headlight** Fuxon DHL F170 EB **Taillight** Supernova E3 LED **Rack** Standwell **Miscellaneous** Standwell rear stand **Miscellaneous** aluminium skidplate **Weight** approx. 23,7 Kg

AMINGA EVA 3

black matt/ white
785-69937

MONKEY
LINK ready

Easily connects accessories
with your bike.

500 WH



27.5+



Drivetrain BOSCH Performance Line CX **Powerpack** 500 Wh: 36 V / 13,4 Ah **Range of performance** 500 Wh: to 215 km **Ladedauer / Charging time** 500 Wh: approx. 4,5 hrs. to 100%

Frame aluminium, tapered steerer, internal cable routing, boost, thru axle, telescope seatpost ready **Framesize** 37 cm / 41 cm / 46 cm / 51 cm **Fork** BULLS Lytro 35 RL-R, 120 mm **Gearshift** Shimano Deore RD-M6000GS **Gear** 10-speed **Shifter** Shimano Deore SL-M6000 **Crankset** Miranda **Freewheel** Shimano CS-HG500-10 11-42T **Brakes** Magura MT5/ MT4 hydraulic disc, 180/180 mm **Handlebar** BULLS **Stem** MonkeyLink **Seatpost** BULLS **Saddle** BULLS **Hubs** STYX aluminium **Rims** BULLS Eccentric 35 tubeless ready **Tires** Schwalbe Rocket Ron SnakeSkin, TLE Addix SPGrip, 70-584, 27,5 x 2.8 **Pedal** Wellgo **Miscellaneous** aluminium Skidplate **Weight** approx. 23,7 Kg

AMINGA EVA 2

grey matt
785-68737

MONKEY
LINK ready

Easily connects accessories
with your bike.

500 WH



27.5+



Drivetrain BOSCH Performance Line CX **Powerpack** 500 Wh: 36 V / 13,4 Ah **Range of performance** 500 Wh: to 215 km **Charging time** 500 Wh: to. 4,5 hrs. to 100%

Frame aluminium, tapered steerer, internal cable routing, boost, thru axle, telescope seatpost ready **Framesize** 37 cm / 41 cm / 46 cm / 51 cm **Fork** SR Suntour XCR 34 Air Boost RLR DS, 120 mm **Gearshift** Shimano Deore RD-M6000GS **Gear** 10-speed **Shifter** Shimano Deore SL-M6000 **Crankset** Miranda **Freewheel** Shimano CS-HG500-10 11-42T **Brakes** Magura MT4 hydraulic disc, 180/18 mm **Handlebar** STYX aluminium **Stem** MonkeyLink **Seatpost** STYX aluminium **Saddle** BULLS **Hubs** STYX aluminium **Rims** BULLS Eccentric 35 tubeless ready **Tires** Schwalbe Smart Sam, 65-584, 27,5 x 2.60 **Pedal** Wellgo **Miscellaneous** aluminium Skidplate **Weight** approx. 22,2 Kg

AMINGA EVA 1,5

grey matt
785-68137

MONKEY LINK ready
Easily connects accessories with your bike.

500 WH

27,5+



Drivetrain BOSCH Performance Line CX **Powerpack** 500 Wh: 36 V / 13,4 Ah **Range of performance** 500 Wh: to 215 km **Charging time** 500 Wh: approx. 4,5 hrs. to 100%

Frame aluminium, tapered steerer, internal cable routing, telescope seatpost ready **Framesize** 37 cm / 41 cm / 46 cm / 51 cm **Fork** SR Suntour XCR 32 LO, 100 mm **Gearshift** Shimano Deore XT RD-M771-GS **Gear** 10-speed **Shifter** Shimano Alivio SL-M4000 **Crankset** Miranda **Freewheel** Shimano CS-HG200-9 11-36T **Brakes** Shimano BR-M315 hydraulic disc, 180/180 mm **Handlebar** STYX aluminium **Stem** MonkeyLink **Seatpost** STYX aluminium **Saddle** BULLS **Hubs** STYX aluminium **Rims** BULLS Eccentric 35 tubeless ready **Tires** Schwalbe Smart Sam, 65-584, 27,5 x 2.60 **Pedal** Wellgo **Miscellaneous** aluminium skidplate **Weight** approx. 23,7 Kg


AMINGA EVA 1 CX

grey matt
780-67537

MONKEY LINK ready
Easily connects accessories with your bike.

500 WH

27,5



Drivetrain BOSCH Performance Line CX **Powerpack** 500 Wh: 36 V / 13,4 Ah **Range of performance** 500 Wh: to 215 km **Charging time** 500 Wh: approx. 4,5 hrs. to 100%

Frame aluminium, tapered steerer, internal cable routing, telescope Seatpost Ready **Framesize** 37 cm / 41 cm / 46 cm / 51 cm **Fork** SR Suntour XCM DS HLO, 100 mm **Gearshift** Shimano Deore RD-M592-SGS Shadow **Gear** 9-speed **Shifter** Shimano Alivio SL-M4000 **Crankset** Miranda **Freewheel** Shimano CS-HG200-9 11-36T **Brakes** Tektro HD-M285 hydraulic disc, 180/180 mm **Handlebar** STYX aluminium **Stem** MonkeyLink **Seatpost** STYX aluminium **Saddle** BULLS **Hubs** STYX aluminium **Rims** STYX DDM-2 **Tires** STYX Ace of Pace, 57-584, 27,5 x 2.25 **Pedal** Wellgo **Miscellaneous** aluminium Skidplate **Weight** approx. 22,5 Kg



AMINGA E2

grey matt
784-63037

400 WH

500 WH

MONKEY
LINK ready
Easily connects accessories
with your bike.

27.5+



Drivetrain BOSCH Performance Line CX **Powerpack** 400 Wh: 36 V / 11 Ah, 500 Wh: 36 V / 13,4 Ah **Range of performance** 400 Wh: to 175 km, 500 Wh: to 215 km **Charging time** 400 Wh: approx. 3,5 hrs. to 100%, 500 Wh: approx. 4,5 hrs. to 100%

Frame aluminium, tapered steerer, internal cable routing, boost, thru axle, telescope seatpost ready **Framesize** 37 cm/ 41 cm/ 46 cm/ 51 cm **Fork** SR Suntour XCR 34 Air Boost RLR DS, 120 mm **Gearshift** Shimano Deore RD-M6000GS **Gear** 10-speed **Shifter** Shimano Deore SL-M6000 **Crankset** Miranda **Freewheel** Shimano CS-HG500-10 11-42T **Brakes** Magura MT5/MT4 hydraulic disc, 180/180 mm **Handlebar** BULLS **Stem** MonkeyLink **Seatpost** BULLS **Saddle** BULLS **Hubs** STYX aluminium **Rims** BULLS Eccentric 35 tubeless ready **Tires** Schwalbe Smart Sam Plus, 65-584, 27,5 x 2.60 **Pedal** Wellgo **Miscellaneous** aluminium skidplate **Weight** approx. 22,6 Kg

AMINGA E1 CX

turquoise matt
784-61637

400 WH

500 WH



BOSCH | MOUNTAIN



27,5

grey matt
784-61537

MONKEY LINK ready
Easily connects accessories with your bike.



Drivetrain BOSCH Performance Line CX **Powerpack** 400 Wh: 36 V / 11 Ah, 500 Wh: 36 V / 13,4 Ah **Range of performance** 400 Wh: to 175 km, 500 Wh: to 215 km **Charging time** 400 Wh: approx. 3,5 hrs. to 100%, 500 Wh: approx. 4,5 hrs. to 100%

Frame aluminium, tapered steerer, internal cable routing **Framesize** 37 cm / 41 cm / 46 cm / 51 cm **Fork** SR Suntour XCM DS HLO, 100 mm **Gearshift** Shimano Deore RD-M592-SGS Shadow **Gear** 9-speed **Shifter** Shimano Alivio SL-M4000 **Freewheel** Shimano CS-HG200-9 11-36T **Brakes** Tektro HD-M286 hydraulic disc, 180/180 mm **Handlebar** STYX aluminium **Stem** MonkeyLink **Seatpost** STYX aluminium **Saddle** BULLS **Hubs** STYX aluminium **Rims** STYX DDM-2 **Tires** STYX Ace of Pace, 57-584, 27,5 x 2.25 **Pedal** Wellgo **Miscellaneous** aluminium skidplate **Weight** approx. 22,2 Kg

AMINGA E1

schwarz matt/weiß
784-60937

400 WH

500 WH



MONKEY LINK ready
Easily connects accessories with your bike.

27,5



Drivetrain BOSCH Performance Line CX **Powerpack** 400 Wh: 36 V / 11 Ah, 500 Wh: 36 V / 13,4 Ah **Range of performance** 400 Wh: to 175 km, 500 Wh: to 215 km **Charging time** 400 Wh: approx. 3,5 hrs. to 100%, 500 Wh: approx. 4,5 hrs. to 100%

Frame aluminium, tapered steerer, internal cable routing **Framesize** 37 cm / 41 cm / 46 cm / 51 cm **Fork** SR Suntour XCM DS HLO, 100 mm **Gearshift** Shimano Deore RD-M592-SGS Shadow **Gear** 9-speed **Shifter** Shimano Alivio SL-M4000 **Crankset** Miranda **Freewheel** Shimano CS-HG200-9 11-36T **Brakes** Tektro HD-M286 hydraulic disc, 180/180 mm **Handlebar** STYX aluminium **Stem** MonkeyLink **Seatpost** STYX aluminium **Saddle** BULLS Design **Hubs** STYX aluminium **Rims** STYX DDM-2 **Tires** STYX Ace of Pace, 57-584, 27,5 x 2.25 **Pedal** Wellgo **Miscellaneous** aluminium skidplate **Weight** approx. 21,9 Kg



AMINGA EVA TR 3

black matt/ rouge red
785-73841

500 WH

MONKEY LINK ready
Easily connects accessories with your bike.



Drivetrain BOSCH Performance Line CX **Powerpack** 500 Wh: 36 V / 13,4 Ah **Range of performance** 500 Wh: to 215 km **Charging time** 500 Wh: approx. 4,5 hrs. to 100%

Frame aluminium, tapered steerer, internal cable routing, boost, thru axle, telescope seatpost ready **Framesize** 41 cm / 46 cm / 51 cm / 56 cm **Fork** Rock Shox Revelation RC Boost Solo Air, 120 mm **Shock** Rock Shox Deluxe RT, 120 mm **Gearshift** Shimano Deore XT RD-M8000D-GS Shadow Plus **Gear** 11-speed **Shifter** Shimano Deore XT SL-M8000 **Crankset** Miranda **Freewheel** Shimano SLX CS-M7000 11-46T **Brakes** Magura MT5 hydraulic disc, 180/180 mm **Handlebar** BULLS **Stem** MonkeyLink **Seatpost** Kind Shock E30i 125 mm **Saddle** Selle Royal Rampage **Hubs** STYX aluminium **Rims** BULLS Eccentric 35 tubeless ready **Tires** Schwalbe Nobby Nic SnakeSkin, TLE, Apex, Addix SPGirp, 70-584, 27,5 x 2.8 **Pedal** Wellgo **Miscellaneous** aluminium Skidplate **Weight** approx. 24,2 Kg

AMINGA EVA TR 2

grey matt/ neon pink
785-72941

MONKEY LINK ready
Easily connects accessories with your bike.

500 WH



27,5+



Drivetrain BOSCH Performance Line CX **Powerpack** 500 Wh: 36 V / 13,4 Ah **Range of performance** 500 Wh: to 215 km **Charging time** 500 Wh: approx. 4,5 hrs. to 100%

Frame aluminium, tapered steerer, internal cable routing, boost, thru axle, telescope seatpost ready **Framesize** 41 cm / 46 cm / 51 cm / 56 cm **Fork** BULLS Lytro 35 RL-R, 120 mm **Shock** Rock Shox Deluxe RT, 120 mm **Gearshift** Shimano Deore RD-M6000GS **Gear** 10-speed **Shifter** Shimano Deore SL-M6000 **Crankset** Miranda **Freewheel** Shimano CS-HG500-10 11-42T **Brakes** Magura MT5/MT4 hydraulic disc, 180/180 mm **Handlebar** BULLS **Stem** MonkeyLink **Seatpost** BULLS **Saddle** BULLS **Hubs** STYX aluminium **Rims** BULLS Eccentric 35 tubeless ready **Tires** Schwalbe Nobby Nic SnakeSkin, TLE, Apex, Addix SPGirp, 70-584, 27,5 x 2.8 **Pedal** Wellgo **Miscellaneous** aluminium skidplate **Weight** approx. 24,2 Kg

AMINGA EVA TR 1

turquoise matt
785-71741

MONKEY LINK ready
Easily connects accessories with your bike.

500 WH



27,5+



Drivetrain BOSCH Performance Line CX **Powerpack** 500 Wh: 36 V / 13,4 Ah **Range of performance** 500 Wh: to 215 km **Charging time** 500 Wh: approx. 4,5 hrs. to 100%

Frame aluminium, tapered steerer, internal cable routing, boost, thru axle, telescope seatpost ready **Framesize** 41 cm / 46 cm / 51 cm / 56 cm **Fork** SR Suntour XCR 34 Air Boost RLR DS, 120 mm **Shock** SR Suntour Unair LO R Air, 120 mm **Gearshift** Shimano Deore RD-M6000GS **Gear** 10-speed **Shifter** Shimano Deore SL-M6000 **Crankset** Miranda **Freewheel** Shimano CS-HG500-10 11-42T **Brakes** Shimano BR-M315 hydraulic disc, 180/180 mm **Handlebar** STYX aluminium **Stem** MonkeyLink **Seatpost** STYX aluminium **Saddle** BULLS **Hubs** STYX aluminium **Rims** BULLS Eccentric 35 tubeless ready **Tires** Schwalbe Smart Sam Performance, 65-584, 27,5 x 2.60 **Pedal** Wellgo **Miscellaneous** aluminium skidplate **Weight** approx. 24,3 Kg

AMINGA TR 1

turquoise matt
784-65441

MONKEY
LINK ready

Easily connects accessories
with your bike.

400 WH

500 WH



Drivetrain BOSCH Performance Line CX **Powerpack** 400 Wh: 36 V / 11 Ah, 500 Wh: 36 V / 13,4 Ah **Range of performance** 400 Wh: to 175 km, 500 Wh: to 215 km **Charging time** 400 Wh: approx. 3,5 hrs. to 100%, 500 Wh: approx. 4,5 hrs. to 100%

Frame aluminium, tapered steerer, internal cable routing, boost, thru axle, telescope seatpost ready **Framesize** 41 cm / 46 cm / 51 cm / 56 cm **Fork** SR Suntour XCR 34 Air Boost RLR DS, 120 mm **Shock** SR Suntour UNAIR TR LOR Air, 120 mm **Gearshift** Shimano Deore RD-M6000GS **Gear** 10-speed **Shifter** Shimano Deore SL-M6000 **Crankset** Miranda **Freewheel** Shimano CS-HG500-10 11-42T **Brakes** Shimano BR-M315 hydraulic disc **Handlebar** STYX aluminium **Stem** MonkeyLink **Seatpost** STYX aluminium **Saddle** BULLS **Hubs** STYX aluminium **Rims** Bulls Eccentric 35 tubeless ready **Tires** Schwalbe Smart Sam Performance, 65-584, 27,5 x 2.60 **Pedal** Wellgo **Miscellaneous** aluminium skidplate **Weight** approx. 19,9 Kg