

MOUNTAIN BROSE





E-STREAM EVO 4 29

black matt/chrome
787-48741

650 Wh



29

MONKEY LINK ready
Easily connects accessories with your bike.

Exklusiv nur bei uns:

48 Monate
GARANTIE*
auf Batterie 



brose



Drivetrain Brose **Powerpack** 37 V / 17,5 Ah / 650 Wh **Range of performance** to 220 km **Charging time** approx. 3,4 hrs. to 80% / approx. 5 hrs. to 100%

Frame aluminium, internal cable routing, tapered steerer **Framesize** 41 cm/ 46 cm/ 51 cm/ 56 cm **Fork** Rock Shox Yari RC Solo Air, 120 mm **Gearshift** Shimano Deore XT RD-M8000-GS Shadow Plus **Front derailleur** Shimano Deore XT FD-M786DT **Gear** 22-speed **Shifter** Shimano Deore XT SL-M8000 **Crankset** Miranda **Freewheel** Shimano SLX CS-M7000 11-42T **Brakes** Magura MT5/MT4 hydraulic disc, 180/180 mm **Handlebar** BULLS **Stem** MonkeyLink **Seatpost** BULLS **Saddle** Selle Royal Rampage **Hubs** STYX aluminium **Rims** BULLS Eccentric 30, tubeless ready **Tires** Schwalbe Rocket Ron SnakeSkin, 57-622, SnakeSkin, Addix Spgrip, 29 x 2.25 **Pedal** Wellgo **Weight** approx. 24,5 Kg

E-STREAM EVO 4 27,5+

black matt/ chrome
787-48441

650 Wh



27,5+

MONKEY LINK ready
Easily connects accessories with your bike.

Exklusiv nur bei uns:

48 Monate
GARANTIE*
auf Batterie 



brose



Drivetrain Brose **Powerpack** 37 V / 17,5 Ah / 650 Wh **Range of performance** to 220 km **Charging time** approx. 3,4 hrs. to 80% / approx. 5 hrs. to 100%

Frame aluminium, internal cable routing, tapered steerer **Framesize** 41 cm/ 46 cm/ 51 cm/ 56 cm **Fork** Rock Shox Revelation RC Boost Solo Air, 120 mm **Gearshift** Shimano Deore XT RD-M8000-GS Shadow Plus **Front derailleur** Shimano Deore XT FD-M786DT **Gear** 22-speed **Shifter** Shimano Deore XT SL-M8000 **Crankset** Miranda **Freewheel** Shimano SLX CS-M7000 11-42T **Brakes** Magura MT5/MT4 hydraulic disc, 180/180 mm **Handlebar** BULLS **Stem** MonkeyLink **Seatpost** BULLS **Saddle** Selle Royal Rampage **Hubs** STYX aluminium **Rims** BULLS Eccentric 35, tubeless ready **Tires** Schwalbe Rocket Ron SnakeSkin, 70-584, SnakeSkin, Addix Spgrip, 27,5 x 2.8 **Pedal** Wellgo **Weight** approx. 24,5 Kg

E-STREAM EVO 3 29

black matt/ orange
787-47541

650 WH



BROSE | MOUNTAIN 

MONKEY LINK ready

Easily connects accessories with your bike.

Exklusiv nur bei uns:

48 Monate
GARANTIE*
auf Batterie 

OPTIONAL



29

brose



Drivetrain Brose Powerpack 37 V / 17,5 Ah / 650 Wh **Range of performance** to 220 km **Charging time** approx. 3,4 hrs. to 80% / approx. 5 hrs. to 100%

Frame aluminium, internal cable routing, tapered steerer **Framesize** 41 cm/ 46 cm/ 51 cm/ 56 cm **Fork** BULLS Lytro 35, 120 mm **Gearshift** Shimano Deore RD-M6000GS **Front derailleur** Shimano Deore FD-M6025D **Gear** 20-speed **Shifter** Shimano Deore SL-M6000 **Crankset** Miranda **Freewheel** Shimano CS-HG500-10 11-42T **Brakes** Magura MT5/MT4 hydraulic disc, 180/180 mm **Handlebar** BULLS **Stem** MonkeyLink **Seatpost** BULLS **Saddle** BULLS **Hubs** STYX aluminium **Rims** BULLS Eccentric 30, tubeless ready **Tires** Schwalbe Rocket Ron SnakeSkin, 57-622, SnakeSkin, Addix Spgrrip, 29 x 2.25 **Pedal** Wellgo **Weight** approx. 24,5 Kg

E-STREAM EVO 3 27,5+

blue matt/ neon yellow matt
787-47341

650 WH



black matt/ orange
787-47241

27,5+

MONKEY LINK ready

Easily connects accessories with your bike.

Exklusiv nur bei uns:

48 Monate
GARANTIE*
auf Batterie 

OPTIONAL



brose



Drivetrain Brose Powerpack 37 V / 17,5 Ah / 650 Wh **Range of performance** to 220 km **Charging time** approx. 3,4 hrs. to 80% / approx. 5 hrs. to 100%

Frame aluminium, internal cable routing, tapered steerer **Framesize** 41 cm/ 46 cm/ 51 cm/ 56 cm **Fork** BULLS Lytro 35, 120 mm **Gearshift** Shimano Deore RD-M6000GS **Front derailleur** Shimano Deore FD-M6025D **Gear** 20-speed **Shifter** Shimano Deore SL-M6000 **Crankset** Miranda **Freewheel** Shimano CS-HG500-10 11-42T **Brakes** Magura MT5/MT4 hydraulic disc, BULLS Lytro 35, 120 mm **Handlebar** BULLS **Stem** MonkeyLink **Seatpost** BULLS **Saddle** BULLS **Hubs** STYX aluminium **Rims** BULLS Eccentric 35, tubeless ready **Tires** Schwalbe Rocket Ron SnakeSkin, 70-584, SnakeSkin, Addix Spgrrip, 27,5 x 2.8 **Pedal** Wellgo **Weight** approx. 24,5 Kg

E-STREAM EVO 2 29

black matt/ neon yellow
787-45741

650 WH




29

MONKEY LINK ready
Easily connects accessories with your bike.

Exklusiv nur bei uns:

48 Monate
GARANTIE*
auf Batterie 



brose



Drivetrain Brose **Powerpack** 37 V / 17,5 Ah / 650 Wh **Range of performance** to 220 km **Charging time** approx. 3,4 hrs to 80% / approx. 5 hrs to 100%

Frame aluminium, internal cable routing, tapered steerer **Framesize** 41 cm/ 46 cm/ 51 cm/ 56 cm **Fork** SR Suntour XCR 34 RLR Air, 120 mm **Gearshift** Shimano Deore RD-M6000GS **Gear** 10-speed **Shifter** Shimano Deore SL-M6000 **Crankset** Miranda **Freewheel** Shimano CS-HG500-10 11-42T **Brakes** Tektro HD-M285 hydraulic disc, 180/180 mm **Handlebar** BULLS **Stem** MonkeyLink **Seatpost** BULLS **Saddle** BULLS **Hubs** STYX aluminium **Rims** BULLS Eccentric 30, tubeless ready **Tires** Schwalbe Rocket Ron SnakeSkin, 57-622, SnakeSkin Addix Spgrrip, 29 x 2.25 **Pedal** Wellgo **Weight** approx. 23,7 Kg

E-STREAM EVO 2 27,5+

black matt/ white
787-45241

650 WH



27.5+



black matt/ neon yellow
787-45141

MONKEY LINK ready
Easily connects accessories with your bike.

Exklusiv nur bei uns:

48 Monate
GARANTIE*
auf Batterie 




brose



Drivetrain Brose **Powerpack** 37 V / 17,5 Ah / 650 Wh **Range of performance** to 220 km **Charging time** approx. 3,4 hrs. to 80% / approx. 5 hrs. to 100%

Frame aluminium, internal cable routing, tapered steerer **Framesize** 41 cm/ 46 cm/ 51 cm/ 56 cm **Gabel / Fork** SR Suntour XCR 34 Air Boost RLR DS, 120 mm **Gearshift** Shimano Deore RD-M6000GS **Gear** 10-speed **Shifter** Shimano Deore SL-M6000 **Crankset** Miranda **Freewheel** Shimano CS-HG500-10 11-42T **Brakes** Tektro HD-M285 hydraulic disc, 180/180 mm **Handlebar** BULLS **Stem** MonkeyLink **Seatpost** BULLS **Saddle** BULLS **Hubs** STYX aluminium **Rims** BULLS Eccentric 35, tubeless ready **Tires** Schwalbe Rocket Ron SnakeSkin, SnakeSkin Addix Spgrrip, 70-584, 27,5 x 2.8 **Pedal** Wellgo **Weight** approx. 23,7 Kg



E-STREAM EVO AM4 27,5+



27,5+



E-STREAM EVO AM4 27,5+ brose

grey matt/s black/ chrome
787-49939

650 WH

Drivetrain Brose **Powerpack** 37 V / 17,5 Ah / 650 Wh **Range of performance** to 220 km **Charging time** approx. 3,4 hrs. to 80% / approx. 5 hrs. to 100%

Frame aluminium, internal cable routing, tapered steerer **Framesize** 41 cm/ 44 cm/ 49 cm/ 54 cm **Fork** Rock Shox Lyrik RC Solo Air, 150 mm **Shock** Rock Shox Deluxe RT, 150 mm **Gearshift** Shimano Deore XT RD-M8000D-GS Shadow Plus **Gear** 11-speed **Shifter** Shimano Deore XT SL-M8000 **Crankset** Miranda **Freewheel** Shimano SLX CS-M7000 11-42T **Brakes** Magura MT5 hydraulic disc, 203/203 mm **Handlebar** BULLS **Stem** MonkeyLink **Seatpost** Kind Shock LEV Integra (39/44 100 mm / 49/43 125 mm) **Saddle** BULLS **Hubs** STYX aluminium **Rims** BULLS AS-T35 **Tires** Schwalbe Magic Mary/Nobby Nic Snake Skin, 70-584, 27,5 x 2.8 **Pedal** Wellgo **Weight** approx. 24,5 Kg



MONKEY LINK ready

Easily connects accessories with your bike.

Exklusiv nur bei uns:

48 Monate
GARANTIE*
auf Batterie

OPTIONAL



Überragendes Handling – perfektionierte Optik

Noch schlanker, noch ästhetischer – so präsentiert sich der neue E-STREAM EVO Rahmen. Dank des „Facelifts“ wirken die Übergänge noch filigraner, die Integration des Akkus noch unauffälliger. Dabei haben die Modelle nichts von ihren überragenden Fahreigenschaften eingebüßt. Agil und wendig, dabei laufruhig und auch in schwerem Gelände perfekt kontrollierbar, machen die E-STREAM EVOs einfach nur Spaß.

Drive S Motor für die Extraportion Drehmoment

Für noch mehr Power „unter der Haube“ sorgt der neue BROSE Drive S Motor. Speziell für E-MTBs entwickelt, liefert er bei Bedarf maximales Drehmoment – und schafft so ein noch souveräneres Fahrgefühl. Zusammen mit dem RockShox Fahrwerk mit 150mm Federweg und der Teleskopsattelstütze ist das E-STREAM EVO AM 4 27,5+ für anspruchsvolle Trails und Abfahrten bestens gerüstet.

Satte Akku-Power – auf Wunsch mit BULLS Connected Bike Technologie

Bei soviel Power darf es selbstverständlich an der nötigen Ausdauer nicht fehlen. Für satte Reichweiten garantiert dabei der leistungsstarke 650-Wattstunden-Akku. Aufwendig ins Unterrohr integriert, ist er im Handumdrehen entnehmbar. Optional ist der Akku mit der revolutionären BULLS Connected Bike Technologie erhältlich, die mit der zugehörigen Smartphone-App neben Navigation Funktionen wie Diebstahlschutz und Notfall-Alarm umfasst.

Outstanding handling – perfect look

Even slimmer, even more aesthetic – this is what the new E-STREAM EVO frame looks like. Thanks to its „facelift“, the transfers look even more delicate and integration of the rechargeable battery even less noticeable. The models have not lost anything of their outstanding cycling properties. Agile and manoeuvrable, but running smoothly and perfectly controllable even in heavy terrain, the E-STREAM EVOs are pure fun.

Drive S motor for some extra torque

The BROSE Drive S motor adds even more power „under the hood“. Developed specifically for E-MTBs, it supplies maximum torque on demand - creating an even more confident cycling feel. Together with the RockShox chassis with a deflection of 150 mm and the telescopic seat post, the E-STREAM EVO AM 4 27.5+ is perfectly equipped for demanding trails and downhill rides.

Full battery power – on request with BULLS Connected Bike Technologie

Of course, the necessary stamina must not be forgotten where there is this much power. The high-performance 650-Watt-hours battery ensures a long reach. Elaborately integrated into the down tube, it can be taken out very quickly. The rechargeable battery is optionally available with the revolutionary BULLS Connected Bike technology, which comprises functions such as theft protection and emergency alarm as well as a GPS function on the associated Smartphone-App.

* 48 Monate Haltbarkeitsgarantie des Herstellers auf alle Batterien ab dem Modelljahr 2017. Einzelheiten erfahren Sie bei Ihrem BULLS-Fachhändler oder unter www.bulls.de.
* 48 months service life guaranteed by the manufacturer for all batteries as of model year 2017. For details, contact your BULLS specialist dealer or visit www.bulls.de.

E-STREAM EVO AM 3 27,5+

black matt/ grey/ neon red matt
787-49639

650 WH



Model 2017 checked

MONKEY LINK ready
Easily connects accessories with your bike.

Exklusiv nur bei uns:

48 Monate GARANTIE*
auf Batterie

27,5+



brose



BULLS ORC
OFF ROAD CENTER

Drivetrain Brose **Powerpack** 37 V / 17,5 Ah / 650 Wh **Range of performance** to 220 km **Charging time** approx. 3,4 hrs. to 80% / approx. 5 hrs. to 100%

Frame aluminium, internal cable routing, tapered steerer **Framesize** 41 cm/ 44 cm/ 49 cm/ 54 cm **Fork** Rock Shox Yari RC Solo Air, 150 mm **Shock** Rock Shox Deluxe RT, 150 mm **Gearshift** Shimano Deore RD-M6000GS **Gear** 10-speed **Shifter** Shimano DeoreSL-M6000 **Crankset** Miranda **Freewheel** Shimano CS-HG500-10 11-42T **Brakes** Magura MT5/MT4 hydraulic disc, 203/203 mm **Handlebar** BULLS **Stem** MonkeyLink **Seatpost** Kind Shock LEV Integra (39/44 100 mm / 49/54 125 mm) **Saddle** BULLS **Hubs** STYX aluminium **Rims** BULLS AS-T35 **Tires** Schwalbe Nobby Nic SkaneSkin, Addix Spgrip, 70-584, 27,5 x 2,8 **Pedal** Wellgo **Weight** approx. 24,5 Kg

E-STREAM EVO TR 2 27,5+

black matt/ grey/ neon yellow
787-46041

650 WH



27,5+

MONKEY LINK ready
Easily connects accessories with your bike.

Exklusiv nur bei uns:

48 Monate GARANTIE*
auf Batterie



brose



BULLS ORC
OFF ROAD CENTER

Drivetrain Brose **Powerpack** 37 V / 17,5 Ah / 650 Wh **Range of performance** to 220 km **Charging time** approx. 3,4 hrs. to 80% / approx. 5 hrs. to 100%

Frame aluminium, internal cable routing, tapered steerer **Framesize** 41 cm/ 46 cm / 51 cm / 56 cm **Fork** BULLS Lytro 35, 120 mm **Shock** Rock Shox Deluxe RT, 120 mm **Gearshift** Shimano Deore RD-M6000GS **Front derailleur** Shimano FD-M6025D **Gear** 20-speed **Shifter** Shimano Deore SL-M6000 **Crankset** Miranda **Freewheel** Shimano CS-HG500-10 11-42T **Brakes** Tektro HD-M285 hydraulic disc, 180/180 mm **Handlebar** BULLS **Stem** MonkeyLink **Seatpost** BULLS **Saddle** BULLS **Hubs** STYX aluminium **Rims** BULLS Eccentric 35, tubeless ready **Tires** Schwalbe Smart Sam Performance, Addix, 65-584, 27,5 x 2.60 **Pedal** Wellgo **Weight** approx. 24,5 Kg

E-STREAM EVA TR 2 27,5+

white
787-46345

650 WH



BROSE | MOUNTAIN

MONKEY LINK ready

Easily connects accessories with your bike.

Exklusiv nur bei uns:

48 Monate
GARANTIE*
auf Batterie

OPTIONAL



brose



BULLS ORC
OFF ROAD CENTER

Drivetrain Brose **Powerpack** 37 V / 17,5 Ah / 650 Wh **Range of performance** to 220 km **Charging time** approx. 3,4 hrs. to 80% / approx. 5 hrs. to 100%

Frame aluminium, internal cable routing, tapered steerer **Framesize** 41 cm/ 46 cm/ 51 cm/ 56 cm **Fork** BULLS Lytro 35, 120 mm **Shock** Rock Shox Deluxe RT, 120 mm **Gearshift** Shimano Deore RD-M6000GS **Gear** 10-speed **Shifter** Shimano Deore SL-M6000 **Crankset** Miranda **Freewheel** Shimano CS-HG500-10 11-42T **Brakes** Tektro HD-M286 hydraulic disc, 180/180 mm **Handlebar** BULLS **Stem** MonkeyLink **Seatpost** BULLS **Saddle** BULLS **Hubs** STYX aluminium **Rims** BULLS Eccentric 35, tubeless ready **Tires** Schwalbe Smart Sam Performance, Addix, 65-584, 27,5 x 2.60 **Pedal** Wellgo **Weight** approx. 24,5 Kg

E-STREAM EVA 2 27,5+

grey matt
787-45441

650 WH



black matt/ pink zebra
787-45541

MONKEY LINK ready

Easily connects accessories with your bike.

Exklusiv nur bei uns:

48 Monate
GARANTIE*
auf Batterie

OPTIONAL



brose



Drivetrain Brose **Powerpack** 37 V / 17,5 Ah / 650 Wh **Range of performance** bis 220 km **Charging time** ca. 3,4 Stunden bis 80% / ca. 5 Stunden bis 100%

Frame aluminium, internal cable routing, tapered steerer **Framesize** 41 cm/ 46 cm/ 51 cm/ 56 cm **Fork** SR Suntour XCR 34 Air Boost RLR DS, 120 mm **Gearshift** Shimano Deore RD-M6000GS **Gear** 10-speed **Shifter** Shimano Deore SL-M6000 **Crankset** Miranda **Freewheel** Shimano CS-HG500-10 11-42T **Brakes** Tektro HD-M286 hydraulic disc, 180/180 mm **Handlebar** BULLS **Stem** MonkeyLink **Seatpost** BULLS **Saddle** BULLS **Hubs** STYX aluminium **Rims** BULLS Eccentric 35, tubeless ready **Tires** Schwalbe Rocket Ron SnakeSkin, Addix Spgrig, 70-584, 27,5 x 2.8 **Pedal** Wellgo **Weight** approx. 23,7 Kg