



DEALER BOOK
2018 / 2019

NOS FS PRO I

E-BIKE

T

Colour black-mat/shiny



brose

Frame Shapes



Gent

Electric Drive

Motor Brose Center Motor, 250 Watt, Freewheel **Battery** 650Wh, integrated

Specifications

Frame Aluminium 7005, boost, tapered, MonkeyLink® ready, 140mm Travel **Fork** Rock Shox PIKE RC, Solo Air, boost & tapered, for 15mm Thru axle, 140mm Travel **Damper** Rock Shox Deluxe R **Display** Marquardt, 4311 „Comfort“ **Shifting** Shimano Deore XT, 22-speed **Shifter** Shimano Deore, Rapidfire Plus **Crankset** Miranda, with 38/28 T. Chainrings **Chain** KMC X11E **Brakes** Shimano Deore XT, hydraulic Disc Brake **Brake Lever** Shimano Deore XT, for hydraulic Disc Brake **Tires** Schwalbe ROCKET RON, 70-584, Snake Skin **Hub FW** Shimano Deore XT, Centerlock, for 15mm Thru Axle, boost **Hub RW** Shimano Deore XT, Centerlock, for 12mm Thru Axle, boost **Spokes** Stainless, black **Handlebar** MTB DB, Semi Riser, oversized **Stem** Aluminium A-head, for MonkeyLink® Lightning system **Grips** Ergon GX1 **Saddle** Ergon SM30 **Seatpost** Kind Shock LEV-Integra, Dropperpost, remote control **Headlight** MonkeyLink® ready **Rearlight** MonkeyLink® ready **Lock** ABUS Battery lock **Miso** BMZ 4A Charger

Item no.

Wheels	Shape	FS cm	Colour	Item 650 Wh
27,5+ Inch	Gent	41	black-mat/shiny	28610041
27,5+ Inch	Gent	44	black-mat/shiny	28610044
27,5+ Inch	Gent	49	black-mat/shiny	28610049
27,5+ Inch	Gent	54	black-mat/shiny	28610054

TREKKING

CITY

CROSS

MTB

HEAVY & CARRY

FOLD & COMPACT

Technical changes and mistakes reserve

NOS FS COMP I

E-BIKE

T

Colour red-black-shiny



brose

Frame Shapes



Gent

Electric Drive

Motor Brose Center Motor, 250 Watt, Freewheel **Battery** 650Wh, integrated

Specifications

Frame Aluminium 7005, boost, tapered, MonkeyLink® ready, 140mm Travel **Fork** Rock Shox REVELATION RC, Solo Air, boost & tapered, for 15mm Thru axle, 140mm Travel **Damper** Rock Shox Deluxe R **Display** Marquardt, 4311 „Comfort“ **Shifting** Shimano SLX, 22-speed **Shifter** Shimano SLX, Rapidfire Plus **Crankset** Miranda, with 38/28 T. Chainrings **Chain** KMC X11E **Brakes** Shimano SLX, hydraulic Disc Brake **Brake Lever** Shimano SLX, for hydraulic Disc Brake **Tires** Schwalbe ROCKET RON, 70-584, Snake Skin **Hub FW** Shimano Deore, Centerlock, for 15mm Thru Axle, boost **Hub RW** Shimano Deore, Centerlock, for 12mm Thru Axle, boost **Spokes** Stainless, black **Handlebar** MTB DB, Semi Riser, oversized **Stem** Aluminium A-head, for MonkeyLink® Lightning system **Grips** Ergon GX1 **Saddle** Ergon SM30 **Seatpost** Kind Shock E30I, Dropperpost, remote control **Headlight** MonkeyLink® ready **Rearlight** MonkeyLink® ready **Lock** ABUS Battery lock **Misc** BMZ 4A Charger

Item no.

Wheels	Shape	FS cm	Colour	Item 650 Wh
27,5+ Inch	Gent	41	red-black-shiny	28610541
27,5+ Inch	Gent	44	red-black-shiny	28610544
27,5+ Inch	Gent	49	red-black-shiny	28610549
27,5+ Inch	Gent	54	red-black-shiny	28610554

TREKKING

CITY

CROSS

MTB

HEAVY & CARRY

FOLD & COMPACT

Technical changes and mistakes reserve

NOS FS SPORT I

E-BIKE

T



Frame Shapes



Gent

Electric Drive

Motor Brose Center Motor; 250 Watt, Freewheel **Battery** 650Wh, integrated

Specifications

Frame Aluminium 7005, boost, tapered, MonkeyLink® ready, 140mm Travel **Fork** SR Suntour AION-35 Boost RL-R, Remote Lockout, air suspension, for 15mm Thru axle, 140mm Travel **Damper** Rock Shox Deluxe R **Display** Marquardt, 4311 „Comfort“ **Shifting** Shimano Deore, 20-speed **Shifter** Shimano Deore, Rapidfire Plus **Crankset** Miranda, with 38/28 T. Chainrings **Chain** KMC X10E **Brakes** Shimano M395, hydraulic Disc Brake **Brake Lever** Shimano M425, for hydraulic Disc Brake **Tires** Schwalbe SMART SAM, 65-584, KGuard **Hub FW** Aluminium Disc, boost, for 15mm Thru Axle **Hub RW** Aluminium Disc, boost, for 12mm Thru Axle **Spokes** Stainless, black **Handlebar** MTB DB, Semi Riser, oversized **Stem** Aluminium A-head, for MonkeyLink® Lightning system **Grips** Ergon GX1 **Saddle** Ergon SM30 **Seatpost** Kind Shock E30I, Dropperpost, remote control **Headlight** MonkeyLink® ready **Rearlight** MonkeyLink® ready **Lock** ABUS Battery lock **Miso** BMZ 4A Charger

Item no.

Wheels	Shape	FS cm	Colour	Item 650 Wh
27,5+ Inch	Gent	41	blue-white-shiny	28611041
27,5+ Inch	Gent	44	blue-white-shiny	28611044
27,5+ Inch	Gent	49	blue-white-shiny	28611049
27,5+ Inch	Gent	54	blue-white-shiny	28611054

TREKKING

CITY

CROSS

MTB

HEAVY & CARRY

FOLD & COMPACT

Technical changes and mistakes reserve

NOS SPORT I

E-BIKE

T



Colour black-white-mat

brose

Frame Shapes



Gent

Electric Drive

Motor Brose Center Motor; 250 Watt, Freewheel **Battery** 650Wh, integrated

Specifications

Frame Aluminum 7005, boost, tapered, MonkeyLink® ready **Fork** Rock Shox JUDY SILVER, Solo Air, boost & tapered, for 15mm Thru axle, 120mm Travel **Display** Marquardt, 4311 „Comfort“ **Shifting** Shimano Deore, 20-speed **Shifter** Shimano Deore, Rapidfire Plus **Crankset** Miranda, with 38/24 T. Chainrings **Chain** KMC X10E **Brakes** Shimano M395, hydraulic Disc Brake **Brake Lever** Shimano M425, for hydraulic Disc Brake **Tires** Schwalbe SMART SAM, 65-584, KGuard **Hub FW** Aluminium Disc, boost, for 15mm Thru Axle **Hub RW** Aluminium Disc, boost, for 12mm Thru Axle **Spokes** Stainless, black **Handlebar** MTB DB, Semi Riser, oversized **Stem** Aluminium A-head, for MonkeyLink® Lightning system **Grips** Ergon GX1 **Saddle** Ergon SM30 **Seatpost** Patent, Aluminium **Headlight** MonkeyLink® ready **Rearlight** MonkeyLink® ready **Lock** ABUS Battery lock **Misc** BMZ 4A Charger

Item no.

Wheels	Shape	FS cm	Colour	Item 650 Wh
27,5+ Inch	Gent	41	black-white-mat	28611541
27,5+ Inch	Gent	44	black-white-mat	28611544
27,5+ Inch	Gent	49	black-white-mat	28611549
27,5+ Inch	Gent	54	black-white-mat	28611554

TREKKING

CITY

CROSS

MTB

HEAVY & CARRY

FOLD & COMPACT

Technical changes and mistakes reserve

NOS FS CX COMP I

E-BIKE



Frame Shapes



Gent

Electric Drive

Motor Bosch PERFORMANCE CX Center motor 250W, Freewheel **Battery** 500Wh, integrated

Specifications

Frame Aluminium 7005, boost, tapered, MonkeyLink® ready, 140mm Travel, integrated Bosch Powertube Battery **Fork** Rock Shox REVELATION RC, Solo Air, boost & tapered, for 15mm Thru axle, 140mm Travel **Damper** Rock Shox Deluxe R **Display** Bosch INTUIVA **Shifting** Shimano Deore, 10-speed **Shifter** Shimano Deore, Rapidfire Plus **Crankset** Miranda, Aluminium GEN2 **Chain** KMC X10E **Brakes** Magura MT5(VR)/MT4(HR), hydraulic Disc Brake **Brake Lever** Magura, for hydraulic Disc Brake **Tires** Schwalbe ROCKET RON, 70-584, Snake Skin **Hub** **FW** Aluminium Disc, boost, for 15mm Thru Axle **Hub RW** Aluminium Disc, boost, for 12mm Thru Axle **Spokes** Stainless, black **Handlebar** MTB DB, Semi Riser, oversized **Stem** Aluminium A-head, for MonkeyLink® Lightning system **Grips** Ergon GA30 **Saddle** Ergon SM30 **Seatpost** Kind Shock E30I, Dropperpost, remote control **Headlight** MonkeyLink® ready **Rearlight** MonkeyLink® ready **Lock** ABUS IT2 Plus Battery lock **Misc** Bosch 4A Charger

Item no.

Wheels	Shape	FS cm	Colour	Item 500 Wh
27,5+ Inch	Gent	44	black-blue-mat	28560044
27,5+ Inch	Gent	49	black-blue-mat	28560049
27,5+ Inch	Gent	54	black-blue-mat	28560054

TREKKING

CITY

CROSS

MTB

HEAVY & CARRY

FOLD & COMPACT

Technical changes and mistakes reserve

NOS FS CX SPORT I

E-BIKE

T



Colour black-mat-white-shiny

Frame Shapes



Gent

Electric Drive

Motor Bosch PERFORMANCE CX Center motor 250W, Freewheel **Battery** 500Wh, integrated

Specifications

Frame Aluminium 7005, boost, tapered, MonkeyLink® ready, 140mm Travel, integrated Bosch Powertube Battery **Fork** Rock Shox RECON RL, Solo Air, boost & tapered, for 15mm Thru axle, 140mm Travel **Damper** Rock Shox Deluxe R **Display** Bosch INTUVIEW **Shifting** Shimano Deore, 10-speed **Shifter** Shimano Deore, Rapidfire Plus **Crankset** Miranda, Aluminium GEN2 **Chain** KMC X10E **Brakes** Shimano M315, hydraulic Disc Brake **Brake Lever** Shimano M315, for hydraulic Disc Brake **Tires** Schwalbe SMART SAM, 65-584, KGuard **Hub** FW Aluminium Disc, boost, for 15mm Thru Axle **Hub** RW Aluminium Disc, boost, for 12mm Thru Axle **Spokes** Stainless, black **Handlebar** MTB DB, Semi Riser, oversized **Stem** Aluminium A-head, for MonkeyLink® Lightning system **Grips** Ergon GX1 **Saddle** Ergon SM30 **Seatpost** Kind Shock E30I, Dropperpost, remote control **Headlight** MonkeyLink® ready **Rearlight** MonkeyLink® ready **Lock** ABUS IT2 Plus Battery lock **Misc** Bosch 4A Charger

Item no.

Wheels	Shape	FS cm	Colour	Item 500 Wh
27,5+ Inch	Gent	44	black-mat-white-shiny	28560544
27,5+ Inch	Gent	49	black-mat-white-shiny	28560549
27,5+ Inch	Gent	54	black-mat-white-shiny	28560554

TREKKING

CITY

CROSS

MTB

HEAVY & CARRY

FOLD & COMPACT

Technical changes and mistakes reserve

NOS CX COMP

E-BIKE

T



Frame Shapes



Gent

Electric Drive

Motor Bosch PERFORMANCE CX Center motor 250W, Freewheel **Battery** 500Wh

Specifications

Frame Aluminium 7005, boost, tapered, MonkeyLink® ready **Fork** Rock Shox RECON RL, Solo Air, boost & tapered, for 15mm Thru axle, 120mm Travel **Display** Bosch INTUVEA **Shifting** Shimano Deore, 10-speed **Shifter** Shimano Deore, Rapidfire Plus **Crankset** Miranda, Aluminium GEN2 **Chain** KMC X10E **Brakes** Magura MT5(VR)/MT4(HR), hydraulic Disc Brake **Brake Lever** Magura, for hydraulic Disc Brake **Tires** Schwalbe SMART SAM, 65-584, KGuard **Hub FW** Aluminium Disc, boost, for 15mm Thru Axle **Hub RW** Aluminium Disc, boost, for 12mm Thru Axle **Spokes** Stainless, black **Handlebar** MTB DB, Semi Riser, oversized **Stem** Aluminium A-head, for MonkeyLink® Lightning system **Grips** Ergon GX1 **Saddle** Ergon SM30 **Seatpost** Patent, Aluminium **Headlight** MonkeyLink® ready **Rearlight** MonkeyLink® ready **Lock** ABUS DT2 Plus Battery lock **Misc** Bosch 4A Charger

Item no.

Wheels	Shape	FS cm	Colour	Item 500 Wh
27,5" Inch	Gent	41	white-black-shiny	28561041
27,5" Inch	Gent	44	white-black-shiny	28561044
27,5" Inch	Gent	49	white-black-shiny	28561049
27,5" Inch	Gent	54	white-black-shiny	28561054

TREKKING

CITY

CROSS

MTB

HEAVY & CARRY

FOLD & COMPACT

Technical changes and mistakes reserve

NOS CX SPORT

E-BIKE

T



Colour black-green-mat



Frame Shapes



Electric Drive

Motor Bosch PERFORMANCE CX Center motor 250W, Freewheel **Battery** 500Wh

Specifications

Frame Aluminum 7005, boost, tapered, MonkeyLink® ready **Fork** SR Suntour XCR-34, boost & tapered, Air spring, for 15mm Thru axle, 120mm **Display** Bosch INTUVEA **Shifting** Shimano Deore, 10-speed **Shifter** Shimano Deore, Rapidfire Plus **Crankset** Miranda, Aluminium GEN2 **Chain** KMC X10E **Brakes** Shimano M315, hydraulic Disc Brake **Brake Lever** Shimano M315, for hydraulic Disc Brake **Tires** Schwalbe SMART SAM, 65-584, KGuard **Hub FW** Aluminium Disc, boost, for 15mm Thru Axle **Hub RW** Aluminium Disc, boost, for 12mm Thru Axle **Spokes** Stainless, black **Handlebar** MTE DB, Semi Riser, oversized **Stem** Aluminium A-head, for MonkeyLink® Lightning system **Grips** Ergon GX1 **Saddle** Ergon SM30 **Seatpost** Patent, Aluminium **Headlight** MonkeyLink® ready **Rearlight** MonkeyLink® ready **Lock** ABUS DT2 Plus Battery lock **Misc** Bosch 4A Charger

Item no.

Wheels	Shape	FS cm	Colour	Item 500 Wh
27,5+ Inch	Gent	41	black-green-mat	28561541
27,5+ Inch	Gent	44	black-green-mat	28561544
27,5+ Inch	Gent	49	black-green-mat	28561549
27,5+ Inch	Gent	54	black-green-mat	28561554

TREKKING

CITY

CROSS

MTB

HEAVY & CARRY

FOLD & COMPACT

Technical changes and mistakes reserve

NOS FS 8K PRO I-DI2

E-BIKE

T



Frame Shapes



Gent

Electric Drive

Motor Shimano E8000 Center Motor, 250W, Freewheel **Battery** 504Wh, integrated

Specifications

Frame Aluminium 7005, boost, tapered, MonkeyLink® ready, 140mm Travel, integrated Shimano BT-6020 **Battery Fork** Rock Shox YARI RC, Solo Air, boost & tapered, for 15mm Thru axle, 150mm Travel **Damper** Rock Shox Deluxe R **Display** Shimano SC-E8000, with ANT private/Bluetooth®LE **Shifting** Shimano XT Di2, 11-speed **Shifter** Shimano XT Di2 **Crankset** Shimano E8050, Aluminium **Chain** KMC X11E **Brakes** Shimano SLX, hydraulic Disc Brake **Brake Lever** Shimano SLX, for hydraulic Disc Brake **Tires** Schwalbe ROCKET RON, 70-584, Snake Skin **Hub FW** Shimano Deore, Centerlock, for 15mm Thru Axle, boost **Hub RW** Shimano Deore, Centerlock, for 12mm Thru Axle, boost **Spokes** Stainless, black **Handlebar** MTB DB, Semi Riser, oversized **Stem** Aluminium A-head, for MonkeyLink® Lightning system **Grips** Ergon GX1 **Saddle** Ergon SM30 **Seatpost** Kind Shock LEV-Integra, Dropperpost, remote control **Headlight** MonkeyLink® ready **Rearlight** MonkeyLink® ready **Lock** AXA Battery lock for integrated Shimano Battery **Misc** Shimano EC-E6000 Charger

Item no.

Wheels	Shape	FS cm	Colour	Item 504 Wh
27,5" Inch	Gent	41	grey-mat-black-shiny	28562041
27,5" Inch	Gent	44	grey-mat-black-shiny	28562044
27,5" Inch	Gent	49	grey-mat-black-shiny	28562049
27,5" Inch	Gent	54	grey-mat-black-shiny	28562054

TREKKING

CITY

CROSS

MTB

HEAVY & CARRY

FOLD & COMPACT

Technical changes and mistakes reserve

NOS FS 8K SPORT I

E-BIKE



Colour grey-orange-mat

Frame Shapes



Gent

Electric Drive

Motor Shimano E8000 Center Motor, 250W, Freewheel **Battery** 504Wh, integrated

Specifications

Frame Aluminium 7005, boost, tapered, MonkeyLink® ready, 140mm Travel, integrated Shimano BT-8020 Battery **Fork** SR Suntour AION-35 Boost RL-R, Remote Lockout, air suspension, for 15mm Thru axle, 150mm Travel **Damper** Rock Shox Deluxe R **Display** Shimano SC-E8000, with ANT private/Bluetooth®LE **Shifting** Shimano Deore, 10-speed **Shifter** Shimano Deore, Rapidfire Plus **Crankset** Shimano E8050, Aluminium **Chain** KMC X10E **Brakes** Shimano M395, hydraulic Disc Brake **Brake Lever** Shimano M425, for hydraulic Disc Brake **Tires** Schwalbe SMART SAM, 65-584, KGuard **Hub FW** Aluminium Disc, boost, for 15mm Thru Axle **Hub RW** Aluminium Disc, boost, for 12mm Thru Axle **Spokes** Stainless, black **Handlebar** MTB DB, Semi Riser, oversized **Stem** Aluminium A-head, for MonkeyLink® Lightning system **Grips** Ergon GA30 **Saddle** Ergon SM30 **Seatpost** Kind Shock E30i, Dropperpost, remote control **Headlight** MonkeyLink® ready **Rearlight** MonkeyLink® ready **Lock** AXA Battery lock for integrated Shimano Battery **Misc** Shimano EC-E6000 Charger

Item no.

Wheels	Shape	FS cm	Colour	Item 504 Wh
27,5+ Inch	Gent	41	grey-orange-mat	28562541
27,5+ Inch	Gent	44	grey-orange-mat	28562544
27,5+ Inch	Gent	49	grey-orange-mat	28562549
27,5+ Inch	Gent	54	grey-orange-mat	28562554

TREKKING

CITY

CROSS

MTB

HEAVY & CARRY

FOLD & COMPACT

Technical changes and mistakes reserve

NOS SR SPORT

E-BIKE



Frame Shapes



Electric Drive

Motor SR Suntour rear hub motor, 250W, Freewheel **Battery** 446Wh

Specifications

Frame Aluminium 7005 **Fork** SR Suntour XCM DS HLO, hydraulic lockout, 100mm Travel **Display** SR Suntour LCD **Shifting** Shimano Alivio, 9-speed **Shifter** Shimano Acera, Rapidfire Plus **Crankset** SR Suntour 38T, with integrated Sensor Technologie **Chain** KMC **Brakes** Shimano M315, hydraulic Disc Brake **Brake Lever** Shimano M315, for hydraulic Disc Brake **Tires** Schwalbe SMART SAM, 57-584, KGuard **Hub FW** Aluminium Disc, with Quick Release **Hub RW** SR Suntour rear hub motor 250W **Spokes** Zinc **Handlebar** MTB Semi Riser, oversized **Stem** Aluminium A-Head **Grips** MTB **Saddle** Selle Royal SETA **Seatpost** Patent, Aluminium **Lock** AXA Battery lock **Misc** BMZ 2A Charger

Item no.

Wheels	Shape	FS cm	Colour	Item 446 Wh
27,5 Inch	Gent	41	black-blue-mat	28563041
27,5 Inch	Gent	46	black-blue-mat	28563046
27,5 Inch	Gent	51	black-blue-mat	28563051
27,5 Inch	Gent	56	black-blue-mat	28563056

TREKKING

CITY

CROSS

MTB

HEAVY & CARRY

FOLD & COMPACT

Technical changes and mistakes reserve