



HEAD

**2019
BICYCLE
COLLECTION**


OUR PASSION - BICYCLES

We strive to incorporate this fact as best as possible into the production and assembly of HEAD bicycles. We have been manufacturing bicycles for 25 years already, and this long-term experience has enabled us to turn dreams into reality when applying new technology and fulfilling the cycling public's demands. The production of HEAD bicycles is based on quality which is guaranteed by manual assembly of bicycles. This is very important for us because we always put quality first.


The route taken on a bicycle is never direct, and neither is it during bicycle production. At the beginning of the development of each bicycle, we focus thoroughly on the technology of new frames, alignment and design. This is followed by selection of the correct components and additions, and of course we always try to keep up with trends when choosing colors as well.

INTRODUCTION 004

TECHNOLOGIES	6
FULL SUSPENSION	8
ADAPT EDGE II	10
ADAPT EDGE I	12
MTB - CARBON	14
TRENTON V	16
TRENTON IV	18
TRENTON III	20
TRENTON II	22
TRENTON I	23
MTB - ALLOY	24
X-RUBI V	26
X-RUBI IV	27
X-RUBI III	28
X-RUBI II	30
X-RUBI I	32
GRANGER	36
TROY II	38
TROY I	40
MTB LADY	42
TRENTON LADY	44
X-RUBI LADY	46
GRANGER LADY	47
TACOMA II	48
TACOMA I	50
E-BIKE SHIMANO	52
MURET	56
DURANGO	58
LAGOS	59
TERNI MEN	60
TERNI LADY	62
DAVIS	64
GRANBY	66
GRANBY LADY	67
E-I-PEAK E6100	68
E-REVELO E6100	69
E-BIKE BAFANG	70
GRANBY BAFANG	72
DAYTON	73
TRIVOR	74
E-I-PEAK RM	75
E-REVELO RM	76
E CITY RM	77



ROAD	78
I-SPEED V	80
I-SPEED IV	82
I-SPEED III	84
I-SPEED II	85
I-SPEED I	86
GRAVEL	88
PICTON II	90
PICTON I	91
CROSS	92
X-RUBI CROSS	94
I-PEAK II	95
I-PEAK I	96
TREKKING	98
REVELO II	100
REVELO I	101
CITY	102
CITY 7G	104
CITY 7G	105
KID	106
RIDOTT III 26"	108
RIDOTT II 26"	109
RIDOTT I 26"	110
RIDOTT III 24"	112
RIDOTT II 24"	113
RIDOTT I 24"	114
LAUREN II 24"	116
LAUREN I 24"	117
RIDOTT II 20"	118
RIDOTT I 20"	119
LAUREN 20"	120
JUNIOR 16"	121
ACCESSORIES	122
BIKE WEAR	124
HELMETS	128
BOTTLES, T-SHIRTS	131
GLOVES	132
EXTRA	136
GEOMETRY	136
HEAD PRO TEAM	140
HEAD BIKE OPAVA	142



INTRODUCTION 005

006 TECHNOLOGIES



The frames made with this technology are monolithic constructions carbon fiber constructions with fibers placed alongside each other. The classic shape of the tubes, in conjunction with their large diameters, resulted with a very low weight and high durability.




Frames made of 6061 alloy are stiff and resistant to breakages, while retaining the light mass typical for aluminum. They are also heat-treatable after the welding, that also improves frames durability.



Butting is the process, which decreases the frame weight, while the overall durability is on the same level or is even improved. HEAD alloy frames are double or triple butted, type of butting depends on the frame model.



Bearings are placed inside cups and the cups are pressed into the frame to increase pedaling efficiency. These cups reduces bearing wear out and creates a better transfer of the driving force to the wheel.



Direct mount of the front derailleur allows us to increase the stability of the connection between the derailleur and the frame.



Inner cable routing reduces wear out of cables and shells, it protects them from mud, rain and sand. It also improves the overall appearance of the bike design.



Hydroforming is an industrial technique wherein special liquids are injected into the frame tubes using tremendous pressure. Hydroforming offers several advantages such as: complex shapes, improved bicycle frame aesthetics and others.



Tapered head tube with increased diameter from 1 1/8" to 1.5" improves the overall stiffness which increases strength of the front of the bicycle. This leads into better precision of the bicycle control.



Post-mount brake system eliminates the unnecessary adapters, which improves the stiffness of the connection between the frame and the brake caliper.



Thru axle system helps us to stiffen the connectivity of the fork and the wheel. The rear thru axle allows us to improve stiffness of the connectivity between the rear wheel and the rear triangle. In overall the thru axle system adds very important stability and precision during the riding.



Boost standard hubs - the wider hub flange with 148 mm on the rear hub and 110 mm on the front hub and the stronger spoke-bracing.



dualPWR - it means combining a classic bicycle with electric drive. We use two variants of motor placing - middle motor and rear hub motor. Drive unit can provide up to 80Nm of torque.

007 TECHNOLOGIES



THE **FULL SUSPENSION** RACES

HEAD 2019 full suspension line consists of two carbon cross country bicycles with 100mm travel. We have kept the same frame shape as in our last collection, but we have made some crucial improvements.

The new Adapt Edge is ready to handle boost wheels, which will certainly have a positive effect on the precision and stability during the riding. New frames are finished with glossy painting, that gives them fresh and unique look. The suspension system is very sensitive when you are going downhill, and it stiffens significantly when you are traveling uphill. If you lock your rear shock you can go uphill and feel like you are riding on a hardtail.

Two different specifications - choose the best for yourself and try it out.

adapt edge II

frame: carbon monocoque TPR

travel: 100mm front/100mm rear

drivetrain: 1x12 SRAM X01 EAGLE

sizes: 45, 48, 52 cm

colour: black glossy

weight: 11.2 kg

29"

010

FULL SUSPENSION



CARBON



TAPERED HEAD
TUBE



12x148mm



15x110mm



INTERNAL CABLE
ROUTING



PRESS FIT



POST MOUNT

Rock Shox SID RL 100mm
+ OneLoc Full Sprint

Rock Shox Delux RLR 170x35mm + Full Lock

Neco H373

Controltech SLA 70-90/31.8mm

Controltech SLA 750/31.8mm

Kind Shock Eteni 440/31.6mm – travel 125mm

Sram X01 Eagle 1x12

Sram X01 Eagle 12 speed

Truvativ Descendant Carbon 175mm 32T

Sram XG 1295 Eagle 10-50T

Shimano XT M8000 180/160mm

HBC Pro 28h Straight 15x110mm

HBC Pro 28h Straight 12x148mm XD

RRX CB29 28h 29" – Carbon

CODE: 19000



adapt edge I

frame: carbon monocoque TPR

travel: 100mm front/100mm rear

drivetrain: 1x12 SRAM NX EAGLE

sizes: 45, 48, 52 cm

colour: orange glossy

weight: 12.5 kg

29"

012

FULL SUSPENSION



CARBON



TAPERED HEAD
TUBE



12x148mm



15x110mm



INTERNAL CABLE
ROUTING



PRESS FIT



POSTMOUNT

Suntour Raidon Air XC RLR DS 100mm
+ TwinLock

HBC Pro R-Film Flat 720/35mm

HBC Pro R-Film 400/31.6mm

Sram NX Eagle 1x12

Sram NX Eagle 12 speed

Sram NX Eagle 175mm 32T

Suntour UNAIR LOR 165x38mm + TwinLock

HBC Pro R-Film 70-90/35mm

Sram PG 1230 Eagle 11-50T

Shimano MT400 180/160mm

HBC Pro 32h 15x110mm

HBC Pro 32h 12x148mm

Schwalbe Rocket Ron 29x2.25" Evo, T-Ready

HEAD – VL3381 Cr-Mo

CODE: 19001



013

FULL SUSPENSION



MTB carbon

014

THE MOUNTAIN BIKE ADVENTURES

MTB line is one of the most important product lines in the HEAD Bike collection. We attach great importance to the quality, weight and design of our bicycles. New season will bring wide range of new models.

In the new collection we upgraded our Trenton frame. The new Trenton is made of new carbon, that allowed us to make it lighter and stiffer. Very important is, that we have changed the hub spacing. Now you can find boost hubs on our top carbon models.

You can choose one of five different specifications, including the new Shimano XTR 1x12 and Sram XX1 Eagle drivetrains. Let's go through our carbon mountain bike adventure, choose your HEAD bike and go to ride it.

015

MTB carbon

TRENTON V

frame: carbon monocoque TPR

travel: 100mm

drivetrain: 1x12 Shimano XTR

sizes: 43, 48, 53 cm

colour: black/yellow glossy

weight: 9.3 kg

29"

016

MTB - carbon



CARBON



TAPERED HEAD
TUBE



12x148MM



15x110MM



INTERNAL CABLE
ROUTING



POST MOUNT

Rock Shox Sid World Cup 100mm
+ Oneloc Sprint

Neco H373

Controltech EXL 70-90/31.8mm

Controltech EXL Flat 700/31.8mm

Controltech EXL 350-400/31.6mm
Shimano XTR SLM9100 1x12

Shimano XTR RDM9100 12 speed

Shimano XTR FCM9100 175 mm 34T

Shimano XTR CSM9100 10-51T

Shimano XTR M9100 160mm/160mm CL
Shimano XTR HB M9110 28h Straight 15x110mm

Shimano XTR FH M9110 28h Straight 12x148mm

RRX CB29 28h 29" - Carbon

Schwalbe Rocket Ron 29x2.25" TLE

CODE: 19100



017

MTB - carbon

TRENTON IV

frame: carbon monocoque TPR

travel: 100mm

drivetrain: 1x12 SRAM XX1

sizes: 43, 48, 53 cm

colour: black/gold glossy

cweight: 9.4 kg

29"

018

MTB - carbon



CARBON



TAPERED HEAD
TUBE



12x148mm



15x110mm



INTERNAL CABLE
ROUTING



POST MOUNT

Rock Shox SID World Cup 100mm
+ OneLoc Sprint

Neco H373M

Controltech EXL 70-90/31.8mm

Controltech EXL Flat 700/31.8mm

Controltech EXL 350-400/31.6mm
Sram XX1 Eagle Gold 1x12

Sram XX1 Eagle Gold 12 speed

Sram XX1 Gold 175mm 34T

Sram XX1 XG 1299 Eagle 10-50T


SHIMANO XTR M9100 160/160mm
HBC Pro 28h Straight 15x110mm

HBC Pro 28h Straight 12x148mm XD

RRX CB29 28h 29" – Carbon

Schwalbe Rocket Ron 29x2.25" TLE

CODE: 19101



019

MTB - carbon

TRENTON III

frame: carbon monocoque TPR

travel: 100mm

drivetrain: 1x12 SRAM X01

sizes: 43, 48, 53 cm

colour: black/green glossy

weight: 10.4 kg

29"

020

MTB - carbon



CARBON



TAPERED HEAD
TUBE



12x148MM



15x110MM



INTERNAL CABLE
ROUTING



POSTMOUNT

Rock Shox Reba RL 100mm + Oneloc Sprint

Neco H373M

Controltech CLS 70-90/31.8mm

Controltech CLS Flat 700/31.8mm

Controltech CLS 400/31.6mm

Sram X01 Eagle 1x12

Sram X01 Eagle 12 speed

Truvativ Descendant Carbon 175mm 34T

Sram XG 1275 Eagle 10-50T

Shimano MT501 160/160mm

DT Swiss SPLINE X1900 15x110mm

DT Swiss SPLINE X1900 12x148mm XD

DT Swiss SPLINE X1900 29"

Schwalbe Rocket Ron 29x2.25" TLE

CODE: 19102



021

MTB - carbon

TRENTON II

frame: carbon monocoque TPR
travel: 100mm
drivetrain: 1x12 SRAM GX
sizes: 43, 48, 53 cm
colour: orange/blue glossy
weight: 11.1 kg

29"

MTB - carbon



CARBON



TAPERED HEAD TUBE



12x148mm



15x110mm



INTERNAL CABLE ROUTING



POST MOUNT

- 🔧 Suntour Axon 32 RLRC DS 100mm + remote lock
- Neco H373M
- HBC Pro R-Film 70-90/35mm
- ~~ HBC Pro R-Film Flat 720/35mm

- ↗ HBC Pro R-Film 350-400/31.6mm
- HBC Pro 32h 15x110mm
- ↙ Sram GX Eagle 12 speed
- ↔ HBC Pro 32h 12x148mm
- Truvativ Descendant 6k 175mm 34T
- Remerx RRX Light 32h 29"
- ◎ Sram PG 1230 Eagle 11-50T
- Schwalbe Rocket Ron 29x2.25" TLE

CODE: 19103

TRENTON I

frame: carbon monocoque TPR
travel: 100mm front
drivetrain: 1x12 SRAM NX
sizes: 40, 46, 51 cm
colour: black matt/grey
weight: 11.3 kg

29"

MTB - carbon



CARBON



TAPERED HEAD TUBE



INTERNAL CABLE ROUTING



POST MOUNT

- 🔧 Suntour Raidon XC RLR 100mm + remote lock
- Neco H373M
- HBC Pro R-Film 70-90/35mm
- ~~ HBC Pro R-Film Flat 720/35mm

- ↗ HBC Pro R-Film 350-400/27.2mm
- HBC Pro 32h QR9/100mm
- ↙ Sram NX Eagle 12 speed
- ↔ HBC Pro 32h QR9/135mm
- Remerx RRX 32h 29"
- Sram NX Eagle 175mm 34T
- ◎ Schwalbe Rocket Ron 29x2.1"

CODE: 19104

MTB - alloy


024

The MTB ALLOY line consist of three different models:

- X-Rubi
- Granger
- Troy

All X-Rubi frames are made of 6061 alloy. They are double butted and heat-treated after the welding. These processes helps us to make it light and strong. Our mountain bikes look agressive due to hydroforming on our top models. In top models you can find tapered forks, thru axles and 1x12 drivetrains.

The Granger and Troy models have new fresh designs and improved cable routing inside the frame.



025

MTB - alloy

025

XRUBI V

frame: alloy 6061 TPR DB HT
travel: 100mm
drivetrain: 1x12 SRAM GX
sizes: 44, 48, 52, 56 cm
colour: black matt/grey
weight: 12.2 kg

29"

MTB - alloy



AL ALLOY 6061 2B DOUBLE BUTTED HO HYDROFORMED TUBE TH TAPERED HEAD TUBE 12x142MM 15x100MM IC INTERNAL CABLE ROUTING PM POSTMOUNT

Suntour Axon RLR DS Air 100mm + remote lock
Neco H385E
HBC Pro R-Film 70-100/35mm
HBC Pro R-Film Flat 720/35mm

HBC Pro R-Film 350-400/31.6mm
Sram GX Eagle 1x12
Sram GX Eagle 12 speed
Truvativ Descendant 6k 175mm 34T
Sram PG 1230 Eagle 11-50T

CODE: 19105

XRUBI IV

frame: alloy 6061 TPR DB HT
travel: 100mm
drivetrain: 1x12 SRAM NX
sizes: 44, 48, 52, 56 cm
colour: black matt/green
weight: 12.8 kg

29"

MTB - alloy



AL ALLOY 6061 2B DOUBLE BUTTED HO HYDROFORMED TUBE TH TAPERED HEAD TUBE 12x142MM 15x100MM IC INTERNAL CABLE ROUTING PM POSTMOUNT

Suntour Raidon XLR 100mm Air + remote lock
Shimano MT501 180/160mm
Wellgo M272T DU
HEAD - VL3381
HBC Pro R-Film 400/31.6mm
Sram NX Eagle 1x12
Neco H385E
HBC Pro R-Film 70-100/35mm
HBC Pro R-Film Flat 720/35mm

Shimano MT400 180mm/160mm
HBC Pro 32h QR9/100mm
HBC Pro 32h QR9/135mm
Sram NX Eagle 12 speed
Remex XCO Rio 32h 29"
Schwalbe Rapid Rob 29x2.25"

CODE: 19106

XRUBI III

frame: alloy 6061 TPR DB HT
travel: 100mm
drivetrain: 2x10 SLX/DEORE
sizes 29": 44, 48, 52, 56 cm
27.5": 41, 46, 51, 55 cm
colour: black matt/red
weight: 13.6 kg

29"

27.5"

MTB - alloy



ALLOY 6061

DOUBLE BUTTED

HYDROFORMED TUBE

TAPERED HEAD TUBE

INTERNAL CABLE ROUTING

DIRECT MOUNT

POST MOUNT

- Suntour XCR32 Air RLR DS 100mm + remote lock
- Neco H385E
- HBC Pro 70-100/31.8mm
- HBC Pro MTB 720/31.8mm
- HBC Pro 350-400/31.6mm

- Shimano SLX RDM670 10 speed
- Shimano Deore FDM6020
- Shimano Deore SLM610 2x10
- Shimano Deore FCM617 175mm 36-22
- Shimano HG50 11-36T

- Tektro Gemini M500 180/160mm
- HBC Pro 32h QR9/100mm
- HBC Pro 32h QR9/135mm
- Remerx NB Disc 32h
- Schwalbe Rapid Rob 2.1"

**CODE: 27.5" - 19107
29" - 19108**



XRUBI //

frame: alloy 6061 DB HT

travel: 100mm

drivetrain: 2x10 DEORE

sizes 29": 44, 48, 52, 56 cm

27.5": 41, 46, 51, 55 cm

colour: black matt/green

weight: 14.1 kg

29" 27.5"



ALLOY 6061

DOUBLE BUTTED

HYDROFORMED TUBE

INTERNAL CABLE ROUTING

POSTMOUNT

Suntour XCM RL DS 100mm + remote lock

Neco H398

HBC Pro 70-100/31.8mm

HBC Pro MTB 720/31.8mm

HBC Pro 350-400/31.6mm

Shimano Deore RDM610 10 speed

Shimano Deore FDM6025

HBC Pro 70-100/31.8mm

HBC Pro MTB 720/31.8mm

HBC Pro 350-400/31.6mm

Tektro Gemini M500 180/160mm

HBC 32h QR9/100mm

HBC 32h QR9/135mm

Remerx NB Disc 32h

Schwalbe Smart Sam 2.1"

**CODE: 27.5" - 19109
29" - 19110**

XRUBI //

frame: alloy 6061 DB HT

travel: 100mm

drivetrain: 2x10 DEORE

sizes 29": 44, 48, 52, 56 cm

27.5": 41, 46, 51, 55 cm

colour: yellow matt

weight: 14.1 kg

29" 27.5"



ALLOY 6061

DOUBLE BUTTED

HYDROFORMED TUBE

INTERNAL CABLE ROUTING

POSTMOUNT

Suntour XCM RL DS 100mm + remote lock

Neco H398

HBC Pro 70-100/31.8mm

HBC Pro MTB 720/31.8mm

HBC Pro 350-400/31.6mm

Shimano Deore RDM610 10 speed

Shimano Deore FDM6025

HBC 32h QR9/100mm

HBC 32h QR9/135mm

Remerx NB Disc 32h

Schwalbe Smart Sam 2.1"

Tektro Gemini M500 180/160mm

Wellgo M272T DU

HEAD - VL3381

Wellgo M272T DU

**CODE: 27.5" - 19109
29" - 19110**

XRUBI I

frame: alloy 6061 DB HT

travel: 100mm

drivetrain: 3x9 ALIVIO/ACERA

sizes 29": 44, 48, 52, 56 cm

27.5": 41, 46, 51, 55 cm

colour: black matt/orange

weight: 14.2 kg

29" 27.5"



MTB - alloy



ALLOY 6061

XRUBII

frame: alloy 6061 DB HT

travel: 100mm

drivetrain: 3x9 ALIVIO/ACERA

sizes 29": 44, 48, 52, 56 cm

27.5": 41, 46, 51, 55 cm

colour: green matt

weight: 14.2 kg

29" 27.5"

034

MTB - alloy



ALLOY 6061

DOUBLE BUTTED

HYDROFORMED TUBE

INTERNAL CABLE ROUTING

POSTMOUNT

Suntour XCT HLO 100mm

Neco H398

HBC Pro 70-100/31.8mm

HBC Pro MTB 720/31.8mm

HBC Pro 350-400/31.6mm

Shimano Alivio RDM4000 9 speed

Shimano Acera FDM3000

Shimano Altus SLM2000 3x9

Suntour XCM T410 175mm 40-30-22

Shimano HG200 11-34T

Shimano MT200 180/160mm

HBC 32h QR9/100mm

HBC 32h QR9/135mm

Remerx Master Disc 32h

Schwalbe Smart Sam 2.1"

CODE: 27.5" - 19111
29" - 19112



GRANGER

GRANGER

frame: alloy 6061 DB HT

travel: 100mm

drivetrain: 3x9 ALTUS

sizes: 42, 47, 52, 56 cm

colour: black matt/red

weight: 14.8 kg

29"

MTB - alloy



AL ALLOY 6061

2B DOUBLE BUTTED

HO HYDROFORMED TUBE

IC INTERNAL CABLE ROUTING

PM POSTMOUNT

Suntour XCT HLO 100mm

Neco H148M

HBC 70-100/31.8mm

HBC MTB 720/31.8mm

HBC 350-400/31.6mm

Shimano Altus RDM370 9 speed

Shimano Altus FDM370

Shimano Altus SLM2000 3x9

Suntour XCT T414 175mm 44-32-22

Shimano HG200 11-34T

Tektro HDM285 180/160mm

HBC 32h QR9/100mm

HBC 32h QR9/135mm

Remerx Master Disc 32h 29"

Impac Smartpac 29x2.1"

CODE: 19113



AL ALLOY 6061

2B DOUBLE BUTTED

HO HYDROFORMED TUBE

IC INTERNAL CABLE ROUTING

PM POSTMOUNT

Suntour XCT HLO 100mm

Neco H148M

HBC 70-100/31.8mm

HBC MTB 720/31.8mm

HBC 350-400/31.6mm

Shimano Altus RDM370 9 speed

Shimano Altus FDM370

Shimano Altus SLM2000 3x9

Suntour XCT T414 175mm 44-32-22

Shimano HG200 11-34T

HEAD - VL1831

Wellgo C127DU

CODE: 19113

frame: alloy 6061 DB HT

travel: 100mm

drivetrain: 3x9 ALTUS

sizes: 42, 47, 52, 56 cm

colour: black matt/green

weight: 14.8 kg

29"

037

MTB - alloy

TROY //

frame: alloy 6061 HT
travel: 100mm
drivetrain: 3x8 TX800/TY700
sizes: 41, 46, 51 cm
colour: black matt/orange
weight: 14.2 kg

27"



MTB - alloy

038

ALLOY 6061

INTERNAL CABLE ROUTING

POSTMOUNT

- Zoom HL CH-565D 100mm
- Neco H148M
- HBC 70-90/31.8mm
- HBC MTB 700/31.8mm
- HBC 350/31.6mm

- Shimano RDTX800 8 speed
- Shimano FDTY700
- Shimano EF505 3x8
- Suntour XCC T102 175mm 42-34-24
- Shimano HG31 11-34T

- HEAD - VL1831
- Wellgo LU 895T DU

CODE: 19114

TROY //

frame: alloy 6061 HT
travel: 100mm
drivetrain: 3x8 TX800/TY700
sizes: 41, 46, 51 cm
colour: black matt/yellow
weight: 14.2 kg

27"



MTB - alloy

039

ALLOY 6061

INTERNAL CABLE ROUTING

POSTMOUNT

- Zoom HL CH-565D 100mm
- Neco H148M
- HBC 70-90/31.8mm
- HBC MTB 700/31.8mm
- HBC - 350/31.6mm

- Shimano RDTX800 8 speed
- Shimano FDTY700
- Shimano EF505 3x8
- Suntour XCC T102 175mm 42-34-24
- Shimano HG31 11-34T

- HEAD - VL1831
- Wellgo LU 895T DU

CODE: 19114

TROYI**TROYI**

frame: alloy 6061 HT
travel: 100mm
drivetrain: 3x8 TX800/TY700
sizes: 41, 46, 51 cm
colour: black matt/blue
weight: 14.3 kg

27"

040

MTB - alloy

**AL** ALLOY 6061**IC** INTERNAL CABLE ROUTING**PM** POSTMOUNT

- Zoom HL CH-565D 100mm
- Neco H148M
- HBC 70-90/31.8mm
- HBC MTB 700/31.8mm
- HBC 350/31.6mm

- Shimano RDTX800 8 speed
- Shimano FDTY700
- Shimano TX800 3x8
- Suntour XCC T102 175mm 42-34-24
- Shimano HG31 11-34T

- Tektro MDM280 160/160mm
- Formula DC-20 32h QR9/100mm
- Formula DC-22 32h QR9/135mm
- Remerx Dragon 32h 27.5"
- Impac Smartpac 27.5x2.1"

CODE: 19115

frame: alloy 6061 HT
travel: 100mm
drivetrain: 3x8 TX800/TY700
sizes: 41, 46, 51 cm
colour: orange matt
weight: 14.3 kg

27"

041

MTB - alloy

**AL** ALLOY 6061**IC** INTERNAL CABLE ROUTING**PM** POSTMOUNT

- Zoom HL CH-565D 100mm
- Neco H148M
- HBC 70-90/31.8mm
- HBC MTB 700/31.8mm
- HBC 350/31.6mm

- Shimano RDTX800 8 speed
- Shimano FDTY700
- Shimano TX800 3x8
- Formula DC-20 32h QR9/100mm
- Formula DC-22 32h QR9/135mm

- Tektro MDM280 160/160mm
- Wellgo LU 895T DU
- Remerx Dragon 32h 27.5"
- Suntour XCC T102 175mm 42-34-24
- Shimano HG31 11-34T 8speed

CODE: 19115



THE JOY LINE

JOY line is a special bicycle line orientated on ladies. Bicycles have to fit them properly.

We have been focused on adjusting the geometry, length of the top tube and standover to make Tacoma perfect for ladies. Design, profile of the saddle, length of stem are selected to meet the expectations of the most demanding users.

Choose your bike and have JOY of it.



TRENTON lady

frame: carbon monocoque TPR

travel: 100mm

drivetrain: 1x12 SRAM NX

sizes: 43, 48, 53 cm

colour: grey/pink glossy

weight: 11.3 kg

29"

044

MTB - lady



CARBON



TAPERED HEAD
TUBE



INTERNAL CABLE
ROUTING



POSTMOUNT

→ Suntour Raidon XC RLR 100mm
+ remote lock

→ Neco H373M

→ HBC Pro R-Film 70-90/35mm

→ HBC Pro R-Film Flat 720/35mm

→ HBC Pro R-Film 350-400/31.6mm

→ Sram NX Eagle 12 speed

→ Sram NX Eagle 1x12

→ Sram NX Eagle 175mm 34T

→ Sram PG 1230 Eagle 11-50T

→ Shimano MT400 180mm/160mm

→ HBC Pro 32h QR9/100mm

→ HBC Pro 32h QR9/135mm

○ Remerx RRX 32h 29"

→ Schwalbe Rocket Ron 29x2.1"

CODE: 19200



045

MTB - lady

XRUBI lady

frame: alloy 6061 TPR DB HT
travel: 100mm
drivetrain: 2x10 DEORE
sizes 29": 44, 48, 52 cm
27.5": 41, 46, 51 cm
colour: mint matt
weight: 13.9 kg

29"
27.5"

MTB - lady



AL ALLOY 6061 **2B** DOUBLE BUTTED **HO** HYDROFORMED TUBE **IC** INTERNAL CABLE ROUTING **PM** POSTMOUNT

▲ Suntour XCM RL DS 100mm + remote lock
● Neco H398
■ HBC Pro 70-100/31.8mm
~~ HBC Pro MTB 720/31.8mm
↖ HBC Pro 350-400/31.6mm

○ Shimano Deore RDM610 10 speed
▲ Shimano Deore FDM6025
■ HBC 32h QR9/100mm
~~ Shimano Deore SLM6000 2x10
○ Suntour XCM D 175mm 38-24
○ Shimano HG50 11-36T

○ Shimano MT200 180/160mm
→ HBC 32h QR9/135mm
→ HBC 70-100/31.8mm
○ Remerx Master Disc 32h
○ Schwalbe Smart Sam 2.1"

**CODE: 27.5" - 19201
29" - 19202**

GRANGER

frame: alloy 6061 DB HT
travel: 100mm
drivetrain: 3x9 ALTUS
sizes: 42, 47, 52, 56 cm
colour: black matt/pink
weight: 14.8 kg

29"

046

MTB - lady



AL ALLOY 6061 **2B** DOUBLE BUTTED **HO** HYDROFORMED TUBE **IC** INTERNAL CABLE ROUTING **PM** POSTMOUNT

▲ Suntour XCT HLO 100mm
● Neco H148M
■ HBC 32h QR9/100mm
~~ Shimano Altus SLM2000 3x9
~~ HBC MTB 720/31.8mm
○ Suntour XCT T414 175mm 44-32-22
↖ HBC 350-400/31.6mm

○ Shimano Altus RDM370 9 speed
○ Tektro HDM285 180/160mm
→ HBC 32h QR9/135mm
○ Wellgo C127DU
○ Remerx Master Disc 32h 29"
○ Impac Smartpac 29x2.1"

CODE: 19203

TACOMA II

TACOMA II

frame: alloy 6061 HT
travel: 100mm
drivetrain: 3x9 ACERA/ALTUS
sizes: 39, 44, 48 cm
colour: grey matt/pink
weight: 13.8 kg

27"

MTB - lady

048



AL ALLOY 6061

IC INTERNAL CABLE ROUTING

PM POSTMOUNT

- 🔧 Suntour XCT HLO DS 100mm
- Neco H148M
- HBC 70-100/31.8mm
- ~~ HBC MTB 680/31.8mm
- ↖ HBC 350/31.6mm

- 🔗 Shimano Acera RDM3000 9 speed
- ➡ Shimano Altus FDM370
- ➡ Shimano EF505 3x9
- ➡ Suntour XCM T414 175mm 44-32-22
- ➡ Shimano HG200 11-34T

- 🔗 Shimano EF505 180/160mm
- ➡ Formula DC-20 32h QR9/100mm
- ➡ Formula DC-22 32h QR9/135mm
- Remerx Master Disc 32h 27.5"
- ➡ Schwalbe Rocket Ron 27.5x2.1"

CODE: 19204



AL ALLOY 6061

IC INTERNAL CABLE ROUTING

PM POSTMOUNT

- 🔧 Suntour XCT HLO DS 100mm
- Neco H148M
- HBC 70-100/31.8mm
- ~~ HBC MTB 680/31.8mm
- ↖ HBC 350/31.6mm

- 🔗 Shimano Acera RDM3000 9 speed
- ➡ Shimano Altus FDM370
- ➡ Shimano EF505 3x9
- ➡ Suntour XCM T414 175mm 44-32-22
- ➡ Shimano HG200 11-34T

- 🔗 Shimano EF505 180/160mm
- ➡ Formula DC-20 32h QR9/100mm
- ➡ Formula DC-22 32h QR9/135mm
- Remerx Master Disc 32h 27.5"
- ➡ Schwalbe Rocket Ron 27.5x2.1"

CODE: 19204

frame: alloy 6061 HT
travel: 100mm
drivetrain: 3x9 ACERA/ALTUS
sizes: 39, 44, 48 cm
colour: lime
weight: 13.8 kg

27"

MTB - lady

049

TACOMA I

frame: alloy 6061 HT
travel: 100mm
drivetrain: 3x8 TX800/TY700
sizes: 39, 44, 48 cm
colour: neon pink matt
weight: 13.9 kg

27.5"

MTB - lady 050



AL ALLOY 6061

IC INTERNAL CABLE ROUTING

- Zoom HL CH-565D 100mm
- Neco H148M
- HBC 70-100/31.8mm
- HBC MTB 680/31.8mm
- HBC 350/31.6mm

- Shimano RDTX800 8 speed
- Shimano FDTY700
- Shimano TX800 3x8
- Suntour XCC T102 175mm 42-34-24
- Shimano HG31 11-34T

- Tektro C310
- Formula OV-31 36h QR9/100mm
- Formula OV-32 36h QR9/135mm
- Remerx Dragon 36h 27.5"
- Impac Smartpac 27.5x2.1"

CODE: 19205





THE **CROSS** JOURNEY

The HEAD cross bike line consists of well known X-Rubi Cross and I-Peak models. The new collection has brought new designs and upgraded frames. All frames are made of high quality 6061 alloy, with hydroformed tubes, what gives the bike a unique look. All cables are routed inside the frame tubes, so they look very nice and clean.

Various of specifications and durable components making HEAD cross bikes a great choice for a town-to-forest journeys.

093

CROSS

XRUBI CROSS

frame: alloy 6061 TPR DB HT
travel: 100mm
drivetrain: 3x10 DEORE
sizes: 48, 52, 56 cm
colour: black matt/red
weight: 13.9 kg

28"

094

CROSS



ALLOY

6061



DOUBLE BUTTED



HYDROFORMED TUBE



TAPERED HEAD TUBE



INTERNAL CABLE ROUTING



DIRECT MOUNT

- Suntour XCM RL DS 100mm + remote lock
- Neco H398
- HBC 80-100/31.8mm
- ~ HBC Cross 660/31.8mm
- ↖ HBC 400/31.6mm

- Shimano Deore RDM610 10 speed
- ↗ Shimano Deore FDT6000
- HBC 32h QR9/100mm
- HBC 32h QR9/135mm
- Suntour XCM T424 175mm 44-32-22
- Remerx NB Disc 32h 28"
- Shimano HG50 11-36T

CODE: 19600



ALLOY

6061



HYDROFORMED TUBE



INTERNAL CABLE ROUTING

- Suntour NEX HLO DS 63mm
- Shimano Acera RDM3000 9 speed
- ↗ Shimano EF505 160/160mm
- Neco H113
- HBC 90-100/31.8mm - adjustable
- ~ HBC Cross 660/31.8mm
- ↖ Suntour XCM T418 175mm 48-36-26
- HBC 350/27.2mm
- Remerx Dragon 719 32h 28"
- Shimano HG200 11-32T
- Schwalbe Smart Sam 28x1.6"

**CODE: MEN - 19601
WOMEN - 19602**

iPEAK II

frame: alloy 6061 HT
travel: 63mm
drivetrain: 3x9 ACERA/ALTUS
sizes: men 50, 55, 59 cm
women 46, 50, 54 cm
colour: men - black matt/green
women - grey matt/lime
weight: 13.7 kg

28"

095

CROSS

iPEAK I

frame: alloy 6061 HT
travel: 63mm
drivetrain: 3x8 TX800/TY710
sizes: men 50, 55, 59 cm
women 46, 50, 54 cm
colour: men - black matt/blue
women - grey matt/pink
weight: 14.5 kg

28"



CROSS

Zoom CH-189 AMS 63mm

Neco H113

HBC 85-105/25.4mm - adjustable

HBC Cross 660/25.4mm

HBC 350/27.2mm

Shimano RDTX800 8 speed

Shimano Tourney FD TY710

Shimano TX800 3x8

Suntour XCE T318 175mm 48-38-28

Shimano HG31 11-32T

Tektro MDM280 160/160mm

Formula DC-20 32h QR9/100mm

Formula DC-22 32h QR9/135mm

Remerx Dragon 719 32h 28"

Kenda 700x40c + RT

**CODE: MEN - 19603
WOMEN - 19604**

HEAD - VL3389/VL4333

Wellgo LU 895T DU



097

CROSS



TREKKING

098

THE TREKKING PATHS

The Revelo trekking bicycles are also known as long-distance bicycles - they are perfect for long, demanding trips and excursions. Thanks to the universal and comfortable construction, they can be successfully used for asphalt rides as well as for rides on unpaved paths and off-road tracks.

Due to the fact that trekking bikes are designed for long distance travels all models have been equipped with functional accessories, such as: dynamo and electric lamp, mudguards or carrier. The carriers on trekking bikes are adapted to the installation of special bicycle bags in which you can carry equipment necessary for longer trips.

TREKKING

099

REVELO II

frame: alloy 6061 HT
travel: 63mm
drivetrain: 3x9 DEORE/ALTUS
sizes: men 50, 55, 59 cm
women 46, 50, 54 cm
colour: men - black matt/green
women - black matt/green
weight: 15.9 kg

28"



TREKKING

100



CODE: MEN - 19700
WOMEN - 19701



ALLOY 6061



HYDROFORMED TUBE



INTERNAL CABLE ROUTING

- ❖ Suntour Nex HLO DS 63mm
- ❖ Neco H113
- HBC 100/31.8MM - adjustable
- ~~ HBC Trekking - 660/31.8mm
- ✓ HBC 350/27.2mm

- ❖ Shimano Deore RDM591 9 speed
- ❖ Shimano Altus FDM370
- Shimano EF505 3x9
- ~~ Suntour XCM T418 175mm 48-36-26
- Shimano HG200 11-32T

- ❖ Shimano EF505 160/160mm
- Dynamo Shimano DH3 32h 100mm
- Formula DC-22 32h QR9/135mm
- Remerx Dragon 719 32h 28"
- ❖ Schwalbe Citizen + RT 28x1.4"

CODE: MEN - 19700
WOMEN - 19701

REVELO I

frame: alloy 6061 HT
travel: 63mm
drivetrain: 3x8 ALTUS/TY710
sizes: men 50, 55, 59 cm
women 46, 50, 54 cm
colour: men - black matt/blue
women - black matt/blue
weight: 15.9 kg

28"



101



TREKKING

- ❖ Suntour Nex HLO P 63mm
- ❖ Neco H113
- HBC 90-100/31.8mm - adjustable
- ~~ HBC Trekking 660/31.8mm
- ✓ HBC 350/27.2mm

- ❖ Shimano Altus RDM310 8 speed
- ❖ Tektro C310
- Dynamo Shimano DH3 36h 100mm
- Formula OV-32-RQR 36h QR9/135mm
- Remerx Dragon 719 36h 28"
- ❖ Schwalbe Citizen + RT 28x1.4"

- ❖ HEAD - VL4333/VL6309
- ❖ Wellgo LUC157
- Axa Echo 15
- Axa slim

CODE: MEN - 19702
WOMEN - 19703



THE **CITY** CRUISING

Free movement around the city is one of the most pleasant moments you can afford by choosing city bikes as a possibility of transport. HEAD City line is adapted for comfortable asphalt driving among trees. While riding a bike, you can find the real charms of the city avoiding stressful traffic jams.

Comfortable and safe driving around the city streets brings a lot of relaxation and sports activity at the same time

Say goodbye to traffic jams on the streets and enjoy free movement around every corner of your city!

CITY

frame: alloy 6061 HT
travel: 40mm
drivetrain: Nexus 7G
sizes: 28" - 46 cm, 26" - 44 cm
colour: black matt/orange
grey matt/green
weight: 28"-16.1 kg
26"-15.9 kg

28" 26"

104 CITY



AL ALLOY 6061 **IC** INTERNAL CABLE ROUTING

- ↳ Suntour CR7 40mm
- ↳ Neco H113
- ➡ HBC 90-100/31.8mm - adjustable
- ~~ HBC City 660/31.8mm

- ↳ HBC Pro 350/31.6mm
- ↳ Shimano Nexus 7G
- ➡ Nexus 7 Speed
- ➡ Prowell Pro A38-170mm
- Steel 22T

- ↳ Tektro C310
- ➡ Dynamo Shimano DHC3000 36h 100mm
- ➡ Shimano SGC3001 36h 135mm
- Remerx Dragon 719 36h
- Schwalbe Citizen 1.75"

**CODE: 26" - 19800
28" - 19801**



AL ALLOY 6061 **IC** INTERNAL CABLE ROUTING

- ↳ HBC Pro 350/31.6mm
- ↳ Wellgo C169T 2DU
- ➡ Axa Echo 15
- ➡ Axa Slim
- ~~ HBC City 660/31.8mm

- ↳ Tektro C310
- ➡ Shimano Nexus 7G
- ➡ Nexus 7 Speed
- ➡ Prowell Pro A38-170mm
- Steel 22T

frame: alloy 6061 HT
travel: 40mm
drivetrain: Nexus 7G
sizes: 28" - 46 cm, 26" - 44 cm
colour: black matt/orange
grey matt/green
weight: 28"-16.1 kg
26"-15.9 kg

28" 26"

105 CITY

- ↳ HEAD - VL6310
- ➡ Wellgo C169T 2DU
- ➡ Axa Echo 15
- ➡ Axa Slim
- Steel 22T

**CODE: 26" - 19800
28" - 19801**