



**2019
BICYCLE
COLLECTION**

HEAD



THE dualPWR

dualPWR means more possibilities, more goals to reach. With no uphill and downhill limits. With our ebikes you can go wherever you want.

The 2019 year gives a lot of changes in the HEAD ebikes range. The new collection has been completely refreshed. There you can find new carbon full suspension bikes (Muret), long travel FS alloy bikes (Durango, Terni) and alloy hardtails (Lagos, Granby). In some models we have decided to have a fully integrated battery in the frame for a clean, fresh design.

This year you can choose one of two ebike systems:
- Shimano STePS
- Bafang

We believe that everyone will find the perfect ebike for themselves.

052

E-BIKE

053

E-BIKE



SHIMANO STePS

On our bikes you can find three different models of Shimano STePS motors. Type of the motor depends on the category of bicycle use.

- We are using these three Shimano models:
- STePS e8000 - for enduro and top mountain bikes hardtails
 - STePS e7000 - for mountain bikes hardtails
 - STePS e6100 - for trekking and cross bicycles.

In the table you can find technical specification about each set of motor + battery.

	E-8000	E-7000	E-6100
Type of motor	middle motor	middle motor	middle motor
Power	250W	250W	250W
Assist modes	boost trail eco walk	boost trail eco walk	high normal eco walk
Max Torque	70Nm	60Nm	50Nm
Battery	504Wh	504Wh	504Wh
Range on full charge*	boost - 50 km trail - 75 km eco - 100 km	boost - 50 km trail - 75 km eco - 100 km	high - 85 km normal - 120 km eco - 170 km

*Power-assist mode and capacity / travel distance (based on combined rider/bike weight of 100 kg, traveling on flat roads at 23 km/h)



054

E-BIKE

055

E-BIKE

MURET

- frame: carbon TPR
- travel: 120mm front/100mm rear
- drivetrain: 1x11 SRAM GX
- sizes: 41, 46, 51 cm
- colour: black matt/orange
- weight: 19.7 kg



056

E-BIKE

- CARBON
- TAPERED HEAD TUBE
- 12x148MM
- 15x110MM
- INTERNAL CABLE ROUTING
- POSTMOUNT
- 500Wh

Motor:

- Shimano STEPS e8000, 70Nm
- Shimano STEPS e8010, 14Ah, 504Wh
- Shimano STEPS SCE8000
- Rock Shox Revelation RL 120mm +Oneloc
- Rock Shox Monarch RL 184x44
- Neco H373M
- Controltech CLS 70-90/31.8mm
- Controltech CLS Flat 700/31.8mm
- Controltech CLS 400/31.6mm
- Sram GX 11 speed
- Sram GX eTrigger 1x11
- Shimano STEPS FCE8000 175mm 34T
- Sram XG 1150 10-42T
- Shimano MT501 180/180mm
- HBC Pro 32h 15x110mm
- HBC Pro 32h 12x148mm XD
- Remerx WSR 538 32h 27.5"
- Schwalbe Nobby Nic 27.5x2.6" TLE
- HEAD - VL1481 CrN-Ti
- Wellgo M272T DU

CODE: 19300



057

E-BIKE

DURANGO

frame: alloy 6061 TPR
 travel: 150mm front/150mm rear
 drivetrain: 1x11 SRAM GX
 sizes: 44, 47, 51 cm
 colour: black matt/red
 weight: 22.9 kg



058

E-BIKE

- ALLOY 6061
- TAPERED HEAD TUBE
- 12x148MM
- 15x110MM
- INTERNAL CABLE ROUTING
- POSTMOUNT
- 500Wh

Motor:	Suntour Aion RLR 150mm + remote lock	Kind Shock Eteni 30.9/100-125mm travel	Shimano MT501 180/180mm	HEAD - VL3381
Shimano STePS e8000, 70Nm	Suntour DUair LoR 216x63mm	Sram GX 11 speed	HBC Pro 32h 15x110mm	Wellgo M272T DU
Shimano STePS e8020, 14Ah, 504Wh	Neco H373M	Sram NX Trigger 1x11	HBC Pro 32h 12x148mm	
Shimano STePS SCE8000	HBC Pro R-Film 70-90/35mm	Shimano STePS FCE8000 175mm 34T	Remerx WSR 538 32h 27.5"	
	HBC Pro R-Film Flat 720/35mm	Sram PG 1130 11-42T	Schwalbe Nobby Nic 27.5x2.6 TLE	CODE: 19302

LAGOS

frame: alloy 6061 TPR HT
 travel: 120mm
 drivetrain: 1x11 SRAM NX
 sizes: 43, 48, 53 cm
 colour: yellow
 weight: 22.9 kg



059

E-BIKE

- ALLOY 6061
- TAPERED HEAD TUBE
- 12x148MM
- 15x110MM
- INTERNAL CABLE ROUTING
- POSTMOUNT
- 500Wh

Motor:	Suntour Raidon RLR 120mm + remote lock	Kind Shock Eteni 30.9/100-125mm travel	Shimano MT400 180/180mm	HEAD - VL3381
Shimano STePS e8000, 70Nm	Sram NX 11 speed	Neco H373M	HBC Pro 32h 15x110mm	Wellgo M272T DU
Shimano STePS e8020, 14Ah, 504Wh	HBC Pro R-Film 70-90/35mm	Sram NX Trigger 1x11	HBC Pro 32h 12x148mm	
Shimano STePS SCE8000	HBC Pro R-Film Flat 720/35mm	Shimano STePS FCE8000 175mm 34T	RRX J35S 32h 27.5"	
	Sram PG 1130 11-42T	Schwalbe Nobby Nic 27.5x2.6 TLE		CODE: 19303

TERNI

- frame: alloy 6061 TPR
- travel: 150mm front/150mm rear
- drivetrain: 1x11 SRAM NX
- sizes: 44, 47, 51 cm
- colour: grey matt/green
- weight: 23.1 kg



060

E-BIKE

- AL ALLOY 6061
- TAPERED HEAD TUBE
- 12x148MM
- 15x110MM
- IC INTERNAL CABLE ROUTING
- PM POSTMOUNT
- 500Wh

Motor:

Shimano STePS e7000, 60Nm	Suntour Aion RLR 150mm + remote lock	Kind Shock Eteni 30.9/100-125mm travel	Shimano MT400 180/180mm	HEAD - VL3381
Shimano STePS e8020, 14Ah, 504Wh	Suntour DUair LoR 216x63mm	Sram NX 11 speed	HBC Pro 32h 15x110mm	Wellgo M272T DU
Shimano STePS SCE7000	Neco H373M	Sram NX Trigger 1x11	HBC Pro 32h 12x148mm	
	HBC Pro R-Film 70-90/35mm	Shimano STePS FCE8000 175mm 34T	RRX J35S 32h 27.5"	
	HBC Pro R-Film Flat 720/35mm	Sram PG 1130 11-42T	Schwalbe Nobby Nic 27.5x2.6 TL-Easy	

CODE: 19304



061

E-BIKE

TERNI lady

- frame: alloy 6061 TPR
- travel: 150mm front/150mm rear
- drivetrain: 1x11 SRAM NX
- sizes: 44, 47, 51 cm
- colour: mint matt/pink
- weight: 23.1 kg



062
E-BIKE

- ALLOY 6061
- TAPERED HEAD TUBE
- 12x148MM
- 15x110MM
- INTERNAL CABLE ROUTING
- POSTMOUNT
- 500Wh

Motor:	Suntour Aion RLR 150mm + remote lock	Kind Shock Eteni 30.9/100-125mm travel	Shimano MT400 180/180mm	HEAD - VL3381
Shimano STePS e7000, 60Nm	Suntour DUair LoR 216x63mm	Sram NX 11 speed	HBC Pro 32h 15x110mm	Wellgo M272T DU
Shimano STePS e8020, 14Ah, 504Wh	Neco H373M	Sram NX Trigger 1x11	HBC Pro 32h 12x148mm	
Shimano STePS SCE7000	HBC Pro R-Film 70-90/35mm	Shimano STePS FCE8000 175mm 34T	RRX J35S 32h 27.5"	
	HBC Pro R-Film Flat 720/35mm	Sram PG 1130 11-42T	Schwalbe Nobby Nic 27.5x2.6 TL-Easy	

CODE: 19305



063
E-BIKE



frame: alloy 6061 HT TPR
 travel: 100mm
 drivetrain: 1x11 SRAM NX
 sizes: 46, 50 cm
 colour: black matt/orange
 weight: 21.1 kg



064
E-BIKE

- ALLOY 6061
- TAPERED HEAD TUBE
- 12x148MM
- 15x110MM
- INTERNAL CABLE ROUTING
- POSTMOUNT
- 500Wh

Motor:	Suntour XCR34 Air RLR 100mm +remote lock	HBC Pro R-Film 400/31.6mm	Shimano MT400 180/180mm	HEAD - VL3381
Shimano STePS e7000, 60Nm	Neco H373M	Sram NX 11 speed	HBC Pro 32h 15x110mm	Wellgo M272T DU
Shimano STePS e8010, 14Ah, 504Wh	HBC Pro R-Film 80-90/35mm	Sram NX Trigger 1x11	HBC Pro 32h 12x148mm	
Shimano STePS SCE7000	HBC Pro R-Film Flat 720/35mm	Shimano STePS FCE8000 175mm 34T	RRX J35S 32h 27.5"	
		Sram PG 1130 11-42T	Schwalbe Nobby Nic 27.5x2.6 TLE	CODE: 19306

frame: alloy 6061 HT TPR
 travel: 100mm
 drivetrain: 1x11 SRAM NX
 sizes: 46, 50 cm
 colour: black matt/green
 black matt/yellow
 weight: 21.1 kg



065
E-BIKE

- ALLOY 6061
- TAPERED HEAD TUBE
- 12x148MM
- 15x110MM
- INTERNAL CABLE ROUTING
- POSTMOUNT
- 500Wh

Motor:	Suntour XCR34 Air RLR 100mm +remote lock	HBC Pro R-Film 400/31.6mm	Shimano MT400 180/180mm	HEAD - VL3381
Shimano STePS e7000, 60Nm	Neco H373M	Sram NX 11 speed	HBC Pro 32h 15x110mm	Wellgo M272T DU
Shimano STePS e8010, 14Ah, 504Wh	HBC Pro R-Film 80-90/35mm	Sram NX Trigger 1x11	HBC Pro 32h 12x148mm	
Shimano STePS SCE7000	HBC Pro R-Film Flat 720/35mm	Shimano STePS FCE8000 175mm 34T	RRX J35S 32h 27.5"	
		Sram PG 1130 11-42T	Schwalbe Nobby Nic 27.5x2.6 TLE	CODE: 19306

GRANBY E7000

- frame: alloy 6061 HT TPR
- travel: 100mm
- drivetrain: 1x10 DEORE
- sizes: 46, 51, 55 cm
- colour: orange matt
- black matt/grey
- weight: 20.4 kg



066

E-BIKE



GRANBY lady E7000

- frame: alloy 6061 HT TPR
- travel: 100mm
- drivetrain: 1x10 DEORE
- sizes: 46, 51, 55 cm
- colour: black matt/pink
- weight: 20.4 kg



067

E-BIKE

- ALLOY 6061
- TAPERED HEAD TUBE
- 12x148MM
- 15x110MM
- INTERNAL CABLE ROUTING
- POSTMOUNT
- 500Wh

- ALLOY 6061
- TAPERED HEAD TUBE
- 12x148MM
- 15x110MM
- INTERNAL CABLE ROUTING
- POSTMOUNT
- 500Wh

Motor:	Suntour XCR34 Air RLR 100mm +remote lock	HBC 400/31.6mm	Shimano MT200 180/180mm	HEAD - VL3381
Shimano STePS e7000, 60Nm	Neco H385E	Shimano Deore RDM610 10 speed	HBC Pro 32h 15x110mm	Wellgo M272T DU
Shimano STePS e8010, 14Ah, 504Wh	HBC 70-90/31.8mm	Shimano Deore SLM6000 1x10	HBC Pro 32h 12x148mm	
Shimano STePS SCE7000	HBC MTB 720/31.8mm	Shimano STePS FCE8000 175mm 34T	RRX J35S 32h 27.5"	
		Shimano HG50 11-36T	Schwalbe Nobby Nic 27.5x2.6"	CODE: 19307

Motor:	Suntour XCR34 Air RLR 100mm +remote lock	HBC 400/31.6mm	Shimano MT200 180/180mm	HEAD - VL4125
Shimano STePS e7000, 60Nm	Neco H385E	Shimano Deore RDM610 10 speed	HBC Pro 32h 15x110mm	Wellgo M272T DU
Shimano STePS e8010, 14Ah, 504Wh	HBC 70-90/31.8mm	Shimano Deore SLM6000 1x10	HBC Pro 32h 12x148mm	
Shimano STePS SCE7000	HBC MTB 720/31.8mm	Shimano STePS FCE8000 175mm 34T	Remerx NB Disc 32h 29"	
		Shimano HG50 11-36T	Schwalbe Smart Sam 29x2.25"	CODE: 19308

EIPEAK E6100

- frame: alloy 6061 HT
- travel: 63mm
- drivetrain: 1x9 Alivio
- sizes: men 50, 55, 59 cm
- women 46, 50, 54 cm
- colour: men - black matt/green
- women - black matt/pink
- weight: 20.5 kg

28"

SHIMANO STOPS

068

E-BIKE



REVELO E6100

- frame: alloy 6061 HT
- travel: 63mm
- drivetrain: 1x9 Alivio
- sizes: men 50, 55, 59 cm
- women 46, 50, 54 cm
- colour: men - black matt/grey
- women - black matt/grey
- weight: 22.6 kg

SHIMANO STOPS 28"

069

E-BIKE



- AL ALLOY 6061
- HO HYDROFORMED TUBE
- IC INTERNAL CABLE ROUTING
- 500Wh

- AL ALLOY 6061
- HO HYDROFORMED TUBE
- IC INTERNAL CABLE ROUTING
- 500Wh

- | | | | | |
|----------------------------------|-----------------------------|--------------------------------|-----------------------------|----------------------|
| Motor: | Suntour NEX-E25 HLO 63mm | HBC 350/27.2mm | Shimano MT200 160/160mm | HEAD - VL4333/VL3389 |
| Shimano STePS e6100, 50Nm | Neco H113 | Shimano Alivio RDT4000 9 speed | Formula DC-20 32h QR9/100mm | Wellgo C169T 2DU |
| Shimano STePS e8010, 14Ah, 504Wh | HBC 100/31.8mm - adjustable | Shimano Altus SLM2000 1x9 | Formula DC-22 32h QR9/135mm | |
| Shimano STePS SCE6100 | HBC 660/31.8mm | Shimano FCE6100 175mm 44T | Remerx Dragon 719 32h 28" | |
| | | Shimano HG200 11-32T | Schwalbe Smart Sam 28x1.6" | |

CODE: MEN - 19309
WOMEN - 19310

- | | | | | |
|----------------------------------|-----------------------------|--------------------------------|-------------------------------|----------------------|
| Motor: | Suntour Nex-E25 HLO 63mm | HBC - 350/27.2mm | Shimano MT200 160/160mm | HEAD - VL4333/VL6309 |
| Shimano STePS e6100, 50Nm | Neco H113 | Shimano Alivio RDT4000 9 speed | Formula DC-20 32h QR9/100mm | Wellgo C169T 2DU |
| Shimano STePS e8010, 14Ah, 504Wh | HBC 100/31.8mm - adjustable | Shimano Altus SLM2000 1x9 | Formula DC-22 32h QR9/135mm | Axa Blueline 30 |
| Shimano STePS SCE6100 | HBC 660/31.8mm | Shimano FCE6100 175mm 44T | Remerx Dragon 719 32h 28" | Axa Blueline |
| | | Shimano HG200 11-32T | Schwalbe Citizen + RT 28x1.6" | |

CODE: MEN - 19311
WOMEN - 19312



BAFANG

The Bafang units are fitted in well known Granby, Trivor, Dayton and the new models of the RM series: I-Peak, Revelo and City.

The RM series is something new in our collection. These bikes have a motor that is placed in the rear hub of the bike and battery is fitted either on the down tube or carrier. The engine in the rear wheel gives you more grip.

On the ebikes with Bafang motor we are using these two motors:
 - MM G330
 - RM G020

Close specification of each variant is presented in the table below.

	MM G330	RM G020
Type of motor	middle motor	rear hub motor
Power	250W	250W
Assist modes	assist mode 1-5 walk	assist mode 1-5 walk
Type of sensor	speed and torque integrated	
Max Torque	80Nm	45Nm
Battery	500Wh	500Wh
Range on full charge*	110 km (Dorado ID-1)	80 km (Greenway ZZ98)

*Power-assist mode and capacity / travel distance (based on combined rider/bike weight of 100 kg, traveling on flat roads at 23 km/h)

070

E-BIKE

071

E-BIKE

frame: alloy 6061 HT TPR
 travel: 100mm
 drivetrain: 1x9 Shimano ALTUS
 sizes: 46, 51, 55 cm
 colour: black matt/yellow
 weight: 22.4 kg

frame: alloy 6061 HT
 travel: 63mm
 drivetrain: 1x9 Shimano Deore
 sizes: men 50, 55, 59 cm
 women 46, 50, 54 cm
 colour: men - black matt/green
 women - black matt/green
 weight: 22.4 kg

27.5" BAFANG

28" BAFANG

072

073

E-BIKE

E-BIKE



- ALLOY 6061
- TAPERED HEAD TUBE
- 12x148mm
- 15x110mm
- INTERNAL CABLE ROUTING
- POSTMOUNT
- 500Wh

- ALLOY 6061
- HYDROFORMED TUBE
- INTERNAL CABLE ROUTING
- 500Wh

Motor: Bafang G330.250, 80Nm Dorado ID-1, 500Wh 36V, 14.5Ah Bafang DP C07	Suntour XCM 34 RL 100mm + remote lock Neco H385E HBC 80-100/31.8mm HBC MTB 720/31.8mm	HBC 400/31.6mm Shimano Altus RDM2000 9 speed Shimano Altus SLM2000 1x9 Bafang Boost 170mm 38T Shimano HG200 11-36T	Tektro HDM285 180/160mm HBC Pro 32h 15x110mm HBC Pro 32h 12x148mm RRX J35S 32h 27.5" Schwalbe Nobby Nic 27.5x2.6 TLE	HEAD - VL1831 Wellgo M272T DU	CODE: 19315
--	--	--	--	----------------------------------	--------------------

Motor: Bafang G330.250, 80Nm Dorado ID-1, 500Wh Bafang DP C07	Suntour NEX E25 HLO 63mm Neco H113 HBC 90-100/31.8mm - adjustable HBC 660/31.8mm	HBC - 350/27.2mm Shimano Deore RDM591 9 speed Shimano Altus SLM2000 1x9 Bafang 170mm 38T Shimano HG200 11-32T	Tektro HDM285 160/160mm Formula DC-20 32h QR9/100mm Formula DC-22 32h QR9/135mm Remerx Dragon 719 32h 28" Schwalbe Smart Sam 28x1.6"	HEAD - VL4333/VL3389 Wellgo C169T 2DU	CODE: MEN - 19316 WOMEN - 19317
---	---	---	--	--	---

TRIVOR

frame: alloy 6061 HT
 travel: 63mm
 drivetrain: 1x9 Shimano DEORE
 sizes: men 50, 55, 59 cm
 women 46, 50, 54 cm
 colour: men - black matt/grey
 women - black matt/red
 weight: 23.6 kg

28" BAFANG

074

E-BIKE



EIPEAK RM

frame: alloy 6061 HT
 travel: 63mm
 drivetrain: 3x8 ALTUS/TY710
 sizes: men 50, 55, 59 cm
 women 46, 50, 54 cm
 colour: men - black matt/blue
 women - grey matt/lime
 weight: 20.7 kg

28" BAFANG

075

E-BIKE



AL ALLOY 6061 HO HYDROFORMED TUBE IC INTERNAL CABLE ROUTING 500Wh

AL ALLOY 6061 HO HYDROFORMED TUBE IC INTERNAL CABLE ROUTING 500Wh

Motor:

- Bafang G330.250, 80Nm
- Dorado ID-1, 500Wh
- 36V, 14.5Ah
- Bafang DP C07
- Suntour NEX E25 HLO 63mm
- Neco H113
- HBC 100/31.8mm - adjustable
- HBC 660/31.8mm

- HBC - 350/27.2mm
- Shimano Deore RDM591 9 speed
- Shimano Altus SLM2000 1x9
- Bafang 170mm 38T
- Shimano HG200 11-32T

- Tektro HDM285 160/160mm
- Formula DC-20 32h QR9/100mm
- Formula DC-22 32h QR9/135mm
- Remerx Dragon 719 32h 28"
- Schwalbe Citizen + RT 28x1.6"

- HEAD - VL4333/VL6309
- Wellgo C169T 2DU
- Axa Blueline 30
- Axa Blueline

CODE: MEN - 19318
 WOMEN - 19319

Motor:

- Bafang G020, 45Nm - rear
- Greenway ZZ98, 500Wh
- 36V, 14Ah
- Bafang DP C10

- Suntour Nex-E25 HLO 63mm
- Neco H113
- HBC 100/31.8mm - adjustable
- HBC 660/31.8mm
- HBC350/27.2mm

- Shimano Altus RDM310 8 speed
- Shimano RDTY710
- Shimano Altus SLM310 3x8
- Prowheel TYCM-02 48-38-28
- Shimano HG31 11-32T

- Shimano MT200 160/160mm
- Formula DC-20H 36h QR9/100mm
- Rear Motor RM G020 250D 36h
- Remerx Dragon 719 36h 28"
- Schwalbe Smart Sam 28x1.6"

- HEAD - VL4333/VL6309
- Wellgo C127 DU

CODE: MEN - 19320
 WOMEN - 19321

E REVELO RM

frame: alloy 6061 HT
 travel: 63mm
 drivetrain: 3x8 ALTUS/TY710
 sizes: men 50, 55, 59 cm
 women 46, 50, 54 cm
 colour: men - black matt/red
 women - black matt/red
 weight: 22.4 kg

28" BAFANG

076

E-BIKE



AL ALLOY 6061 HO HYDROFORMED TUBE IC INTERNAL CABLE ROUTING 500Wh

- | | | | | |
|---|-----------------------------|------------------------------|-------------------------------|------------------|
| Motor:
Bafang G020, 45Nm - rear | Suntour NEX E25 HLO 63mm | Shimano Altus RDM310 8 speed | Shimano MT200 160/160mm | HEAD - VL3389 |
| Greenway ZZ98, 500Wh
36V, 14Ah | Neco H113 | Shimano RDTY710 | Formula DC-20H 36h QR9/100mm | Wellgo C169T 2DU |
| Bafang DP C10 | HBC 100/31.8mm - adjustable | Shimano Altus SLM310 3x8 | Rear Motor RM G020 250D 36h | Axa Blueline 30 |
| | HBC 660/31.8mm | Prowheel TYCM-02 48-38-28 | Remerx Dragon 719 36h 28" | Axa Blueline |
| | HBC 350/27.2mm | Shimano HG31 11-32T | Schwalbe Citizen + RT 28x1.6" | |

CODE: MEN - 19322
WOMEN - 19323

E CITY RM

frame: alloy 6061 HT
 travel: 45mm
 drivetrain: 1x7 TY300
 sizes: 28" - 46 cm, 26" - 44 cm
 colour: black matt/orange
 grey matt/green
 weight: 22.6 kg

BAFANG 28" 26"



AL ALLOY 6061 HO HYDROFORMED TUBE IC INTERNAL CABLE ROUTING 500Wh

- | | | | | |
|---|-----------------------------|-------------------------|-----------------------------|------------------|
| Motor:
Bafang G020, 45Nm - rear | Zoom HL 141 45mm | Shimano RDTY300 7 speed | Formula OV-31 36h QR9/100mm | Wellgo C169T 2DU |
| Greenway YJ98, 500Wh
36V, 14Ah | Neco H113 | Shimano SLRS36 1x7 | Rear Motor RM G020 250D 36h | Axa Blueline 30 |
| Bafang DP C10 | HBC 100/31.8mm - adjustable | Prowell Pro A38 170mm | Remerx Dragon 719 36h | Axa Blueline |
| | HBC 660/31.8mm | Shimano FTZ500 14-28T | Schwalbe Citizen + RT 1.6" | |
| | HBC 350/27.2mm | Tektro C310 | HEAD - VL3389 | |

CODE: 26" - 19324
28" - 19325