

ELECTRIC SHIMANO



MTB

E-CORE EVO TR2

MOUNTAIN | SHIMANO

red, black matt
791-72941



375 Wh



HERREN



MONKEY LINK ready
Easily connects accessories with your bike.



black matt, metallic, lime green
791-73041



SHIMANO
STEPS



BULLS
ORC
OFF ROAD CENTER

Antrieb	Drivetrain	Shimano Steps E8000	Kurbelgarnitur	Crankset	Shimano FC-E8000
Ladegerät	Charger	3A	Kassette	Freewheel	Shimano CS-HG500-10 11-42T
Ladedauer	Charging time	375 Wh: appx. 3,5 hrs.	Bremsen	Brakes	Magura MT5/MT4 hydraulic disc, 180/180 mm
Display	Display	Shimano SC-E8000	Lenker	Handlebar	BULLS
Rahmen	Frame	aluminium, internal cable routing, tapered steerer	Vorbau	Stem	MonkeyLink
Rahmenhöhe	Framesize	41 cm / 46 cm / 51 cm / 56 cm	Sattelstütze	Seatpost	BULLS aluminium
Gabel	Fork	BULLS Lytro 35 LOR Air CTS Boost, 120 mm	Sattel	Saddle	BULLS aluminium
Dämpfer	Shock	Fox Float DPS Performance, 120 mm	Naben	Hubs	BULLS
Schaltwerk	Gearshift	Shimano Deore RD-M6000GS Shadow Plus	Felgen	Rims	BULLS Eccentric 35, tubeless ready
Gänge	Gear	10 speed	Bereifung	Tires	Schwalbe Nobby Nic SnakeSkin, TLE, Apex, Addix SpGrip, 70-584, 27,5 x 2.8
Schalthebel	Shifter	Shimano Deore SL-M6000	Pedale	Pedal	Wellgo
			Sonstiges	Others	Abus Lock for Shimano E8000

E-CORE EVO AM 1 27,5

MOUNTAIN | SHIMANO

black matt, green
721-66641



375 Wh



HERREN



MONKEY LINK ready
Easily connects accessories with your bike.



SHIMANO
STEPS



BULLS
ORC
OFF ROAD CENTER

Antrieb	Drivetrain	Shimano Steps E8000	Kurbelgarnitur	Crankset	Sram
Ladegerät	Charger	3A	Kassette	Freewheel	SX Eagle 11-50T
Ladedauer	Charging time	375 Wh: appx. 3,5 hrs.	Bremsen	Brakes	Shimano BR-MT420 hydraulic disc 203/180
Display	Display	SC-E7000	Lenker	Handlebar	BULLS aluminium
Rahmen	Frame	aluminium, tapered head tube, internal cable routing	Vorbau	Stem	MonkeyLink
Rahmenhöhe	Framesize	41 cm / 44 cm / 49 cm / 54 cm	Sattelstütze	Seatpost	Limotec DP-01, dropper post
Gabel	Fork	RockShow Lyrik Select Charger RC Boost Debonair, 150 mm	Sattel	Saddle	Selle Royal Vivo
Dämpfer	Shock	RockShow RS Deluxe Select Plus RT Debonair, 150 mm	Naben	Hubs	BULLS
Schaltwerk	Gearshift	Sram SX Eagle RD-SX-1-A1	Felgen	Rims	BULLS
Gänge	Gear	12 speed	Bereifung	Tires	Schwalbe Magic Marry 65-584 [27,5 x2.60]/ Hans Dampf 70-584 [27.5 x 2.75]
			Pedale	Pedal	BULLS
			Beleuchtung	Lighting	MonkeyLink ready

E-CORE EVO AM 2 27,5

MOUNTAIN | SHIMANO

black matt, red
721-66941



375 Wh



HERREN



MONKEY LINK ready
Easily connects accessories with your bike.



SHIMANO
STEPS



BULLS
ORC
OFF ROAD CENTER

Antrieb	Drivetrain	Shimano Steps E8000	Kurbelgarnitur	Crankset	Shimano FC-E8050
Ladegerät	Charger	3A	Kassette	Freewheel	Shimano SLX CS-M7100 10-51T
Ladedauer	Charging time	375 Wh: appx. 3,5 hrs.	Bremsen	Brakes	Shimano BR-M8120 hydraulic disc 203/203
Display	Display	SC-E8000	Lenker	Handlebar	BULLS aluminium
Rahmen	Frame	aluminium, tapered head tube, internal cable routing	Vorbau	Stem	MonkeyLink
Rahmenhöhe	Framesize	41 cm / 44 cm / 49 cm / 54 cm	Sattelstütze	Seatpost	Limotec DP-01, dropper post
Gabel	Fork	Fox Rhythm 36 Float Boost, 150 mm	Sattel	Saddle	Selle Royal Vivo
Dämpfer	Shock	FOX DPS Performance, 210 mm	Naben	Hubs	Shimano SLX
Schaltwerk	Gearshift	Shimano Deore XT RD-M8100-SGS Shadow Plus	Felgen	Rims	BULLS Eccentric 35, AS-T35-N
Gänge	Gear	12 speed	Bereifung	Tires	Schwalbe Magic Marry 65-584 [27,5 x 2.60] Hans Dampf 70-584 [27.5 x 2.75]
			Pedale	Pedal	BULLS
			Beleuchtung	Lighting	MonkeyLink ready

E-CORE EVO EN 27,5

black matt, black chrome
721-67244



375 Wh




HERREN



MOUNTAIN | SHIMANO

MONKEY LINK ready
Easily connects accessories with your bike.



SHIMANO
STEPS



BULLS
ORC
OFF ROAD CENTER

Antrieb	Drivetrain	Shimano Steps E8000	Gänge	Gear	12 speed
Ladegerät	Charger	3A	Kurbelgarnitur	Crankset	Shimano FC-E8050
Ladedauer	Charging time	375 Wh: appx. 3,5 hrs.	Kassette	Freewheel	Shimano XT CS-M8100, 10-51T
Display	Display	SC-E8000	Bremsen	Brakes	Shimano BR-M8120 hydraulic disc 203/203
Rahmen	Frame	aluminium, tapered head tube, internal cable routing	Lenker	Handlebar	BULLS aluminium
Rahmenhöhe	Framesize	44 cm / 49 cm / 54 cm	Vorbau	Stem	MonkeyLink
Gabel	Fork	Rock Shox Lyrik Ultimate Charger 2 RCT3, 180 mm	Sattelstütze	Seatpost	Limotec DP-01, dropper post
Dämpfer	Shock	FOX Float X2	Sattel	Saddle	Selle Royal Vivo
Schaltwerk	Gearshift	Shimano Deore XT RD-M8100-SGS Shadow Plus	Felgen	Rims	DT Swiss H1900 Spline
			Bereifung	Tires	Schwalbe Eddy Current Super Gravity TLE 70-584 27.5 x 2.75
			Pedale	Pedal	BULLS
			Beleuchtung	Lighting	MonkeyLink ready