

# **GALFER** **BIKE**

*Since 1952*

## **CATALOGUE 2016**

### **BRAKE PADS & DISC WAVE®**



**E-BIKE**


**MTB**



**TRIAL**



**ROAD**



Made in  
**SPAIN**

**PRESENTATION** | **PRESENTACIÓN**

**3**

**TECHNOLOGY** | **TECNOLOGÍA**

**4**

**QUALITY** | **CALIDAD**

**5**

**PRODUCTION** | **PRODUCCIÓN**

**6**

**COMPETITION** | **COMPETICIÓN**

**7**

**BRAKE PRODUCTS** | **PRODUCTOS FRENO**

**8**

 **MTB E-BIKES PRODUCTS** | **PRODUCTOS BTT E-BIKES**

**9**

 **TRIAL PRODUCTS** | **PRODUCTOS TRIAL**

**17**

 **ROAD PRODUCTS** | **PRODUCTOS CARRETERA**

**19**

**BRAKE PADS REFS.** | **REFS. PASTILLAS FRENO**

**22**

**MERCHANDISING** | **MERCHANDISING**

**24**





*GALFER is a leading manufacturer of friction materials and components for braking systems for the automobile, motorcycling, and bicycle sectors.*

*Industrias GALFER began manufacturing brake pads and discs specific to MTB in 1998 developing them together in collaboration with leading european manufacturers of brake systems, and is also today, the only Spanish manufacturer of brake pads for bicycles. Almost 20 years experience in the MTB industry show that GALFER BIKE brake products are guarantee of quality. Currently Industrias GALFER still supplying brake pads and discs for the main world brands brakes.*

*Since our company was founded in 1952, we have been known for being at the forefront of innovation, quality and organization. Today we link our experience and tradition to new technologies, cutting-edge materials and the most advanced management systems.*

*All our products are strictly tested for quality to guarantee its safety. We are so committed with quality regulations that our quality controls exceed the ECE R-90 standards.*

*GALFER business philosophy is based on the values that led us to become a world leader in braking systems. There's only a thing that our brakes cannot stop: the speed at which we enter the future.*

*GALFER es una empresa líder en la fabricación de materiales de fricción y componentes de sistemas de frenado para los sectores de automoción, motociclismo y bicicleta. Industrias GALFER comenzó a fabricar pastillas y discos de freno específicas para MTB en el año 1998 desarrollándolas conjuntamente en colaboración con los principales fabricantes de sistemas de freno europeos, siendo además a día de hoy, el único fabricante español de pastillas de freno para bicicletas. Con casi 20 años de experiencia en el sector MTB los productos de freno GALFER BIKE son una garantía de calidad. Actualmente Industrias GALFER sigue suministrando pastillas y discos de freno para las principales marcas de frenos mundiales.*



*Desde nuestra fundación, en 1952, hemos destacado por estar en primera línea en cuestiones de innovación, calidad y organización. Hoy nuestra experiencia y tradición se unen a las nuevas tecnologías, los materiales de última generación y los sistemas de gestión más novedosos.*

*Todos nuestros productos se someten a un estricto control de calidad que garantiza su seguridad. Nuestro compromiso con la legislación en materias de calidad es tal que nuestros controles superan los estándares de la directiva ECE R-90 vigente.*

*El espíritu empresarial de GALFER se fundamenta en la apuesta por los valores que nos han llevado a consolidarnos como el referente internacional en sistemas de frenado. Lo único que nuestros sistemas no pueden frenar es la velocidad con que nos adentramos en el futuro.*



*Innovation has been GALFER driving force for more than 60 years.*


*In this extremely demanding market, we know that the only way of staying ahead our competitors and to continue being a world reference in the manufacturing of braking systems is to invest in continual improvement.*

*Our team at the R&D department combines their passion and enthusiasm with the latest technology to offer the best final product, with improved brake power, reduced wear, and less noise, preferred by major original equipment manufacturers (OEM).*

*La innovación es la fuerza motriz de GALFER desde hace más de 60 años.*

*En un mercado extraordinariamente exigente, sabemos que la única manera de mantenernos por delante de nuestros competidores y continuar siendo el referente mundial en sistemas de frenado es invertir en la mejora constante.*

*La pasión y el entusiasmo de las personas que integran nuestro departamento de I+D+i se combinan con la tecnología de última generación para ofrecer un producto final excelente, con una mayor potencia de frenada, un menor desgaste y el mínimo ruido, preferida por los principales fabricantes de equipos originales (OEM).*



Quality management is essential for the evolution of our products. All pieces are tested under strict quality control measures to ensure the highest degree of safety and performance.

GALFER has obtained the ISO 9001 Quality certified. In order to stay up to date with the current trends and to address the needs of the sector, GALFER is in the process of obtaining the ISO/TS 16949 certification.

## QUALITY POLICY

**MISSION:** To offer friction materials and components for comprehensive brake system solutions.

**VISION:** To become an international benchmark for braking systems.

### VALUES:

- **INNOVATION:** Continual introduction of new technologies to offer improved products to the market.
- **ASSURANCE:** Offering solutions fitted to our clients needs and to complying with current laws in all our activities, as well as any other agreed requirements related to the management system.
- **CONFIDENCE:** By means of innovation and implementation of a quality management system based on continual improvement.
- **EFFICIENCY:** Encouraging teamwork and facilitating direct and customized attention to our clients and complying with all our products specifications.
- **SUSTAINABILITY:** Respecting the environment and minimizing the environmental impact.
- **SAFETY:** Investing and training to guarantee the maximum safety and occupational health.
- **ACCOUNTABILITY:** Ethical and responsible management in all our activities.

El Departamento de Calidad es clave en la evolución de nuestros productos. Todas las piezas se someten a un estricto control de calidad para garantizar su máxima seguridad y prestaciones.

GALFER posee la certificación de Calidad ISO 9001. Para no perder rueda con las tendencias actuales y asumir las exigencias del sector, GALFER está en proceso de obtención la certificación ISO/TS 16949.

## POLITICA DE CALIDAD

**MISIÓN:** Ofrecer materiales de fricción y componentes para soluciones integrales de sistemas de frenado.

**VISIÓN:** Convertirnos en un referente internacional en sistemas de frenado.

### VALORES:

- **INNOVACIÓN:** incorporación constante de nuevas tecnologías para aportar mejoras de productos al mercado.
- **GARANTÍA:** ofrecer soluciones ajustadas a los requisitos de nuestros clientes y cumplir con la legislación vigente en todas nuestras actividades, así como otros requisitos suscritos relacionados con el sistema de gestión.
- **CONFIANZA:** mediante la innovación y la implantación de un sistema de gestión de calidad basado en la mejora continua que garantice los resultados esperados.
- **EFICACIA EN LA GESTIÓN:** fomentando el trabajo en equipo y facilitando un trato directo y personalizado a nuestros clientes y cumpliendo todas las especificaciones de nuestros productos.
- **SOSTENIBILIDAD:** respeto al medio ambiente y minimización del impacto medio ambiental.
- **SEGURIDAD:** inversión y formación para garantizar la máxima seguridad y salud en el trabajo.
- **RESPONSABILIDAD:** gestión ética y responsable en todas nuestras actividades.





*All GALFER products (discs, pads and brake lines) are designed and manufactured in our 6000 sq. meters factory at Granollers (Barcelona), next to the Circuit de Catalunya.*

*The production process begins in the R&D Department, responsible for launching new products. The materials are developed in our laboratories and then chemical and physical tests are conducted. Once this phase is completed and to determine their going into production further tests are conducted on a vehicle. The Department of Methodology designs the production processes with the Engineering Department. Finally, the Quality Department certifies the quality and reliability of our products according to ISO standards.*

*We are members of the FEMFM (Federation of European Manufacturers of Friction Materials), and we have worked together for the European Quality Manual of disk pads, drum brake calipers and clutches.*

*Todos los productos GALFER (discos, pastillas y latiguillos de freno) se diseñan y se producen en la fábrica de Granollers (Barcelona), unas instalaciones de 6000 m2 situadas al lado del Circuit de Catalunya.*

*El proceso productivo se inicia en el Departamento de I+D+i, que se encarga del lanzamiento de nuevos productos. Nuestros laboratorios desarrollan los materiales y los someten a pruebas químicas y físicas. Superada esta fase, se realizan las pruebas sobre el vehículo para determinar el paso a producción. El Departamento de Metodología diseña los procesos productivos en conjunción con el Departamento de Ingeniería. En último lugar interviene el Departamento de Control de Calidad, que certifica la calidad y fiabilidad de nuestros productos siguiendo las normas ISO.*

*Somos miembros de la FEMFM (Federation of European Manufacturers of Friction Materials), con la que hemos colaborado en la elaboración del Manual de Calidad europeo para pastillas de frenos de disco, mordazas de freno de tambor y embragues. La pasión y el entusiasmo de las personas que integran nuestro departamento de I+D+i se combinan con la tecnología de última generación para ofrecer un producto final excelente, con una mayor potencia de frenada, un menor desgaste y el mínimo ruido, preferida por los principales fabricantes de equipos originales (OEM).*






**MIREIA & GEMMA ABANT**  
*Bike Trial World Champions 2013-2014*



**POLYGON UR TEAM**  
*M.Hannah / T.Hannah / Andrew Neethling / Alex Fayolle*



**EVA CASTRO**  
*Spanish Enduro Champion 2013*



**WALLACE MIRANDA**  
*3th Descida das Escada Snatos 2016*



**TONI FERREIRO**  
*Spanish DH Champion 2013, 2014 & 2015*



**MERIDA-WALLONIE MTB TEAM**  
*Sébastien Carabin / Pierre Defroidmont / A.Pirard*



**VASCO BICA**  
*Portuguese DH Champion 2015*



**SDS SWISS DOWNHILL SYNDICATE**  
*Lutz Weber / N.Niederberger / Moritz Ribarich*



**DAVID VALERO**  
*Spanish XCO Champion 2015*



**JOAN VICENTE MÉRIDA**  
*Spanish DH Master Champion 2014*



**PAU EGEDA**  
*World Champion XCO Master 2014*



**LES GETS - INTENSE TEAM**  
*Romain Paulhan / B.Cougoureux / S.Cougoureux*



**ALICIA GONZÁLEZ**  
*Spanish CX Sub-23 Champion 2016*



**BARBARA JECHOW**  
*Brasilian DH Champion 2015*



**TOM MISSER**  
*Winner Snow Bike Festival 2015 & 2016*



**STANDARD G1053**  
FOR UNIVERSAL RIDING



BRAKING POWER POTENCIA FREMADO	
MUD AND DIRT BARRO Y SUCIEDAD	
FADE RESISTANCE RESISTENCIA FADE	
DURABILITY DURABILIDAD	

**ADVANCED G1851**  
FOR EXTREME WET CONDITIONS



BRAKING POWER POTENCIA FREMADO	
MUD AND DIRT BARRO Y SUCIEDAD	
FADE RESISTANCE RESISTENCIA FADE	
DURABILITY DURABILIDAD	

**PRO G1554T**  
FOR COMPETITION NO NEED RUNNING-IN



BRAKING POWER POTENCIA FREMADO	
MUD AND DIRT BARRO Y SUCIEDAD	
FADE RESISTANCE RESISTENCIA FADE	
DURABILITY DURABILIDAD	

**DISC WAVE® FIXED**  
ref. **DB002W** ø160mm



99 gr. **MTB**

**DISC WAVE® FIXED**  
ref. **DB003W** ø180mm



110 gr. **MTB**

**DISC WAVE® FLOATING**  
ref. **DB003FLW** ø180mm




140 gr. **MTB**

**DISC WAVE® FLOATING**  
ref. **DB004FLW** ø203mm



160 gr. **MTB**



140 gr. **MTB**



**SINTERED G1398**  
FOR BIKE TRIAL



BRAKING POWER POTENCIA FREMADO	
MUD AND DIRT BARRO Y SUCIEDAD	
FADE RESISTANCE RESISTENCIA FADE	
DURABILITY DURABILIDAD	

**DISC WAVE® FIXED**  
ref. **DB202W** ø160mm



99 gr. **TRIAL**



**ROAD G1455**  
FOR ROAD RIDING




BRAKING POWER POTENCIA FREMADO	
MUD AND DIRT BARRO Y SUCIEDAD	
FADE RESISTANCE RESISTENCIA FADE	
DURABILITY DURABILIDAD	

**DISC WAVE® FIXED**  
ref. **DB101W** ø140mm



64 gr. **ROAD**

**DISC WAVE® FIXED**  
ref. **DB102W** ø160mm



79 gr. **ROAD**

# MOUNTAIN BIKE



# E-BIKE






### AVID

BB7, JUICY 3/5/7, ULTIMATE, CARBON

**GALFER**  
**FD 281**  
**G1053**  
**G1851**  
**\*G1554T**

↔ 31,9  
mm x  
↑ 37,3

⏪ 4,0



\* UNTIL STOCKS | HASTA FIN DE EXISTENCIAS



### AVID

CODE R (2011-)

**GALFER**  
**FD 455**  
**G1053**  
**G1851**  
**G1554T**

↔ 40,7  
mm x  
↑ 29,6

⏪ 4,0



### AVID

BB5 (Ball Bearing 5)

**GALFER**  
**FD 420**  
**G1053**  
**\*G1851**

↔ 24,0  
mm x  
↑ 37,0

⏪ 4,0



\* UNTIL STOCKS | HASTA FIN DE EXISTENCIAS



### AVID

XO TRAIL, 7 TRAIL, 9 TRAIL

### SRAM

GUIDE

**GALFER**  
**FD 459**  
**G1053**  
**G1851**  
**G1554T**

↔ 37,7  
mm x  
↑ 24,3

⏪ 3,9



### AVID

CODE (07-10)


### SRAM

HDR, RED 22, FORCE, RIVAL, LEVEL ULTIMATE & TLM

**GALFER**  
**FD 421**  
**G1053**  
**\*G1851**  
**\*G1554T**

↔ 41,3  
mm x  
↑ 34,7

⏪ 4,0



\* UNTIL STOCKS | HASTA FIN DE EXISTENCIAS



**GALFER**  
**FD 469**  
**G1053**  
**G1851**  
**G1554T**

↔ 30,9  
mm x  
↑ 26,3

⏪ 4,0



### AVID

ELIXIR 1, 3, 5, 7, XX, XO

### SRAM

XX, XO, X7, X9, DB

### SRAM

LEVEL T, TL

**GALFER**  
**FD 427**  
**G1053**  
**G1851**  
**G1554T**

↔ 29,8  
mm x  
↑ 33,4

⏪ 4,0



**GALFER**  
**FD 499**  
**G1053**  
**G1851**

↔ -  
mm x  
↑ -

⏪ -





**FORMULA**  
B4, 4 RACING

**GALFER**  
**FD**  
**332**  
**G1053**  
**\*G1851**  
**\*G1554T**  
43,3  
mm x  
25,0  
4,0



UNIL STOCKS | HASTA FIN DE EXISTENCIAS

**HAYES**

MX-2 (2004), MX-3 (mecanic), MX-4, MX-5, GX-2, SOLE

**GALFER**  
**FD**  
**416**  
**G1053**  
**\*G1851**  
20,8  
mm x  
28,6  
4,0



UNIL STOCKS | HASTA FIN DE EXISTENCIAS

**FORMULA**  
ORO 18K / 24K

**GALFER**  
**FD**  
**425**  
**G1053**  
**\*G1851**  
**\*G1554T**  
27,0  
mm x  
34,0  
4,0



UNIL STOCKS | HASTA FIN DE EXISTENCIAS

**HOPE**

DH4 (4 pistons)

**GALFER**  
**FD**  
**241**  
**G1053**  
**\*G1851**  
**\*G1554T**  
20,0  
mm x  
28,0  
4,5



UNIL STOCKS | HASTA FIN DE EXISTENCIAS

**FORMULA**

MEGA, THE ONE, R0, R1, RX, RR1, T1, C1, CURA

**GALFER**  
**FD**  
**451**  
**G1053**  
**\*G1851**  
**\*G1554T**  
28,15  
mm x  
35,5  
4,0



UNIL STOCKS | HASTA FIN DE EXISTENCIAS

**HOPE**

XC4 (4 pistons)

**GALFER**  
**FD**  
**242**  
**G1053**  
**\*G1851**  
**\*G1554T**  
40,5  
mm x  
23,1  
4,5



UNIL STOCKS | HASTA FIN DE EXISTENCIAS

**HAYES**

HFX-9, MAG, MX-1

**GALFER**  
**FD**  
**282**  
**G1053**  
**\*G1851**  
**\*G1554T**  
31,9  
mm x  
32,0  
4,0



UNIL STOCKS | HASTA FIN DE EXISTENCIAS

**HOPE**

C2, O2 (2 pistons)

**GALFER**  
**FD**  
**244**  
**G1053**  
25,0  
mm x  
32,5  
4,1





## HOPE

MINI (2 pistons), ENDURO (2001)

**GALFER**  
**FD**  
**250**  
**G1053**



↔ 26,5  
mm x  
↑ 31,0  
↔ 4,0

## HOPE

E4

**GALFER**  
**FD**  
**465**  
**G1053**  
**G1851**  
**G1554T**



↔ 37,0  
mm x  
↑ 29,0  
↔ 4,0

## HOPE

DB110, MONO TRIAL, TRIAL ZONE

**GALFER**  
**FD**  
**328**  
**G1053**  
**G1851**




↔ 26,9  
mm x  
↑ 34,6  
↔ 4,0

## HOPE

V4

**GALFER**  
**FD**  
**466**  
**G1053**  
**G1851**  
**G1554T**



↔ 40,0  
mm x  
↑ 26,0  
↔ 4,0

## HOPE

MONO V2, TECH V2

**GALFER**  
**FD**  
**445**  
**G1053**  
**\*G1851**  
**\*G1554T**



↔ 27,0  
mm x  
↑ 36,0  
↔ 4,0

\* UNTIL STOCKS | HASTA FIN DE EXISTENCIAS

## HOPE

X2

**GALFER**  
**FD**  
**467**  
**G1053**  
**G1851**  
**G1554T**



↔ 27,0  
mm x  
↑ 31,2  
↔ 4,3

## HOPE

M4 (all models)

**GALFER**  
**FD**  
**453**  
**G1053**  
**G1851**  
**G1554T**



↔ 37,0  
mm x  
↑ 24,2  
↔ 4,0

## HOPE

MONO MINI

**GALFER**  
**FD**  
**488**  
**G1053**  
**G1851**  
**G1554T**



↔ 30,0  
mm x  
↑ 27,6  
↔ 4,0



**MAGURA**

CLARA (-2000), LOUISE (-2001)

**GALFER**  
**FD**  
**213**  
**G1053**  
**\*G1851**  
**\*G1554T**

22,7  
mm x  
33,4

4,0

UNTIL STOCKS | HASTA FIN DE EXISTENCIAS



**MAGURA**

MARTA, MARTA SL (-2008)

**GALFER**  
**FD**  
**253**  
**G1053**  
**\*G1851**  
**\*G1554T**

39,3  
mm x  
23,5

4,0

UNTIL STOCKS | HASTA FIN DE EXISTENCIAS



**MAGURA**


JULIE (01-08)

**GALFER**  
**FD**  
**236**  
**G1053**  
**\*G1851**  
**\*G1554T**

28,8  
mm x  
47,2

4,0

UNTIL STOCKS | HASTA FIN DE EXISTENCIAS



**MAGURA**

JULIE HP, LOUISE (2007-), MARTA SL (2009-)

**GALFER**  
**FD**  
**349**  
**G1053**  
**\*G1851**  
**\*G1554T**

41,2  
mm x  
25,8

4,0

UNTIL STOCKS | HASTA FIN DE EXISTENCIAS



**MAGURA**

CLARA (01-02), LOUISE (02-06)

**GALFER**  
**FD**  
**237**  
**G1053**  
**\*G1851**  
**\*G1554T**

24,8  
mm x  
42,9

3,9

UNTIL STOCKS | HASTA FIN DE EXISTENCIAS



**MAGURA**

MT2, MT4, MT6, MT8, MTS

**GALFER**  
**FD**  
**436**  
**G1053**  
**\*G1851**  
**\*G1554T**

30,0  
mm x  
33,4

4,0

UNTIL STOCKS | HASTA FIN DE EXISTENCIAS



**MAGURA**

GUSTAV M (-2006)

**GALFER**  
**FD**  
**246**  
**\*G1053**  
**\*G1851**  
**\*G1554T**

69,9  
mm x  
26,5

3,5

UNTIL STOCKS | HASTA FIN DE EXISTENCIAS



**MAGURA**

MT5, MT7

**GALFER**  
**FD**  
**487**  
**\*G1053**  
**\*G1851**  
**\*G1554T**

19,0  
mm x  
29,5

4,0



UNTIL STOCKS | HASTA FIN DE EXISTENCIAS



# BRAKE PADS



**MTB  
E-BIKE**

<b>SHIMANO</b> DEORE XT (M755)		<b>HOPE</b> MONO 4		<b>SHIMANO</b> SAINT, ZEE	
<b>GALFER</b> <b>FD 247</b> <b>G1053</b> <b>G1851</b>			<b>GALFER</b> <b>FD 426</b> <b>G1053</b> <b>G1851</b> <b>G1554T</b>		
37,0 mm x 25,3 mm 3,7 mm			39,5 mm x 24,2 mm 4,0 mm		
<b>SHIMANO</b> DEORE (M416/445/446/485/486/515/525/575, C601)		<b>TEKTRO</b> AURIGA, DRACO, ...		<b>SHIMANO</b> XTR, XT (2014-), DEORE XT (M785), SLX (M666)	
<b>GALFER</b> <b>FD 293</b> <b>G1053</b> <b>G1851</b> <b>G1554T</b>			<b>GALFER</b> <b>FD 452</b> <b>G1053</b> <b>G1851</b> <b>G1554T</b>		
30,6 mm x 35,0 mm 4,0 mm			32,3 mm x 30,0 mm 4,0 mm		
<b>SHIMANO</b> XTR (03-07), DEORE XT (M965/966/975), DEORE LX (M655/765), SAINT XT (04-07)		<b>TEKTRO</b> IO, GEMINI (2003-), NOVELA (2003-), AQUILA			
<b>GALFER</b> <b>FD 294</b> <b>G1053</b> <b>G1851</b> <b>*G1554T</b>			<b>GALFER</b> <b>FD 454</b> <b>G1053</b> <b>*G1851</b>		
34,3 mm x 27,3 mm 4,0 mm	* UNTIL STOCKS   HASTA FIN DE EXISTENCIAS		25,4 mm x 37,5 mm 4,0 mm	* UNTIL STOCKS   HASTA FIN DE EXISTENCIAS	
<b>SHIMANO</b> NEXAVE (C-910), DEORE (M555)					
<b>GALFER</b> <b>FD 305</b> <b>G1053</b> <b>G1851</b> <b>*G1554T</b>					
29,0 mm x 26,1 mm 4,0 mm	* UNTIL STOCKS   HASTA FIN DE EXISTENCIAS				



REF.	BRANDS	MODELS
<b>FD281P1053</b>	AVID	60 u. Juicy (30 sets)
<b>FD293P1053</b>	SHIMANO	60 u. Deore (30 sets)
<b>FD294P1053</b>	SHIMANO	60 u. XT (30 sets)
<b>FD427P1053</b>	AVID	60 u. Elixir (30 sets)
<b>FD451P1053</b>	FORMULA	60 u. R Series (30 sets)
<b>FD452P1053</b>	SHIMANO	60 u. XTR (30 sets)
<b>FD459P1053</b>	AVID / SRAM	60 u. X Series Trail & Guide (30 sets)
<b>FD001P1053</b>	SHIMANO	20 u. FD293G1053 (10 sets) + 20 u. FD294G1053 (10 sets) + 20 u. FD452G1053 (10 sets)
<b>FD002P1053</b>	AVID / FORMULA / SHIMANO	20 u. FD427G1053 (10 sets) + 20 u. FD451G1053 (10 sets) + 20 u. FD452G1053 (10 sets)
<b>FD003P1053</b>	SHIMANO / AVID / SHIMANO	20 u. FD294G1053 (10 sets) + 20 u. FD427G1053 (10 sets) + 20 u. FD452G1053 (10 sets)
<b>FD004P1053</b>	AVID / SHIMANO / AVID	20 u. FD281G1053 (10 sets) + 20 u. FD293G1053 (10 sets) + 20 u. FD427G1053 (10 sets)


**From 300Km/h in MotoGP to your MTB at 70km/h**

**300 Km/h**




**Marc Márquez**  
(Honda Repsol - CX)

**250 Km/h**




**Alex Márquez**  
(Honda Estrella Galicia)

**120 Km/h**




**Davi Millsaps**  
(Yamaha Rockstar)

**70 Km/h**




**Toni Ferrero**  
(Evil XMS)



**DISC WAVE® FIXED**

ref. **DB002W**      ø160mm

**GALFER  
BIKE**



*Disc wave*

99 gr.

**MTB**

**DISC WAVE® FIXED**

ref. **DB003W**      ø180mm

**GALFER  
BIKE**



*Disc wave*

110 gr.

**MTB**

**DISC WAVE® FIXED**

ref. **DB004W**      ø203mm

**GALFER  
BIKE**



*Disc wave*

140 gr.

**MTB**

**DISC WAVE® FLOATING**

ref. **DB003/4FLW**      ø180/203mm

**NEW**

**GALFER  
BIKE**




**TF**  
TRUE FLOATING SYSTEM

*Disc wave*

140/160 gr.

**MTB**

# BIKE TRIAL





**NEW**




## HOPE

DB 1 10, MONO TRIAL, TRIAL ZONE

**GALFER**  
**FD**  
**328**  
**G1398**  
**G1851**


↔ 26,9  
mm x  
↑↓ 34,6  
◀▶ 4,0



**DISC WAVE® FIXED**  
ref. **DB202W**      ø160mm

**NEW**

**GALFER**  
**BIKE**



Disc wave

# ROAD BICYCLES





## AVID

XO TRAIL, 7 TRAIL, 9 TRAIL

## SRAM

GUIDE

## MAGURA

MT2, MT4, MT6, MT8, MTS

**GALFER**  
**FD 459**  
**G1455**



↔ 37,7  
mm x  
↑ 24,3  
↔ 3,9

**GALFER**  
**FD 436**  
**G1455**



↔ 30,0  
mm x  
↑ 33,4  
↔ 4,0

## SRAM

HDR, RED 22, FORCE, RIVAL

## SHIMANO

DEORE (M416/445/446/485/486/515/525/575, C601)

## TEKTRO

AURIGA, DRACO, ...

**GALFER**  
**FD 469**  
**G1455**



↔ 30,9  
mm x  
↑ 26,3  
↔ 4,0

**GALFER**  
**FD 293**  
**G1455**



↔ 30,6  
mm x  
↑ 35,0  
↔ 4,0

## AVID

ELIXIR 1, 3, 5, 7, XX, XO


## SRAM

XX, XO, X7, X9, DB

## SHIMANO

XTR, XT (2014-), DEORE XT (M785), SLX (M666)

**GALFER**  
**FD 427**  
**G1455**



↔ 29,8  
mm x  
↑ 33,4  
↔ 4,0

**GALFER**  
**FD 452**  
**G1455**



↔ 32,3  
mm x  
↑ 30,0  
↔ 4,0

## FORMULA

MEGA, THE ONE, R0, R1, RX, RR1, T1, C1, CURA

## SHIMANO

ULTEGRA DISC ROAD

**GALFER**  
**FD 451**  
**G1455**



↔ 28,15  
mm x  
↑ 35,5  
↔ 4,0

**GALFER**  
**FD 496**  
**G1455**




↔ 32,3  
mm x  
↑ 30,0  
↔ 4,0



**DISC WAVE® FIXED**  
ref. **DB101W**      ø140mm



**GALFER**  
**BIKE**




*Disc wave*

64 gr.      **ROAD**

**DISC WAVE® FIXED**  
ref. **DB102W**      ø160mm



**GALFER**  
**BIKE**



*Disc wave*

79 gr.      **ROAD**



# BRAKE PADS

# REFS.



<b>GALFER</b> <b>FD 236</b> <b>G1053</b> <b>G1851</b> <b>G1554T</b>  28,8 x 47,2 mm 4,0 mm	<b>GALFER</b> <b>FD 293</b> <b>G1053</b> <b>G1851</b> <b>G1554T</b> <b>G1455</b>  30,6 x 35,0 mm 4,0 mm	<b>GALFER</b> <b>FD 425</b> <b>G1053</b> <b>G1851</b> <b>G1554T</b>  27,0 x 34,0 mm 4,0 mm	<b>GALFER</b> <b>FD 455</b> <b>G1053</b> <b>G1851</b> <b>G1554T</b>  40,7 x 29,6 mm 4,0 mm
<b>GALFER</b> <b>FD 237</b> <b>G1053</b> <b>G1851</b> <b>G1554T</b>  24,8 x 42,9 mm 3,9 mm	<b>GALFER</b> <b>FD 294</b> <b>G1053</b> <b>G1851</b> <b>G1554T</b>  34,3 x 27,3 mm 4,0 mm	<b>GALFER</b> <b>FD 426</b> <b>G1053</b> <b>G1851</b> <b>G1554T</b>  39,5 x 24,2 mm 4,0 mm	<b>GALFER</b> <b>FD 459</b> <b>G1053</b> <b>G1851</b> <b>G1554T</b> <b>G1455</b>  37,7 x 24,3 mm 3,9 mm
<b>GALFER</b> <b>FD 241</b> <b>G1053</b> <b>G1851</b> <b>G1554T</b>  20,0 x 28,0 mm 4,5 mm	<b>GALFER</b> <b>FD 305</b> <b>G1053</b> <b>G1851</b> <b>G1554T</b>  29,0 x 26,1 mm 4,0 mm	<b>GALFER</b> <b>FD 427</b> <b>G1053</b> <b>G1851</b> <b>G1554T</b> <b>G1455</b>  29,8 x 33,4 mm 4,0 mm	<b>GALFER</b> <b>FD 465</b> <b>G1053</b> <b>G1851</b> <b>G1554T</b>  37,0 x 29,0 mm 4,0 mm
<b>GALFER</b> <b>FD 242</b> <b>G1053</b> <b>G1851</b> <b>G1554T</b>  40,5 x 23,1 mm 4,5 mm	<b>GALFER</b> <b>FD 328</b> <b>G1053</b> <b>G1851</b> <b>G1398</b>  26,9 x 34,6 mm 4,0 mm	<b>GALFER</b> <b>FD 436</b> <b>G1053</b> <b>G1851</b> <b>G1554T</b> <b>G1455</b>  30,0 x 33,4 mm 4,0 mm	<b>GALFER</b> <b>FD 466</b> <b>G1053</b> <b>G1851</b> <b>G1554T</b>  40,0 x 26,0 mm 4,0 mm
<b>GALFER</b> <b>FD 246</b> <b>G1053</b> <b>G1851</b> <b>G1554T</b>  69,9 x 28,5 mm 3,5 mm	<b>GALFER</b> <b>FD 332</b> <b>G1053</b> <b>G1851</b> <b>G1554T</b>  43,3 x 25,0 mm 4,0 mm	<b>GALFER</b> <b>FD 445</b> <b>G1053</b> <b>G1851</b> <b>G1554T</b>  27,0 x 36,0 mm 4,0 mm	<b>GALFER</b> <b>FD 467</b> <b>G1053</b> <b>G1851</b> <b>G1554T</b>  27,0 x 31,2 mm 4,3 mm
<b>GALFER</b> <b>FD 247</b> <b>G1053</b> <b>G1851</b>  37,0 x 25,3 mm 3,7 mm	<b>GALFER</b> <b>FD 349</b> <b>G1053</b> <b>G1851</b> <b>G1554T</b>  41,2 x 25,8 mm 4,0 mm	<b>GALFER</b> <b>FD 451</b> <b>G1053</b> <b>G1851</b> <b>G1554T</b> <b>G1455</b>  28,15 x 35,5 mm 4,0 mm	<b>GALFER</b> <b>FD 469</b> <b>G1053</b> <b>G1851</b> <b>G1554T</b> <b>G1455</b>  30,9 x 26,3 mm 4,0 mm
<b>GALFER</b> <b>FD 253</b> <b>G1053</b> <b>G1851</b> <b>G1554T</b>  39,3 x 23,5 mm 4,0 mm	<b>GALFER</b> <b>FD 416</b> <b>G1053</b> <b>G1851</b>  20,8 x 28,6 mm 4,0 mm	<b>GALFER</b> <b>FD 452</b> <b>G1053</b> <b>G1851</b> <b>G1554T</b> <b>G1455</b>  32,3 x 30,0 mm 4,0 mm	<b>GALFER</b> <b>FD 487</b> <b>G1053</b> <b>G1851</b> <b>G1554T</b>  19,0 x 29,5 mm 4,0 mm
<b>GALFER</b> <b>FD 281</b> <b>G1053</b> <b>G1851</b> <b>G1554T</b>  31,9 x 37,3 mm 4,0 mm	<b>GALFER</b> <b>FD 420</b> <b>G1053</b> <b>G1851</b>  24,0 x 37,0 mm 4,0 mm	<b>GALFER</b> <b>FD 453</b> <b>G1053</b> <b>G1851</b> <b>G1554T</b>  37,0 x 24,2 mm 4,0 mm	<b>GALFER</b> <b>FD 488</b> <b>G1053</b> <b>G1851</b> <b>G1554T</b>  30,0 x 27,6 mm 4,0 mm
<b>GALFER</b> <b>FD 282</b> <b>G1053</b> <b>G1851</b> <b>G1554T</b>  31,9 x 32,0 mm 4,0 mm	<b>GALFER</b> <b>FD 421</b> <b>G1053</b> <b>G1851</b> <b>G1554T</b>  41,3 x 34,7 mm 4,0 mm	<b>GALFER</b> <b>FD 454</b> <b>G1053</b> <b>G1851</b>  25,4 x 37,5 mm 4,0 mm	<b>COMING SOON...</b> 

■ UNTIL STOCKS | HASTA FIN DE EXISTENCIAS

**MTB E-BIKE**  
**STANDARD G1053**  
**ADVANCED G1851**  
**PRO G1554T**

**TRIAL**  
**SINTERED G1398**

**ROAD ROAD G1455**



BRAND	MODEL	GALFER REF.
AVID	7 Trail	FD459
AVID	9 Trail	FD459
AVID	BB5	FD420
AVID	BB7	FD281
AVID	Carbon	FD281
AVID	Code 2007-10	FD421
AVID	Code R 2011	FD455
AVID	Elixir 1	FD427
AVID	Elixir 3	FD427
AVID	Elixir 5	FD427
AVID	Elixir 7	FD427
AVID	Juicy 3	FD281
AVID	Juicy 5	FD281
AVID	Juicy 7	FD281
AVID	Ultimate	FD281
AVID	X0	FD427
AVID	X0 Trail	FD459
AVID	XX	FD427
FORMULA	4 Racing	FD332
FORMULA	B4	FD332
FORMULA	C1	FD451
FORMULA	Cura	FD451
FORMULA	Mega	FD451
FORMULA	Oro 18K	FD425
FORMULA	Oro 24K	FD425
FORMULA	R0	FD451
FORMULA	R1 (2008-)	FD451
FORMULA	RR1	FD451
FORMULA	RX (2009-)	FD451
FORMULA	T1	FD451
FORMULA	The One	FD451
HAYES	GX-2	FD416
HAYES	HFX-9	FD282
HAYES	MAG	FD282
HAYES	MX-1	FD282
HAYES	MX-2 (2004)	FD416
HAYES	MX-3 (mecanic)	FD416
HAYES	MX-4	FD416
HAYES	MX-5	FD416
HAYES	Sole	FD416
HOPE	C2	FD244
HOPE	DB110	FD328
HOPE	DH4 (4 pistons)	FD241
HOPE	E4	FD465

BRAND	MODEL	GALFER REF.
HOPE	Enduro (2001)	FD250
HOPE	M4 (all models)	FD453
HOPE	Mini (2 pistons)	FD250
HOPE	Mono Mini	FD488
HOPE	Mono Trial	FD328
HOPE	O2 (2 pistons)	FD244
HOPE	Trial Zone	FD328
HOPE	V2	FD445
HOPE	V4	FD466
HOPE	X2	FD467
HOPE	XC4 (4 pistons)	FD242
MAGURA	Clara (-2000)	FD213
MAGURA	Clara (01-02)	FD237
MAGURA	Gustav M (-2006)	FD246
MAGURA	Julie (01-08)	FD236
MAGURA	Julie HP	FD349
MAGURA	Louise (02-06)	FD237
MAGURA	Louise (-2001)	FD213
MAGURA	Louise (2007-)	FD349
MAGURA	Marta	FD253
MAGURA	Marta SL (-2008)	FD253
MAGURA	Marta SL (2009-)	FD349
MAGURA	MT2	FD436
MAGURA	MT4	FD436
MAGURA	MT5	FD487
MAGURA	MT6	FD436
MAGURA	MT7	FD487
MAGURA	MT8	FD436
MAGURA	MTS	FD436
PROMAX	DSK-810	FD416
PROMAX	DSK-950	FD281
PROMAX	Hidraulic	FD282
PROMAX	Mecanic	FD282
SHIMANO	Deore BR-C601	FD293
SHIMANO	Deore BR-M416	FD293
SHIMANO	Deore BR-M445	FD293
SHIMANO	Deore BR-M446	FD293
SHIMANO	Deore BR-M485	FD293
SHIMANO	Deore BR-M486	FD293
SHIMANO	Deore BR-M515	FD293
SHIMANO	Deore BR-M525	FD293
SHIMANO	Deore BR-M555	FD305
SHIMANO	Deore BR-M575	FD293
SHIMANO	Deore LX BR-M655	FD294

BRAND	MODEL	GALFER REF.
SHIMANO	Deore LX BR-M765	FD294
SHIMANO	Deore LX BR-M775	FD294
SHIMANO	Deore XT BR-M755	FD247
SHIMANO	Deore XT BR-M785	FD452
SHIMANO	Deore XT BR-M965	FD294
SHIMANO	Deore XT BR-M966	FD294
SHIMANO	Deore XT BR-M975	FD294
SHIMANO	Nexave C-910	FD305
SHIMANO	Saint	FD426
SHIMANO	Saint XT (04-07)	FD294
SHIMANO	SLX M666	FD452
SHIMANO	Ultegra Disc Road	FD496
SHIMANO	XT (2014-)	FD452
SHIMANO	XTR (03-07)	FD294
SHIMANO	XTR	FD452
SHIMANO	ZEE	FD426
SRAM	DB	FD427
SRAM	Force	FD469
SRAM	Guide	FD459
SRAM	HDR	FD469
SRAM	Level T	FD499
SRAM	Level TL	FD499
SRAM	Level TLM	FD469
SRAM	Level Ultimate	FD469
SRAM	Red 22	FD469
SRAM	Rival	FD469
SRAM	X0	FD427
SRAM	X7	FD427
SRAM	X9	FD427
SRAM	XX	FD427
TEKTRO	Aquila	FD454
TEKTRO	Auriga	FD293
TEKTRO	Dorado	FD293
TEKTRO	Draco	FD293
TEKTRO	Gemini	FD293
TEKTRO	Gemini (2003-)	FD454
TEKTRO	HDC 300	FD293
TEKTRO	IO	FD454
TEKTRO	MOTA	FD293
TEKTRO	Novela (2003-)	FD454
TEKTRO	Orion	FD293



STANDARD G1053  
ADVANCED G1851  
PRO G1554T



TRIAL SINTERED G1398



ROAD ROAD G1455




Catalogue: 95035M01



Brochure: 95035M01



Cap: 95994HD3



Pen: 95029H01



Brake fluid: LFO14

Slicker 4,5cm: 95076H01

Slicker 8cm: 95076A01 / E01

Slicker 11cm: 95076B01

Slicker 17cm: 95076C01

**GALFER**  
PERFORMANCE BRAKING SYSTEMS

Slicker 50cm: 95076D01

**GALFER**  
PERFORMANCE BRAKING SYSTEMS

Slicker 100cm: 95046M02



T-shirt: 95023F\*1



Gloves: 95049001



Bag: 95994LA3



Poster: 95035L61



Key ring: 95994M01



Exhibitor: 95002Z01



Product holder: 95002B01



Big product holder: 95002F01



Banner 300x80cm: 95058A03