

OBRAMOBIL

El modelo OBRAMOBIL es un toldo doble con postes que puede cubrir grandes superficies. El espacio situado por debajo de este toldo se puede aprovechar libremente puesto que este modelo le permite prescindir de un molesto poste central.

El OBRAMOBIL es muy versátil, se puede utilizar en restaurantes y cafeterías, en viviendas particulares y por supuesto también en guarderías, mercadillos y para fiestas. Como revela su nombre la estructura es móvil. Su montaje y desmontaje requiere muy poco tiempo. Los brazos articulados son estables y se desplazan de forma sincronizada a ambos lados mediante un sistema de cableado doble. El modelo de dos postes está disponible con base en forma de T invertida o con soportes de fijación al piso. La lona y los brazos protegidas en el cofre, permiten dejar el OBRAMOBIL a la intemperie.

Incorpora manivela o motor (opcional) para extenderlo y recogerlo.

The OBRAMOBIL is a free-standing double awning which provides a very large area of shade. As there are no middle posts to get in the way, the space under the awning can be used to the best effect.

The OBRAMOBIL is very versatile and can be used for catering establishments or private use, as well as for play schools, market stalls or outdoor festivities. As the name implies, this awning is mobile and disassembling takes only a very short time. The stable folding arms with double cables roll out both sides simultaneously. The two-leg version is available with cross feet or with floor sleeves to be set in concrete. Fabric and folding arms are well protected in the box, so the OBRAMOBIL can be left outside over the winter.

Manual operation with gear and crank. Motor drive is available as an option.



OBRAMOBIL OS4000



315, 375, 435 cm
495, 555 cm



260 cm



300, 350, 400, 450 cm

Premium standards



Comfort options



EXPERT

somfy

PARA MAS INFORMACIÓN paco@areashowroom.es ó +34 609 672 922









RESTAURANT

LE BOKY

UISINE JAPONAISE

SHI
TEPPANYAKI

YU
Cuisine
JAPONAISE
MENU COMPLET

DAMES ET MESSIEURS

Mary Line