



ÁS
ÁREA showroom

AIROMATIC PS4000

	min. 85 cm
	* max. 300 / 400 cm
	min. 80 cm
	* max. 350 / 400 cm

* max. 14 m²

AIROMATIC PS4500

	min. 85 cm
	* max. 450 / 550 cm
	min. 80 cm
	* max. 500 / 600 cm

* max. 27.5 m²

Premium standards



Comfort options



AIROMATIC

El toldo AIROMATIC está perfectamente concebido para dar sombra sobre jardines de invierno, techos acristalados y ventanas de bukardillas. Gracias a su diseño compacto, estos sistemas resultan especialmente idóneos para dar sombra en superficies pequeñas y medianas.

El elegante cofre esta suspendido y es de aluminio de primera calidad al igual que los demás perfiles y piezas de fundición. Una vez recogido el toldo, el perfil se encarga de cerrar herméticamente el cofre protegiendo así la lona de las inclemencias del tiempo. La lona permanece siempre tensa gracias a un mecanismo patentado de pistones de gas incorporado en las guías. Los diferentes tipos de soportes existentes permiten un montaje flexible y sencillo.

El toldo puede recogerse y extenderse mediante un motor controlado electrónicamente y con parada automática. ¿Desea más comodidades todavía? Opcionalmente también puede incorporar un mando a distancia, así como sensores automáticos de sol, viento, lluvia y temperatura.

The AIROMATIC model are perfectly suitable for exterior installation on conservatories, glass roofs and skylights. Their compact constructions make these awning systems especially suitable for small and medium areas.

The elegant box is self-supported and, as all the other profiles and cast parts, made of high quality aluminium. When the awning is rolled up, the end profile fits the box perfectly and protects the cover against the weather. The lateral, patented gas filled struts ensure constant and perfect tensioning of the cover. A chpice of fixings allows flexible and easy installation – even on a complicated substructure.

An electronicañy controlled motor with automatic end stop drives the awning. Do you want more convenience? Remote controls as well and sun, wind, rain and temperatura sensors are also available.

PARA MAS información paco@areashowroom.es ó +34 609 672 922











